


Frame No: 1 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 1 £210.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

2500 Trickle Vent White Sash
2500 Trickle Vent White Sash


Glazing:

300x542mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer
300x542mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 910 x 750
Actual Frame Size: 910 x 720

Frame No: 2 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 2 £210.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

2500 Trickle Vent White Sash
2500 Trickle Vent White Sash


Glazing:

300x542mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer
300x542mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 910 x 750
Actual Frame Size: 910 x 720

Frame No: 3 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 3 £210.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

2500 Trickle Vent White Sash
2500 Trickle Vent White Sash


Glazing:

300x542mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer
300x542mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 910 x 750
Actual Frame Size: 910 x 720

Frame No: 4 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 4 £299.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash
4000 Trickle Vent White Sash


Glazing:

468x1142mm: 4-20-4 A Rated Clear KA Tough Glass Unit
18mm Georgian Bar White 20mm Black Spacer
469x1142mm: 4-20-4 A Rated Clear KA Tough Glass Unit
18mm Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 1247 x 1350
Actual Frame Size: 1247 x 1320

Frame No: 5 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 5 £299.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash
4000 Trickle Vent White Sash


Glazing:

468x1142mm: 4-20-4 A Rated Clear KA Tough Glass Unit
18mm Georgian Bar White 20mm Black Spacer
469x1142mm: 4-20-4 A Rated Clear KA Tough Glass Unit
18mm Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 1247 x 1350
Actual Frame Size: 1247 x 1320

Frame No: 6 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 6 £237.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash
4000 Trickle Vent White Sash


Glazing:

468x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer
469x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 1247 x 1050
Actual Frame Size: 1247 x 1020

Frame No: 7 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 7 £125.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptered White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash


Glazing:

507x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 685 x 1050
Actual Frame Size: 685 x 1020

Frame No: 8 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 8 £237.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptered White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash
4000 Trickle Vent White Sash


Glazing:

468x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer
469x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 1247 x 1050
Actual Frame Size: 1247 x 1020

Frame No: 9 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 9 £125.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptered White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash


Glazing:

507x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 685 x 1050
Actual Frame Size: 685 x 1020

Frame No: 10 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 10 £237.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash
4000 Trickle Vent White Sash


Glazing:

468x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer
469x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 1247 x 1050
Actual Frame Size: 1247 x 1020

Frame No: 11 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 11 £125.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash


Glazing:

507x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 685 x 1050
Actual Frame Size: 685 x 1020

Frame No: 12 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 12 £125.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash


Glazing:

507x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 685 x 1050
Actual Frame Size: 685 x 1020

Frame No: 13 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 13 £125.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptered White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash


Glazing:

507x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 685 x 1050
Actual Frame Size: 685 x 1020

Frame No: 14 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 14 £125.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptered White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash


Glazing:

507x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 685 x 1050
Actual Frame Size: 685 x 1020

Frame No: 15 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 15 £125.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptered White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash

Glazing:

507x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 685 x 1050
Actual Frame Size: 685 x 1020


SWORDS PROPERTIES LTD

Quote Number: Q0083123

Customer Reference:

Quote Date: 30/07/2024

Frame No: 16 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 16 £443.00



Frame Specification:

Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:


Glazing:

692x2136mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
717x2136mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
692x2136mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer

Dimensions:

Overall Size: 2260 x 2250
Actual Frame Size: 2260 x 2220

Frame No: 17 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 17 £237.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash
4000 Trickle Vent White Sash


Glazing:

468x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer
469x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 1247 x 1050
Actual Frame Size: 1247 x 1020

Frame No: 18 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 18 £237.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard+ Restricted/Easyclean
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash
4000 Trickle Vent White Sash


Glazing:

468x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer
469x842mm: 4-20-4 A Rated Clear KA Glass Unit 18mm
Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 1247 x 1050
Actual Frame Size: 1247 x 1020

Frame No: 19 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 19 £346.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard Hinges
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash


Glazing:

1069x880mm: 4-20-4 A Rated Clear KA Tough Glass Unit
18mm Georgian Bar White 20mm Black Spacer
1163x974mm: 4-20-4 A Rated Clear KA Tough Glass Unit
18mm Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 1247 x 2100
Actual Frame Size: 1247 x 2070

Frame No: 20 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 20 £346.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard Hinges
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash


Glazing:

1069x880mm: 4-20-4 A Rated Clear KA Tough Glass Unit
18mm Georgian Bar White 20mm Black Spacer
1163x974mm: 4-20-4 A Rated Clear KA Tough Glass Unit
18mm Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 1247 x 2100
Actual Frame Size: 1247 x 2070

Frame No: 21 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 21 £346.00



Frame Specification:

Win Handle: Quantum Mk3 Espag White
Win Hinge: Standard Hinges
Win Lock: Yale Encloser
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

4000 Trickle Vent White Sash

Glazing:

1069x880mm: 4-20-4 A Rated Clear KA Tough Glass Unit
18mm Georgian Bar White 20mm Black Spacer
1163x974mm: 4-20-4 A Rated Clear KA Tough Glass Unit
18mm Georgian Bar White 20mm Black Spacer

Dimensions:

Overall Size: 1247 x 2100
Actual Frame Size: 1247 x 2070

Frame No: 22 Qty: 1 Timber Hardwood - Comp Door Open In Location: Window 22 £583.00



Frame Specification:

Door Handle: ING Offset Lever/Lever -Chrome
Door Hinge: White 2D Hinge
Door Lock: Ing CD Lock
Frame Finish1: Black / Brown Foil
Cill: 180mm Cill
Drainage: Concealed
Reinforcing: ALI Comp Reo
Threshold: Storm Guard proline AM3 Silver

Additional Frame Details:

20mm Frame Extender Black Foil Left


Glazing:

898x1993mm: RR02 - Rustic Renown - Black/White
191x471mm: Obscure Toughened Satin

Dimensions:

Overall Size: 1022 x 2100
Actual Frame Size: 1002 x 2070

Frame No: 23 Qty: 1 Foil/Wht Sculpt - Open In Resi Door Location: Window 23 £371.00



Frame Specification:

Door Handle: Apex LL White
Door Hinge: Easyfit Hinge White x3
Door Lock: Yale Senscheck Door Lock
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Door Reinforcing
Threshold: Thermal Break Threshold Silver

Additional Frame Details:


Glazing:

628x1817mm: 4-20-4 A Rated Clear KA Tough Glass Unit

Dimensions:

Overall Size: 910 x 2100
Actual Frame Size: 910 x 2070

Frame No: 24 Qty: 1 Foil/Wht Sculpt - Open In Resi Door Location: Window 24 £371.00



Frame Specification:

Door Handle: Apex LL White
Door Hinge: Easyfit Hinge White x3
Door Lock: Yale Senscheck Door Lock
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Door Reinforcing
Threshold: Thermal Break Threshold Silver

Additional Frame Details:


Glazing:

628x1817mm: 4-20-4 A Rated Clear KA Tough Glass Unit

Dimensions:

Overall Size: 910 x 2100
Actual Frame Size: 910 x 2070

Frame No: 25 Qty: 1 Foil/Wht Sculpt - Open Out French Door Location: Window 25 £671.00



Frame Specification:

Door Handle: Apex LL White x2
 Door Hinge: Easyfit Hinge White x3
 Door Lock: Yale Senscheck Fr Door Lock
 Frame Finish1: White Foil On White
 Frame Finish3: Sculptured
 Cill: 150mm Sill
 Beading: 28mm Sculptured White
 Drainage: Concealed
 Reinforcing: Door Reinforcing
 Threshold: Thermal Break Threshold Silver

Additional Frame Details:

4000 Trickle Vent White Sash
 4000 Trickle Vent White Sash


Glazing:

554x1817mm: 4-20-4 A Rated Clear KA Tough Glass Unit
 555x1817mm: 4-20-4 A Rated Clear KA Tough Glass Unit

Dimensions:

Overall Size: 1585 x 2100
 Actual Frame Size: 1585 x 2070

Frame No: 26 Qty: 1 Foil/Wht Sculpt - Open Out French Door Location: Window 26 £671.00



Frame Specification:

Door Handle: Apex LL White x2
 Door Hinge: Easyfit Hinge White x3
 Door Lock: Yale Senscheck Fr Door Lock
 Frame Finish1: White Foil On White
 Frame Finish3: Sculptured
 Cill: 150mm Sill
 Beading: 28mm Sculptured White
 Drainage: Concealed
 Reinforcing: Door Reinforcing
 Threshold: Thermal Break Threshold Silver

Additional Frame Details:

4000 Trickle Vent White Sash
 4000 Trickle Vent White Sash


Glazing:

554x1817mm: 4-20-4 A Rated Clear KA Tough Glass Unit
 555x1817mm: 4-20-4 A Rated Clear KA Tough Glass Unit

Dimensions:

Overall Size: 1585 x 2100
 Actual Frame Size: 1585 x 2070

Frame No: 27 Qty: 1 Foil/Wht Sculpt - Open Out French Door Location: Window 27 £671.00



Frame Specification:

Door Handle: Apex LL White x2
Door Hinge: Easyfit Hinge White x3
Door Lock: Yale Senscheck Fr Door Lock
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 150mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Door Reinforcing
Threshold: Thermal Break Threshold Silver

Additional Frame Details:

4000 Trickle Vent White Sash
4000 Trickle Vent White Sash


Glazing:

554x1817mm: 4-20-4 A Rated Clear KA Tough Glass Unit
555x1817mm: 4-20-4 A Rated Clear KA Tough Glass Unit

Dimensions:

Overall Size: 1585 x 2100
Actual Frame Size: 1585 x 2070

Frame No: 28 Qty: 1 Foil/Wht Sculpt - Open Out French Door Location: Window 28 £702.00



Frame Specification:

Door Handle: Apex LL White x2
Door Hinge: Easyfit Hinge White x3
Door Lock: Yale Senscheck Fr Door Lock
Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 180mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Door Reinforcing
Threshold: Thermal Break Threshold Silver

Additional Frame Details:

4000 Trickle Vent White Sash
4000 Trickle Vent White Sash


Glazing:

667x1817mm: 4-20-4 A Rated Clear KA Tough Glass Unit
667x1817mm: 4-20-4 A Rated Clear KA Tough Glass Unit

Dimensions:

Overall Size: 1810 x 2100
Actual Frame Size: 1810 x 2070

Frame No: 29 Qty: 1 Alumina Bi-Fold Open Out Location: Window 29 £2,638.00



Frame Specification:

Door Handle: Main Handle White
Door Hinge: Hinge Black
Door Lock: Main Lock Mk2
Frame Finish1: White Foil
Frame Finish2: White Foil
Cill: 180mm Cill
Beading: 28mm Sculptured Bead White Foi
Drainage: Concealed
Reinforcing: None
Threshold: Ali Threshold Silver

Additional Frame Details:


Glazing:

594x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
594x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
594x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer

Dimensions:

Overall Size: 2260 x 2250
Actual Frame Size: 2260 x 2220

Frame No: 30 Qty: 1 Alumina Bi-Fold Open Out Location: Window 30 £2,638.00



Frame Specification:

Door Handle: Main Handle White
Door Hinge: Hinge Black
Door Lock: Main Lock Mk2
Frame Finish1: White Foil
Frame Finish2: White Foil
Cill: 180mm Cill
Beading: 28mm Sculptured Bead White Foi
Drainage: Concealed
Reinforcing: None
Threshold: Ali Threshold Silver

Additional Frame Details:


Glazing:

594x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
594x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
594x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer

Dimensions:

Overall Size: 2260 x 2250
Actual Frame Size: 2260 x 2220

Frame No: 31 Qty: 1 Alumina Bi-Fold Open Out Location: Window 31 £2,638.00



Frame Specification:

Door Handle: Main Handle White
Door Hinge: Hinge White
Door Lock: Main Lock Mk2
Frame Finish1: White Foil
Frame Finish2: White Foil
Cill: 180mm Cill
Beading: 28mm Sculptured Bead White Foi
Drainage: Concealed
Reinforcing: None
Threshold: Ali Threshold Silver

Additional Frame Details:


Glazing:

594x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
594x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
594x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer

Dimensions:

Overall Size: 2260 x 2250
Actual Frame Size: 2260 x 2220

Frame No: 32 Qty: 1 Alumina Bi-Fold Open Out Location: Window 32 £2,770.00



Frame Specification:

Door Handle: Main Handle White
Door Hinge: Hinge White
Door Lock: Main Lock Mk2
Frame Finish1: White Foil
Frame Finish2: White Foil
Cill: 180mm Cill
Beading: 28mm Sculptured Bead White Foi
Drainage: Concealed
Reinforcing: None
Threshold: Ali Threshold Silver

Additional Frame Details:

Glazing:

706x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
707x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
706x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer

Dimensions:

Overall Size: 2597 x 2250
Actual Frame Size: 2597 x 2220


SWORDS PROPERTIES LTD

Quote Number: Q0083123

Customer Reference:

Quote Date: 30/07/2024

Frame No: 33 Qty: 1 Alumina Bi-Fold Open Out Location: Window 33 £2,770.00



Frame Specification:

Door Handle: Main Handle White
Door Hinge: Hinge White
Door Lock: Main Lock Mk2
Frame Finish1: White Foil
Frame Finish2: White Foil
Cill: 180mm Cill
Beading: 28mm Sculptured Bead White Foi
Drainage: Concealed
Reinforcing: None
Threshold: Ali Threshold Silver

Additional Frame Details:


Glazing:

706x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
707x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
706x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer

Dimensions:

Overall Size: 2597 x 2250
Actual Frame Size: 2597 x 2220

Frame No: 34 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 34 £466.00



Frame Specification:

Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 150mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

Std 20mm Butt Joint Right

Glazing:

469x1986mm: 4-20-4 A Rated Obscure KA Tough Glass Unit Satin 20mm Black Spacer
469x1986mm: 4-20-4 A Rated Obscure KA Tough Glass Unit Satin 20mm Black Spacer

Dimensions:

Overall Size: 1080 x 2100
Actual Frame Size: 1060 x 2070

Frame No: 35 Qty: 1 Timber Hardwood - Comp Door Open In Location: Window 35 £473.00



Frame Specification:

Door Handle: ING Offset Lever/Lever -Chrome
Door Hinge: White 2D Hinge
Door Lock: Ing CD Lock
Frame Finish1: Black / Brown Foil On White
Cill: 150mm Cill
Drainage: Concealed
Reinforcing: ALI Comp Reo
Threshold: Storm Guard proline AM3 Silver

Additional Frame Details:

ING Letter Plate - Satin Chrome

Glazing:

896x1993mm: RR01 - Retail Cottage - Black/White

Dimensions:

Overall Size: 1000 x 2100
Actual Frame Size: 1000 x 2070


SWORDS PROPERTIES LTD

Quote Number: Q0083123

Customer Reference:

Quote Date: 30/07/2024

Frame No: 36 Qty: 1 Foil/Wht Sculpt - Int Casement Location: Window 36 £466.00



Frame Specification:

Frame Finish1: White Foil On White
Frame Finish3: Sculptured
Cill: 150mm Sill
Beading: 28mm Sculptured White
Drainage: Concealed
Reinforcing: Std Reinforcement

Additional Frame Details:

Std 20mm Butt Joint Left


Glazing:

469x1986mm: 4-20-4 A Rated Obscure KA Tough Glass
Unit Satin 20mm Black Spacer
469x1986mm: 4-20-4 A Rated Obscure KA Tough Glass
Unit Satin 20mm Black Spacer

Dimensions:

Overall Size: 1080 x 2100
Actual Frame Size: 1060 x 2070

Frame No: 37 Qty: 1 Alumina Bi-Fold Open Out Location: Window 37 £3,529.00



Frame Specification:

Door Handle: Main Handle White
Door Hinge: Hinge White
Door Lock: Main Lock Mk2
Frame Finish1: White Foil
Frame Finish2: White Foil
Cill: 180mm Cill
Beading: 28mm Sculptured Bead White Foil
Drainage: Concealed
Reinforcing: None
Threshold: Ali Threshold Silver

Additional Frame Details:

Glazing:

646x1865mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
645x1865mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
646x1865mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
704x1865mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer

Dimensions:

Overall Size: 3247 x 2100
Actual Frame Size: 3247 x 2070


SWORDS PROPERTIES LTD

Quote Number: Q0083123

Customer Reference:

Quote Date: 30/07/2024

Frame No: 38 Qty: 1 Alumina Bi-Fold Open Out Location: Window 38 £3,581.00



Frame Specification:

Door Handle: Main Handle White
Door Hinge: Hinge White
Door Lock: Main Lock Mk2
Frame Finish1: White Foil
Frame Finish2: White Foil
Cill: 180mm Cill
Beading: 28mm Sculptured Bead White Foi
Drainage: Concealed
Reinforcing: None
Threshold: Ali Threshold Silver

Additional Frame Details:


Glazing:

680x1865mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
680x1865mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
681x1865mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
738x1865mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer

Dimensions:

Overall Size: 3385 x 2100
Actual Frame Size: 3385 x 2070

Frame No: 39 Qty: 1 Alumina Bi-Fold Open Out Location: Window 39 £3,681.00



Frame Specification:

Door Handle: Main Handle White
Door Hinge: Hinge White
Door Lock: Main Lock Mk2
Frame Finish1: White Foil
Frame Finish2: White Foil
Cill: 180mm Cill
Beading: 28mm Sculptured Bead White Foi
Drainage: Concealed
Reinforcing: None
Threshold: Ali Threshold Silver

Additional Frame Details:

Glazing:

680x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
680x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
681x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer
738x2015mm: 4-20-4 A Rated Clear KA Tough Glass Unit
20mm Black Spacer

Dimensions:

Overall Size: 3385 x 2250
Actual Frame Size: 3385 x 2220