

Tom Rae
Development Control
North Hertfordshire District Council

**Postal Point CHN 108
Hertfordshire County Council
County Hall, Pegs Lane
HERTFORD SG13 8DN**

Contact Peri Horsley
Tel 01992 555241
My ref P01/24/1608-5
Your ref 25/01608/DOC
historic.environment@hertfordshire.gov.uk

Date: 6th October 2025

Dear Tom,

**Re: Details reserved by condition 14 (Archaeological Written Scheme of Investigation) of permission reference 24/01371/FP granted on 19.02.2025.-
Tussocks The Causeway Therfield Royston Hertfordshire SG8 9PP**

ARCHAEOLOGICAL IMPLICATIONS

Thank you for consulting me on the above application for a discharge of condition.

The applicant's archaeological Written Scheme of Investigation (WSI) for archaeological trial trench evaluation meets the requirements of this office. The programme of archaeological work may commence, subject to your final approval.

I can advise partial discharge of condition 14 (i.e Parts 1 and 7), sufficient to allow the evaluation to go ahead. Please note that, as further phases of archaeological work may be required, for which an additional Written Scheme of Investigation (project design) will be needed, the condition should not be fully discharged at this time.

Please also note that I will only be able to recommend discharge of the remaining archaeological conditions (15) when all archaeological work has been completed in accordance with the WSI(s), an appropriate report of a satisfactory standard has been submitted, and provision has been made for further analysis and publication if required.

Please do not hesitate to contact me should you require any further information or clarification.

Yours sincerely,

Peri Horsley
Historic Environment Advisor, Hertfordshire LEADS
Environmental Sustainability

Hertfordshire LEADS provides Landscape, Ecology, Archaeology, Design and Sustainability support to planning departments in Hertfordshire.