

Legend:

- Existing trees to be retained and protected during construction
- Proposed tree planting to be planted in line with tree planting pit details
- Proposed planting beds with plants evenly distributed throughout designated area
- Proposed grass area to receive good quality grass turves

Header

Trees

Species Name	Girth	Height	Density	Specification	No.
Acer platinoides 'Globosum'	10-12cm	250-300cm	Counted	Selected Standard - Clear Stem 1750-2000, 4 brks, 2x, C15	No.
Prunus cerasifera 'Nigra'	10-12cm	250-300cm	Counted	Selected Standard - Clear Stem 1750-2000, 4 brks, 2x, C15	No.
Prunus avium 'Plena'	10-12cm	250-300cm	Counted	Selected Standard - Clear Stem 1750-2000, 4 brks, 2x, C12	No.

Shrubs

Species Name	Height	Pot Size	Specification	Density	No.
Ceanothus 'Blue Mound'	90-120cm	3L	Bushy - 3 brks - 3/m²	49	No.
Hebe franciscana 'Blue Gem'	90-120cm	3L	Bushy - 3 brks - 3/m²	62	No.
Lavandula angustifolia 'Alba'	20-30cm	3L	Bushy - 3 brks - 3/m²	55	No.
Osmanthus burkwoodii	90-120cm	3L	Bushy - 3 brks - 3/m²	68	No.
Potentilla fruticosa 'Abbotswood White'	20-30cm	3L	Bushy - 3 brks - 3/m²	58	No.
Prunus lusitanica	40-60cm	3L	Bushy - 3 brks - 3/m²	1754	No.
Skimmia japonica 'Rubella'	90-120cm	3L	Bushy - 3 brks - 3/m²	13	No.
Skimmia japonica 'Veitchii'	90-120cm	3L	Bushy - 3 brks - 3/m²	9	No.
Viburnum davidii	20-30cm	3L	Bushy - 3 brks - 3/m²	64	No.

Tree Planting Pit Detail within Soft Landscape



Root Rain Metro tree pit irrigation system as supplied by Green-Tech Industries or similar and approved

Pressure impregnated softwood stakes driven into ground with a minimum of 400mm below ground

The tree should be positioned in the hole so that the top of the rootball is level with the surrounding ground level

Backfilled material to be either originally excavated soil or imported soil to BS3882:2007. If judged to be of poor quality then suitable well rotted organic matter must be added. To be backfilled in layers of 300mm, each layer to be lightly firmed in with heel, to exclude large voids

Wire cage to be left on, and folded back/cut away around stem, if rootballed.

Rubber belting and spacer block attached with galvanised nails as supplied from Green-Tech Industries or similar and approved with tie height 1/3 stem height

Good quality, well rotted mulch to be applied to a minimum of 75mm depth, and no more than 150mm, leaving the stem base clear and mulch free

Tree pit to be no deeper than rootball, 600mm larger than rootball on all sides, and should be square with sides and base of pit to be forked over

All components as supplied from GreenBlue Urban or similar and approved

SPECIFICATION

Forestry Commission Practice note 8.

All native species should be of local stock. Native trees and shrubs certified as British Native plant stock.

All planting stock should comply with the Horticultural Trade Association National Plant specification.

All planting preparation, handling, planting & maintenance should be in accordance with CPSE Code for Handling and Establishing plants.

All trees and shrubs to comply with BS 3936 Part 1 1992, planted to BS 4043:1989 and BS 4428:1989.

Topsoil incorporated into planting beds to be gently mounded towards the centre of each bed to allow for settlement.

On completion of planting the whole area of the shrub bed shall be mulched with 75mm consolidated thickness of medium textured decorative grade natural pine bark having first been prepared in accordance with the specification.

Free standing hedges shall have a 3 strand galvanised wire and tanalised softwood timber post fence, to BS 1722 Part 2:2000, erected along a line between the two rows of hedge plants.

All existing trees and hedges to be protected in accordance with BS5837:2012 for the duration of the construction period.

NOTE: DO NOT SCALE FROM DRAWING

Rev	Date	Details	Drawn

ACD

Ecology
Arboriculture
Landscape Architecture

ACD Landscape Architect & ACD Ecology
Rodbourne Rail Business Centre, Grange Lane,
Malmesbury, SN16 0ES
Tel: 01666 825646

ACD Arboriculture
Courtyard House, Mill Lane, Godalming. GU7 1EY
Tel: 01483 425714

ACD (Landscape Architects) Southampton
12 Southgate Street, winchester, SO23 9EF
Tel: 01962 853604

www.acdlandscape.co.uk

Matthew Homes

scheme: Bulwer Lytton House
Lytton Fields, Knebworth
client: Matthew Homes
drawing: Landscape Proposals
date: August 2014
scale: 1:200@A1
drawing no: MAT19381-11
drawn: HCS checked: ALK

Copyright of ACD Landscape Architects Ltd. All rights described in Chapter IV of the Copyright, Designs and Patents Act 1988 have been generally asserted. 2011. Copyright of this plan remains with ACD until all fees have been paid in full.