


File name: \\UK.WSPGROUP.COM\CENTRAL DATA\PROJECTS\700988\22\DR-C-5000.DWG, printed on 01 November 2024, 18:12:32, by Brown, Darren



FOR CONTINUATION REFER TO SHEET 10

HEADWALL 2
ATHLON PRECAST CONCRETE HEADWALL
SFA10A (OR SIMILAR APPROVED)
TOP OF WALL LEVEL 66.580m
PIPE INVERT LEVEL 65.890m
HEADWALL INVERT LEVEL 65.740m
PIPE Ø 300mm

SMH265
CL 68.904
IL 66.500
FMH355
CL 68.496
IL 64.285

1:100

SI

GATE SIGN
HEIGHT RESTRICTION BARRIER
PO TELEPHONE
STONE
SCRUB HT 4m
P/W FENCE HT 1.4m
ELM HEDGE HT 3m

HEADWALL 1
ATHLON PRECAST CONCRETE HEADWALL
SFA15B (OR SIMILAR APPROVED)
TOP OF WALL LEVEL 66.362m
PIPE INVERT LEVEL 66.785m
HEADWALL INVERT LEVEL 66.650m
PIPE Ø 1050mm

ASH
G 1.2
HT 8m

ASH
G 0.5
HT 6m

SMH161
CL 68.715
IL 66.785

FMH354
CL 69.032
IL 64.775

FMH353
CL 69.476
IL 64.426

SMH160
CL 69.337
IL 66.840

FMH352
CL 69.369
IL 65.030

UNTIL TECHNICAL APPROVAL HAS BEEN OBTAINED FROM THE RELEVANT LOCAL AUTHORITIES OR STATUTORY BODIES, IT SHOULD BE UNDERSTOOD THAT ALL DRAWINGS ARE ISSUED AS PRELIMINARY AND NOT FOR CONSTRUCTION. SHOULD THE CONTRACTOR AND / OR EMPLOYER COMMENCE WORK PRIOR TO APPROVAL BEING GIVEN, IT IS ENTIRELY AT THEIR OWN RISK

FOR CONTINUATION REFER TO SHEET 7

FOR CONTINUATION REFER TO SHEET 8

0 1:250 12.5 metres

DO NOT SCALE

NOTES:

- ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE.
- THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECT & ENGINEERING DETAILS, DRAWINGS & SPECIFICATIONS.
- ANY DISCREPANCIES SHOULD BE REPORTED TO THE ARCHITECT AND/OR ENGINEER IMMEDIATELY SO THAT CLARIFICATION CAN BE SOUGHT PRIOR TO THE COMMENCEMENT OF WORK.
- UNLESS OTHERWISE NOTED, ALL PRIVATE DRAINAGE PIPES AND FITTINGS TO BE PVCu CONFORMING TO BS4660 AND BS5481 AS APPROPRIATE AND SHALL BE LAID IN ACCORDANCE WITH THE MANUFACTURERS SPECIFICATION. ALTERNATIVELY VITRIFIED CLAY TO BS EN 295, WITH FLEXIBLE JOINTS AND KITE MARK CERTIFIED. ALL LATERALS TO BE ADOPTED BY ANGLIAN WATER TO BE VITRIFIED CLAY
- ALL PRIVATE BUILDING DRAINAGE SHALL BE CONSTRUCTED IN ACCORDANCE WITH BS EN725 AND THE BUILDING REGULATIONS APPROVAL DOCUMENT H.
- ALL SVPS AND STACK PIPES SHALL HAVE RODDING ACCESS PLATES FITTED AT THEIR BASES (GROUND FLOOR LEVEL).
- MANHOLE/INSPECTION COVERS IN PRIVATE BLOCK PAVED PATHS, DRIVES AND PARKING AREAS ARE TO BE RECESSED TO RECEIVE MATCHING BLOCKS IN ALL CASES.
- THE SITE ENGINEER IS TO DETERMINE THE ORIENTATION OF THE MANHOLE CHAMBERS TO ENSURE THE LOCATION OF THE COVERS DO NOT FALL WITHIN THE PATHS OF VEHICLE TRACKS WHERE POSSIBLE. IN AREAS WHERE NECESSARY ANTI-SKID COVERS MAY BE SPECIFIED.
- PRIVATE SEWERS PLUS DRAINS SHALL HAVE CLASS B PIPE BEDDING AND SURROUND UNLESS COVER IS LESS THAN 900mm UNDER DRIVES WHERE CLASS Z SHALL BE USED. PRIVATE DRAINS TO HAVE MINIMUM 450mm COVER AT ANY POINT.
- IT IS THE CONTRACTORS RESPONSIBILITY TO LOCATE ALL EXISTING SERVICES THAT MAY BE AFFECTED BY THE PROPOSED WORKS BEFORE COMMENCEMENT OF CONSTRUCTION.
- ALL PRIVATE SEWERS AND FW LATERALS ARE 100mm DIA UNLESS OTHERWISE SPECIFIED.

KEY

- ADOPTABLE FOUL WATER MANHOLE
- ADOPTABLE SURFACE WATER MANHOLE
- ADOPTABLE FOUL WATER PIPE
- ADOPTABLE SURFACE WATER PIPE
- HIGHWAY GULLY AND CONNECTION
- RISING MAIN
- PRIVATE FOUL WATER PIPE
- PRIVATE SURFACE WATER PIPE
- PRIVATE FOUL WATER CHAMBER
- PRIVATE SURFACE WATER CHAMBER

FOR CONTINUATION REFER TO SHEET 8

PO4	01/11/2024	DSB	REDLINE AMENDED	PSP	LJM
PO31	08/10/2024	DSB	MINOR AMENDMENTS TO SUIT PH1 MASTERPLAN	PSP	LJM
PO2	13/09/2024	MH	INDICATIVE MASTERPLAN REMOVED	PSP	LJM
PO1	02/12/2022	RH	FIRST ISSUE	PSP	LJM
REV	DATE	BY	DESCRIPTION	CHK	APP

DRAWING STATUS:

S2 - FOR INFORMATION



Unit 9 The Chase, John Tate Road, Foxholes Business Park, Hertford, SG13 7NN, UK
T+ 44 (0) 1992 526 000, F+ 44 (0) 1992 526 001
wsp.com

CLIENT:

BARRATT DAVID WILSON HOMES

ARCHITECT:

MCBAINS

SITE/PROJECT:

HIGHOVER FARM, HITCHIN

TITLE:

INFRASTRUCTURE
DRAINAGE LAYOUT
SHEET 9

SCALE @ A1:	1:250	CHECKED:	DSB	APPROVED:	LJM
PROJECT NO:	700982227	DESIGNED:	RH	DRAWN:	RH
				DATE:	November 24

DRAWING NO:	HOF-WSP-ZZ-ZZ-DR-C-5009	REV:	PO4
-------------	-------------------------	------	-----

© WSP UK Ltd