



Project: 24_PEA_06_68
Site: Caxton Villa, 14 Park Lane, Knebworth, SG3 6PF
Client: Shilpa Mepani



Project Number:	24_PEA_06_68
Report Type:	Preliminary Ecological Appraisal Report (PEAR)
Site Address:	Caxton Villa, 14 Park Lane, Knebworth, SG3 6PF

Role:	Name:	Position:	Date:
Surveyor	Max Shaw	Ecological Consultant	11/07/2024
Author	Max Shaw	Ecological Consultant	22/07/2024

Revision History		
Date:	Version number:	Summary of changes:
26/07/2024	1.0	First Draft
26/07/2024	1.0	First Issue
15/8/2024	2.0	Second Issue following customer comments on mitigation and enhancements.

Summary:	
Site Surveyed	Land at Caxton Villa, 14 Park Lane, Knebworth, SG3 6PF National Grid Reference: TL 2476 2027
Purpose & Brief	Preliminary ecological appraisal commissioned by Shilpa Mepani
Development Proposals	The proposed development is the change of use of property to flats, and a two storey extension with construction of parking spaces and EV battery chargers.
Methods	Desk Study UK Habitat Classification (UKHab) survey of the site. Assessment of likely significant effects as far as can be reasonably and proportionally known
Confirmed Ecological Constraints	None
Potential Ecological Constraints	Hedgehogs
Recommendations For Further Survey Works	Production of wildlife sensitive lighting scheme
Opportunities For Ecological Enhancements	Bird boxes Native species planting

With the assumption that the existing conditions on-site remain unchanged. The results of this report are likely to remain valid for 12-months inline with the guidance published by CIEEM and the Bat Conservation Trust.

Table of Contents

1	Introduction
2	Methodology
3	Policy and Legislative Context
4	Desktop Study
5	Site Survey
6	Evaluation and Assessment
7	Biodiversity Net Gain
8	Conclusions
9	References and Bibliography
10	Limitations

Appendix 1: Site Location and Assessment Boundary

Appendix 2: Desktop Study

Appendix 3: Site Maps

Acknowledgements:

Data referred to within this report was sourced from Natural England Department for Environment, Food and Rural Affairs Multi-Agency Geographic Information for the Countryside (DEFRA MAGIC) database and NBN Atlas.

Client Documents:

This report has been completed on assumption that the plans provided by the client at the time of issue of this report remain the same. A list of the documents provided by the client can be found in the table below.

Table: Documents provided by the client as of July 2024.

Plans provided by client as of July 2024.
NA-24045-PL-101
NA-24045-PL-202
NA-24045-PL-201.
NA-24045-PL-101
NA-24009-SK-102

1 Introduction

- 1.1 ROAVR Group were commissioned to undertake a Preliminary Ecological Appraisal Report (PEAR) at Caxton Villa, 14 Park Lane, Knebworth, SG3 6PF.
- 1.2 The survey was comprised of a desktop study, which was undertaken in July 2024 and a site survey, which was carried out by Max Shaw on 11/07/2024.
- 1.3 The methodology and results are outlined within the report. Where applicable, recommendations for suitable mitigation and ecological enhancements are provided.
- 1.4 The report is to be submitted to support a planning application. Full details of the proposals can be found on the planning portal.
- 1.5 The information and recommendations within this report have been prepared and provided in accordance with CIEEM's Code of Professional Conduct (CIEEM, 2022).

SITE DESCRIPTION

- 1.6 The survey site covers an area of approximately 762.2 sq metres and is centred on grid reference 'TL24762027'.
- 1.7 The site is situated in a suburban area in the North Hertfordshire District Council control area. The site is located in the middle of Knebworth, just south of Stevenage and is accessed via a private driveway.
- 1.8 The site is currently a detached three-storey residential dwelling.

DEVELOPMENT PROPOSALS

- 1.9 The site is to be redeveloped with the change of use of property to flats, and a two storey extension with construction of parking spaces and EV battery chargers.

SCOPE OF WORKS

- 1.10 The aims of this assessment were to:
 - identify the likely ecological constraints associated with the proposed development;
 - identify suitable mitigation measures (if required);
 - determine whether further surveys are necessary;
 - identify opportunities for ecological enhancement;

2 Methodology

DESKTOP STUDY

- 2.1 Site-specific information in relation to land designations, protected species and protected habitats within a 2km search area was sourced from DEFRA MAGIC.
- 2.2 In order to ensure that ecological data searches were up to date, species data was screened and all data records pre-2012 was omitted from the results.
- 2.3 Results of the desktop study should be considered to be indicative only.

UKHAB SURVEY

- 2.4 A Preliminary Ecological Appraisal, comprised of a site walkover and mapping was undertaken by Max Shaw on the 11/07/2024. The PEA was undertaken in line with CIEEM's 'Guidelines for Preliminary Ecological Appraisal (CIEEM, 2017). Max has been completing preliminary ecological appraisals for over two years and regularly undertakes surveys of this scale. He has received professional training in all aspects covered in this report.
- 2.5 The survey was conducted from the ground. Habitats and features of importance were mapped using a GPS enabled handset.
- 2.6 A Site Habitat Map was produced in accordance with the UK Habitat Classification Manual (Butcher et al., 2020). (Appendix 3).

PRELIMINARY BAT ROOST ASSESSMENT (PRA)

- 2.7 A Preliminary Roost Assessment, comprised of a preliminary ground level roost assessment was undertaken during the site survey on 11/07/2024. The PRA was undertaken in line with the Bat Conservation Trust's 'Bat Surveys for Professional Ecologists: Best Practice Guidelines' (Collins, 2023).
- 2.8 The survey included an active search for bats, evidence of bats (such as droppings, feeding remains, urine splatters, oil staining, bat fur and/or scratch marks) and potential roosting features (PRFs). PRFs of trees are listed in Table 2.8.1. PRFs of built structures are listed in Table 2.8.2. The lists are not exhaustive but show examples of the most commonly used roosting features of built structures and trees.

Table 2.8.1: Potential roosting features (PRFs) in built structures listed in Bat Conservation Trust's 'Bat Surveys for Professional Ecologists: Best Practice Guidelines' (Collins, 2023).

Potential roosting features (PRFs) in built structures	
External	Internal
- Access/egress through windowsills, window panes and walls; - Behind peeling paintwork or lifted rendering; - Behind hanging tiles; - Weatherboarding; - Eaves; - Soffit boxes; - Fascias; - Lead flashing; - Gaps under felt (even including those of flats roofs); - Under tiles/slates; - Existing bat boxes; - Gaps in brickwork or stonework which provide access/egress to cavity or rubble-filled walls	- Behind wooden panelling; - In lintels above doors and windows; - Behind window shutters and curtains; - Behind pictures, posters, furniture, peeling paintwork, peeling wallpaper, lifted plaster and boarded windows; - Inside cupboards and in chimneys accessible from fireplaces; - Within attic roof voids; - The top of gable end or dividing walls; - The top of chimney breasts; - Ridge and hip beams and other roof beams; - Mortise and tenon joints; - All beams; - The junction of roof timbers, especially where ridge and hip beams meet; - Behind purlins; - Between tiles and the roof lining; - Under flat felt roofs

GROUND LEVEL TREE ASSESSMENT (GLTA)

- 2.9 A Preliminary Bat Roost Assessment, comprised of a preliminary ground level roost assessment was undertaken by Max during the site survey on 11/07/2024. The GLTA was undertaken in line with the Bat Conservation Trust's 'Bat Surveys for Professional Ecologists: Best Practice Guidelines' (Collins, 2023).
- 2.10 The survey included an active search for bats, evidence of bats (such as droppings, feeding remains, urine splatters, oil staining, bat fur and/or scratch marks) and potential roosting features (PRFs). PRFs of trees are listed in Table 2.10.1. The lists are not exhaustive but show examples of the most commonly used roosting features of trees.

Table 2.10.1: Potential roosting features (PRFs) in trees listed in Bat Conservation Trust's 'Bat Surveys for Professional Ecologists: Best Practice Guidelines' (Collins, 2023) Table 6.6.

Table 2.10.1. PRF types that can be exploited by bats and how they form (adapted from Bat Roosts in Trees, BTHK, 2018) reproduced from Table 6.6. (Collins, 2023.)		
PRFs formed by disease and decay	PRFs formed by damage	PRFs formed by association
• Woodpecker holes • Squirrel holes • Knot holes • Pruning cuts • Tear outs • Wounds • Cankers • Compression forks • Butt rots	• Lightning strikes • Hazard beams • Subsidence • Cracks • Shearing cracks • Transverse snaps • Welds • Lifting bark • Desiccation • Fissures • Frost cracks	• Fluting • Ivy

Table 2.10.2. Guidelines for assessing the suitability of trees on proposed development sites for bats, to be applied using professional judgement.reproduced from Table 6.6. (Collins, 2023.)

Suitability	Description
NONE	Either no PRFs in the tree or highly unlikely to be any
FAR	Further assessment required to establish if PRFs are present in the tree
PRF	A tree with at least one PRF present

2.11 A Site PRF Map was produced to show the location of built structures, trees and potential roosting features (PRFs). Habitats and features of importance were mapped using a GPS enabled handset.

SUITABILITY ASSESSMENT

2.12 The likelihood of occurrence of protected ecological features and species was ranked in accordance with the criteria listed in Tables 2.10.1 and 2.10.2. Likelihood of occurrence was assessed using data collected during the desk study and after evaluation of the habitats on-site (during the site survey) as to their likelihood to provide suitability for protected species (i.e. presence of breeding, nesting, roosting, foraging, commuting and/or refuge habitat for example).

Table 2.12.1: Criteria used to assess the likelihood of occurrence for protected ecological features and species on-site (excl. bats).

Likelihood of occurrence	Criteria
Present	Confirmed as present during the site survey or by confirmed historical records.
High	Species are known to be present within close proximity to the site (records present). Habitats on-site are of high quality for the species and/or likely to support a large population. The site is well connected to good quality habitat within the local area.
Moderate	Species are known to be present within the local area (records present). Habitats on-site are of moderate quality for the species and/or likely to support a moderate population. The site and connected habitats provide all of the ecological requirements of the species. Suitability of habitats on-site may be limited due to disconnectivity to the wider landscape, poor to moderate habitat available within the wider locality, and/or due to the presence of only a small area of suitable habitat.
Low	Few or no records of the species within the local area. Habitats on-site are of poor quality for the species and/or likely to support just a few individuals. The suitability of habitats may be limited due to disturbance, isolation and/or poor quality habitat available within the wider locality. However, species presence cannot be discounted due to the national distribution of the species or the nature of on-site and surrounding habitats (if all required ecological requirements for the species are present).
Negligible	While presence cannot be absolutely discounted, the site includes very limited or poor quality habitat for a particular species. Connected habitats do not fulfil the ecological requirements of the species. There are no local records and/or the site is outside the known national range of the species.

Table 2.12.2: Criteria used to assess the likelihood of occurrence (site's suitability) for bats, from Bat Conservation Trust's 'Bat Surveys for Professional Ecologists: Best Practice Guidelines' (Collins, 2023) (Table 4.1.)

Potential suitability	Description	
	Roosting bats	Potential flight-paths and foraging habitats
None	No habitat features on site likely to be used by any roosting bats at any time of the year (i.e a complete absence of crevices / suitable shelter at all ground/underground levels).	No habitat features on site likely to be used by any commuting or foraging bats at any time of the year (i.e. no habitats that provide continuous lines of shade/protection for flight-lines, or generate/shelter insect populations available for foraging bats).
Negligible	No obvious habitat features on site likely to be used by roosting bats; however, a small element of uncertainty remains as bats can use small and apparently unsuitable features on occasion.	No obvious habitat features on site likely to be used as flight-paths or by foraging bats; however a small element of uncertainty remains in order to account for non-standard bat behaviour.
Low	A structure with one or more potential roost sites that could be used by individual bats opportunistically. However, these potential roost sites do not provide enough space, shelter, protection, appropriate conditions and/or suitable surrounding habitat to be used on a regular basis or by larger numbers of bats (i.e. unlikely to be suitable for maternity or hibernation). A tree of sufficient size and age to contain PRFs but with none seen from the ground or features seen with only very limited roosting potential.	Habitat that could be used by small numbers of commuting bats but isolated (i.e. not very well connected to the surrounding landscape by other habitat). Suitable, but isolated habitat that could be used by small numbers of bats for foraging such as a lone tree (not in a parkland situation) or a patch of scrub.
Moderate	A structure with one or more potential roost sites that could be used by bats due to their size, shelter, protection, appropriate conditions and/or suitable surrounding habitat but unlikely to support a roost of high conservation status (with respect to roost type only - with respect to roost type only).	Continuous habitat connected to the wider landscape that could be used by bats for flight-paths such as lines of trees or linked back gardens. Habitat that is connected to the wider landscape that could be used for bats for foraging such as trees, scrub, grassland or water.
High	A structure or tree with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for longer periods of time due to their size, shelter, protection, conditions and surrounding habitats. These structures have the potential to support high conservation status roosts, e.g. maternity or classic cool/stable hibernation sites.	Continuous, high-quality habitat that is well connected to the wider landscape that is likely to be used regularly by commuting bats. High-quality habitat that is well connected to the wider landscape that is likely to be used regularly by foraging bats. Site is close to and connected to known roosts.

ECOLOGICAL CONSTRAINTS AND MITIGATION

- 2.13 An evaluation of the potential ecological constraints to the proposed development and appropriate mitigation strategies was made following CIEEM's 'Guidelines for Ecological Impact Assessment in the UK and Ireland (CIEEM, 2018).

LIMITATIONS

- 2.14 Only one site visit was undertaken, therefore, a full evaluation of species present throughout the year could not be made. Therefore, there were seasonal constraints to species identification. However, the data collected during the site survey was sufficient to make an appropriate assessment of the site.
- 2.15 The site maps shown in Appendix 3 were produced from an Ordnance Survey Tile purchased from our mapping supplier. A site walkover with a GPS enabled handset was used to inform the location and extent of existing habitats shown on the appended mapping and is as accurate as possible but some error must be allowed for without a full topographical survey.

3 Policy and Legislative Context

- 3.1 This section includes the legislative context of those protected species or other notable species that are recorded on-site, or have the potential to be present on-site. Details on specific legislation for other protected or notable species that have not been identified as being present, or having the potential to be present, are not included below.

NATIONAL PLANNING POLICY

- 3.2 The introduction of the National Planning Policy Framework (NPPF) in March 2012 sets out the Government's planning policies for England and how these are expected to be applied in the presumption in favour of sustainable development. It sets out the Government's requirements for the planning system, only to the extent that it is relevant, proportionate and necessary to do so and is a material consideration for local planning authorities in determining applications.
- 3.3 Planning Practice Guidance is relevant covering the Natural Environment alongside the NPPF. Therefore features of ecological value should be considered in the context of conserving and enhancing the natural environment.
- 3.4 The Government's objectives for planning are to promote sustainable development, to conserve, enhance and restore the diversity of England's wildlife and geology and to contribute to rural renewal and urban renaissance.

LOCAL PLANNING POLICY

3.5 This report has been commissioned in order to comply with policies upheld in the North Hertfordshire District Council Local Plan, especially the following:

- Policy SP5: Countryside and Green Belt
- Policy SP12: Green infrastructure, landscape and biodiversity
- Policy SP13: Historic environment

<https://www.north-herts.gov.uk/north-herts-local-plan-2011-2031>

NATIONAL AND INTERNATIONAL LEGISLATION

3.6 Bern Convention on the Conservation of European Wildlife and Natural Habitats (1982)

3.7 Convention on the Conservation of Migratory Species of Wild Animals (1983)

3.8 Countryside and Rights of Way Act (2000)

3.9 National Parks and Access to the Countryside Act (1949)

3.10 Natural Environment and Rural Communities Act (2006)

3.11 Protection of Badgers Act (1992)

3.12 The Conservation of Habitats and Species Regulations (2017)

3.13 The Convention of International Trade in Endangered Species of Wild Fauna and Flora (1975)

3.14 The Hedgerows Regulations (1997)

3.15 UK Biodiversity Action Plan (1994)

3.16 Wildlife and Countryside Act (1981)

3.17 Wild Mammals (Protection) Act (1996)

4 Desktop Study

SITE DESIGNATIONS

4.1 There is one designated site within the 2km search area.

Table 4.1.1: Designate sites recorded within a 2km radius of the survey site.

Site Name	Grid Reference	Area (ha)	Approx. Closest Distance from Site (km)	Notes
SSSI Impact Risk Zones	TL 2476 2027	NA	0 km	The site falls within SSSI Impact Risk Zones.

*Data from DEFRA MAGIC

Table 4.1.2: Local wildlife sites recorded within a 2km radius of the survey site.

Site Name	Grid Reference	Area (ha)	Approx. Closest Distance from Site (km)	Notes
Mardley Heath LNR	TL 2463 1852	41.07	1.6 km	Birch trees and heath land species regenerated on the open sandy centre of the site, while original oak and hornbeam woodland remained around the perimeter. Some 40 hornbeam pollards remain as clues to the reserve's past. Sandy soils also provide homes for rare solitary bees and wasps.

*Data from DEFRA MAGIC

LOCAL HABITAT

4.2 There were more than 10 priority habitats that were formerly mapped within the 2km search area.

Table 4.2.1: Priority habitats formerly mapped within a 2km radius of the survey site.

Habitat	Approx. Closest Distance from Site (km)
Deciduous Woodland	0.2 km
Traditional Orchards	1.7 km

*Data from DEFRA MAGIC

- 4.3 There were no water bodies situated within a 500m radius of the survey site, DEFRA, Google and Bing maps were used to draw this conclusion.

HISTORICAL SPECIES RECORDS

- 4.4 Protected species records relating to the site and 2km search area were obtained from the LERC as part of the desktop study. The data search contains confidential information that is not suitable for public release. Therefore, the data has not been included in the report.
- 4.5 A full list of identified species recorded within the 2km search area can be requested from LERC.
- 4.6 The absence of identified records does not discount the presence of a species. An absence of identified records is primarily a result of a lack of survey or the non-submission of records. Furthermore, historical records of species do not confirm their current presence within an area.
- 4.7 A record search of NBN Atlas and DEFRA magic undertaken on the 22/07/2024 returned the following protected species: West European Hedgehog (*Erinaceus europaeus*), Eurasian Badger (*Meles meles*), Stoat (*Mustela erminea*), Common Pipistrelle (*Pipistrellus pipistrellus*), Serotine (*Eptesicus serotinus*), Hazel Dormouse (*Muscardinus avellanarius*), Leisler's Bat (*Nyctalus leisleri*), Soprano Pipistrelle (*Pipistrellus pygmaeus*), European Mole (*Talpa europaea*), Grass Snake (*Natrix helvetica*), Slow-worm (*Anguis fragilis*) and Common Lizard (*Zootoca vivipara*).

Table 4.8.1: Previous protected species licences for bats mapped within a 2km radius of the survey site

Reference, Date and Species	Approx. Distance from Site (km)
2018-35798-EPS-MIT-1 - 06/07/2018 - Common Pipistrelle (<i>Pipistrellus pipistrellus</i>)	0.3 km east
2015-17795-EPS-MIT - 01/02/2021 - Common Pipistrelle (<i>Pipistrellus pipistrellus</i>) and Brown Long-eared bat (<i>Plecotus Auritus</i>)	0.2 km west
2020-45457-EPS-MIT - 30/09/2023 - Common Pipistrelle (<i>Pipistrellus pipistrellus</i>) and Brown Long-eared bat (<i>Plecotus Auritus</i>)	1.7 km northwest

*Data from DEFRA MAGIC

5 Site Survey

5.1 The site survey was undertaken on 11/07/2024. The weather conditions were considered to be appropriate to survey (Table 5.1.1).

Table 5.1.1: Weather conditions at the time of survey.

Date of site survey: 11/07/2024	
Temperature	18c
Wind	Light breeze
Precipitation	0%

*Data from BBC Weather.

PHASE 1 HABITAT SURVEY

5.2 The habitats presented consist of the following UKHAB Phase 1 Habitat categories:

- U1b5 Buildings
- U1b6 Other developed land
- J14 Introduced Shrub
- G4 modified grassland
- H2 Hedgerows

5.3 A description of habitat present along with target notes is shown in Table 5.3.1. The location of habitats is shown in the Site Habitat Map, Appendix 3.

Table 5.3.1: Description of habitats present on-site (please also see the Site Habitat Map, Appendix 3).

Habitats and Target Notes	Description	Supporting Photo
U1b5 Buildings	B1 is a three storey, detached residential dwelling made of brick and render in a Tudor style. There is a small flat felt roof extension to the eastern side of the unit. All soffits and fascias were assessed as being in good condition. The clay ridge and roof tiles and dormer windows were in good condition with no lifting tiles or cracked woodwork.	 Image 1 (southern facing elevation)



Image 2 (south and west facing elevations)



Image 3 (eastern facing elevation and area of flat roof)

U1b6 Other developed land

Brick paving parking spaces and driveway extend out in front of the house to the south of B1. This area follows the footprint of B1 extending two metres.
There is also a loose stone/pebble driveway that also covers the majority of the area to the south of B1.



Image 4



Image 5

		 Image 6
J14 Introduced Shrub	The western boundary line is made up of ornamental shrubs and planted bushes consisting of fuchsia (<i>Fuchsia magellanica</i>), St. John's wort (<i>Hypericum perforatum</i>), purpletop vervain (<i>Verbena bonariensis</i>), common hazel 'contorta', lavender (<i>Lavandula angustifolia</i>), heavenly bamboo (<i>Nandina domestica</i>), Dogwood (<i>Cornus sanguinea</i>) and hedge honeysuckle (<i>Lonicera nitida</i>)	 Image 7

		 Image 8
G4 modified grassland	The main area of the rear garden is well mown modified grassland. The main species seen throughout is Rye grass with some patches of clover. The habitat was assessed as low on the biodiversity matrix.	 Image 9

		 Image 10
H2 Hedgerows	A common Yew (<i>Taxus baccata</i>) hedge runs along the eastern boundary.	 Image 11

Target Notes	TN1 - An area of ornamental lavender planting in the area of modified grassland to the west of B1.	 Image 12
---------------------	---	---

PRELIMINARY BAT ROOST ASSESSMENT (PRA)

- 5.4 There were no built structures on site capable of supporting roosting bats. No potential roosting features in the form of cracks in roof or ridge tiles or gaps in soffits/fascias were seen during the site survey.
- 5.5 There were no trees on site capable of supporting roosting bats. The site was assessed as holding negligible potential for roosting bats.

6 Evaluation and Assessment

- 6.1 Results from the desktop study and site survey were evaluated to assess the likelihood of occurrence for protected ecological features and species potential (as per Table 2.10.1). An evaluation of the potential impacts due to the proposed development and recommendations for appropriate mitigation measures are provided in Table 6.1.1.

Table 6.1.1: Likelihood of occurrence of protected ecological features and species on-site, potential impacts due to the proposed development and recommendations for appropriate mitigation measures.

Protected feature / species	Likelihood of occurrence / suitability	Comments / Justification	Impact due to Proposed Development	Required Mitigation Measures
Protected sites	Negligible.	The site is not situated within, or adjacent to, any known protected sites. The site is not considered to be well connected to any known protected sites.	None.	None required.
Protected habitats	Negligible.	There were no protected habitats on, or adjacent to, the site. Habitats on-site were not considered to be unique or of high quality within the wider locality.	None.	None required.
Protected plant species	Low.	There are no known records of protected plant species within 2km of the site. No protected plant species were observed during the site survey. Habitats on-site are not considered to be unique or of high quality to support protected plant species. However, their presence cannot be entirely discounted.	The site does not appear to support protected plant species, thus, the proposed development is unlikely to impact upon protected plant species.	None required.

Protected feature / species	Likelihood of occurrence / suitability	Comments / Justification	Impact due to Proposed Development	Required Mitigation Measures
Amphibians (incl. Great Crested Newts)	Negligible.	There are records of common amphibian species within 2km of the site. However, there are no water bodies that are well connected to the site and no suitable terrestrial habitats. GCN are not considered further.	None.	None.
Bats (Chiroptera)	Roosting bats			
	Negligible.	There were records of bats within 2km of the site. The PRA determined that all built structures on-site had negligible potential for roosting bats.	The proposed development will not result in any disturbance to suitable roosting habitats.	None required.
	Foraging/Commuting bats			
	Moderate/high.	Hedgerow and grassland habitats on-site were considered to be suitable for foraging/commuting bats. Furthermore, the site has good connectivity to high quality habitats within the wider locality, including agricultural and grazing farmland to the west and east.	Mitigation measures must be put in place to ensure that disturbance does not increase during and/or post-development. The proposed development will not result in any substantial habitat loss that will impact upon local populations long-term.	Construction works should be limited to daylight hours (excl. dawn and dusk) in order to prevent disturbance to nighttime foraging activity. Post-construction, the use of artificial lighting should be limited where possible. Motion sensors on outside lighting will prevent prolonged disturbance. It is recommended that outside lighting be set on short-timers (1 minute) and that the sensitivity is set to large moving

Protected feature / species	Likelihood of occurrence / suitability	Comments / Justification	Impact due to Proposed Development	Required Mitigation Measures
				objects only.
Birds	Low.	Breeding birds were not identified on-site. No birds nests were noted during the site visit.	The proposed development will not result in any loss to suitable habitat for breeding birds.	The trees should be protected from site with HERAS fencing before any works commence on-site. The fencing must be signed appropriately and outlined within the tool box talk.
Invertebrates	Low.	There were no known records of protected invertebrate species within the 2km search radius. No protected invertebrate species were identified during the site survey. Habitats on-site are not considered to be unique or of high quality to support protected invertebrate species. However, are likely to support a range of common and widespread species associated with grassland and hedgerow.	The site does not appear to support protected invertebrate species, thus, the proposed development is unlikely to impact upon protected invertebrate species. The proposed development will not result in any substantial habitat loss that will impact upon local populations long-term.	None required.
Reptiles	Low.	There are records of reptiles within 2km of the site. No reptiles, or evidence of reptiles, was found during the site survey. The site was well connected to suitable habitats within the wider locality, including open grassland, hedgerows and	The proposed development requires the removal of a small area of ground-level vegetation on-site. Vegetation removals have the potential to disturb, injure and/or kill reptiles (if present). Thus, a precautionary approach is required.	The grassland should continue to be maintained and kept short through mowing and management up until the point of any construction works commencing on-site to prevent the habitat from becoming more favourable to reptiles.

Protected feature / species	Likelihood of occurrence / suitability	Comments / Justification	Impact due to Proposed Development	Required Mitigation Measures
		woodland. Amenity grassland and hedgerow habitats on-site were considered to be suitable to support a small population of common and widespread reptile species (such as Slow Worm).	The proposed development will not result in any substantial habitat loss that will impact upon local populations long-term.	
Other terrestrial mammals (excl. bats).	Badgers (<i>Meles meles</i>)			
	Low.	There are records of Badgers within 2km of the site. No Badger setts were identified during the site visit and no evidence of Badgers was found. However, amenity grassland habitat is considered to be somewhat suitable for sett building and foraging/commuting.	The proposed development will not result in any substantial habitat loss to impact upon local populations long-term.	Construction works should be limited to daylight hours in order to prevent disturbance to nighttime foraging activity. Any trenches or other excavations left open overnight should be well covered to deter Badgers from entering.
	Dormice (<i>Gliridae</i>)			
	Negligible.	There are records of Dormice within 2km of the site. However, the habitats on-site were not considered to be suitable for Dormice.	None.	None required.

Protected feature / species	Likelihood of occurrence / suitability	Comments / Justification	Impact due to Proposed Development	Required Mitigation Measures
	Hedgehogs (<i>Erinaceus europaeus</i>)			
	High.	There are records of Hedgehogs within 2km of the site. Grassland and hedgerow habitats on-site were considered to be suitable for the species. The site was well connected to suitable suburban habitats and there were ample access/egress points to adjacent gardens making it easily commutable.	Mitigation measures must be put in place to ensure that disturbance does not increase during and/or post-development. The proposed development will not result in any substantial habitat loss that will impact upon local populations long-term.	Construction works should be limited to daylight hours (excl. dawn and dusk) in order to prevent disturbance to nighttime foraging activity. During hibernation season (October to March), piles of leaf litter and logs should be retained to ensure hibernating hedgehogs are not harmed. If removal is unavoidable, the piles must be carefully checked before burning. Any trenches or other excavations left open overnight should either be well covered or provided with an escape ramp (comprised of a sloped side or wooden plank reaching up to ground level or slightly above), to allow any Hedgehogs that fall into escape.

Protected feature / species	Likelihood of occurrence / suitability	Comments / Justification	Impact due to Proposed Development	Required Mitigation Measures
	Common and widespread mammals			
	Moderate.	There was no evidence of common and widespread mammals.	The proposed development will not result in a substantial loss that will impact upon local populations long-term. Mitigation measures must be put in place to minimise disturbance during the construction phase.	Any necessary excavation of animal burrows should be done carefully to avoid unnecessary suffering (such as crushing or asphyxiation). Construction works should be limited to daylight hours in order to prevent disturbance to nighttime foraging activity. Any trenches or other excavations left open overnight should either be well covered or provided with an escape ramp (comprised of a sloped side or wooden plank reaching up to ground level or slightly above), to allow any wildlife that falls to escape. Any newly built boundary features should incorporate 'wildlife gaps' (comprising a 13x13cm gap at the base of the feature), to allow wildlife to pass through.

Protected feature / species	Likelihood of occurrence / suitability	Comments / Justification	Impact due to Proposed Development	Required Mitigation Measures
Invasive plant species	Low.	No invasive species listed under Schedule 9 of the Wildlife and Countryside Act 1981 (as amended) were found during the survey. As there were seasonal constraints to plant identification, it is possible that invasive plant species are present and have yet to be identified.	Invasive plant species have the potential to impact protected species and habitats	If invasive plant species are found, it is recommended to consider appropriate methods of removal.

7 Biodiversity Net Gain

- 7.1 The development should be used as an opportunity for biodiversity net gain, by creating new opportunities for wildlife.

BIRDS

- 7.2 It is recommended to place new bird boxes on-site.
- 7.3 A traditional nest box should be placed 3 metres above ground level in an area of low disturbance. The box should be sheltered away from prevalent weather conditions, commonly associated within the UK, such as strong sunlight, prevailing winds and rain.

INVERTEBRATES

- 7.4 It is recommended to install invertebrate boxes on-site. The boxes should be suitable for solitary bees.
- 7.5 Nectar-rich wildflowers should be planted within close proximity to the bee bricks/invertebrates boxes to create new opportunities for pollinators.

TERRESTRIAL MAMMALS

- 7.6 It is recommended to plant native species-rich hedgerows on-site, which will enhance connectivity and provide refuge for small mammals. Suitable species would include Common Beech (*Fagus sylvatica*), Common Hawthorn (*Crataegus monogyna*), Rowan (*Sorbus aucuparia*) and Crab Apple (*Malus sylvestris*) for example.

TREES

- 7.7 New tree planting would be a welcomed addition to development. New tree planting should be considered carefully, with consideration to species, location and future management. New trees should be robust and of high quality. Where possible, native species should be used. However, considerations should be given to climate change and potential pathogens.

8 Conclusions

- 8.1 The site at Caxton Villa, 14 Park Lane, Knebworth, SG3 6PF is to be redeveloped with the change of use of property to flats, and a two storey extension with construction of parking spaces and EV battery chargers.
- 8.2 The development will result in a loss of other developed land and grassland.

ECOLOGICAL CONSTRAINTS

- 8.3 Development proposals must have regard for protected species identified as potentially occurring on, or near to, the site (e.g., amphibians, birds, terrestrial mammals, and reptiles). Mitigation measures to protect these species have been produced within this report to ensure that the proposed works comply with relevant UK legislation.
- 8.4 Further mitigation measures have been outlined within the report to ensure that protected species are not impacted by the development. Ecological Clerk of Works (ECoW) supervision will be required throughout the construction phase to ensure that the recommended mitigation measures are implemented appropriately.

MITIGATION STRATEGIES

- 8.5 The existing amenity grassland should be retained at a short sward prior to any demolition/construction works commencing on-site in order to ensure that the habitat does not become more favourable to amphibians and/or reptiles.
- 8.6 Construction works should be limited to daylight hours (excl. dawn and dusk) in order to prevent disturbance to nighttime foraging activity.
- 8.7 Vegetation removal must be undertaken using hand tools. Cut vegetative materials should be checked and removed from site immediately.
- 8.8 Any trenches or other excavations left open overnight should be well covered to deter Badgers from entering. If this is not possible, any trenches or other excavations left open overnight should either be provided with an escape ramp (comprised of a sloped side or wooden plank reaching up to ground level or slightly above), to allow any wildlife that falls in to escape.
- 8.9 Any necessary excavation of animal burrows should be done carefully to avoid unnecessary suffering (such as crushing or asphyxiation).
- 8.10 During hibernation season (October to March), piles of leaf litter and logs should be retained to ensure hibernating hedgehogs are not harmed. If removal is unavoidable, the piles must be carefully checked before burning.

- 8.11 Post-construction, the use of artificial lighting should be limited where possible. Motion sensors on outside lighting will prevent prolonged disturbance. It is recommended that outside lighting be set on short-timers (1 minute) and that the sensitivity is set to large moving objects only.
- 8.12 Any newly built boundary features should incorporate 'wildlife gaps' (comprising a 13x13cm gap at the base of the feature), to allow wildlife to pass through..

BIODIVERSITY NET GAIN

- 8.13 The project should be used as an opportunity for biodiversity net gain by creating new opportunities for wildlife. New habitat creation is to be implemented on-site and should be included within the final project design. Change of use applications are currently exempt from mandatory net gain.

SUMMARY

- 8.16 Subject to the implementation of the recommended mitigation measures, the proposed development is unlikely to have a significant ecological impact.

9 References and Bibliography

1. ARG UK. (2010). *Advice Note 5: Great Crested Newt Habitat Suitability Index*. ARG UK, UK.
2. CIEEM. (2017). *Guide to Ecological Surveys and Their Purpose*. CIEEM, Winchester.
3. CIEEM. (2017). *Guidelines for Preliminary Ecological Appraisal*. CIEEM, Winchester.
4. CIEEM. (2019). *Guidelines for Ecological Impact Assessment in the UK and Ireland: Terrestrial, Freshwater, Coastal, Marine*. CIEEM, Winchester.
5. CIEEM. (2021). *Biodiversity Net Gain Report & Audit Templates*. CIEEM, Winchester.
6. CIEEM. (2022). *Code of Professional Conduct*. CIEEM, Winchester.
7. CIRIA, CIEEM & IEMA. (2016). *Biodiversity Net Gain. Good practice principles for development*. CIEEM, Winchester.
8. CIRIA, CIEEM & IEMA. (2019). *Biodiversity Net Gain. Good practice principles for development: A practical guide*. CIEEM, Winchester.
9. J. Collins. (2023). *Bat Surveys for Professional Ecologists: Good Practice Guidelines 4th Edition*. The Bat Conservation Trust, London
10. DEFRA. (2022). *DEFRA MAGIC*. <https://magic.defra.gov.uk>.
11. English Nature. (2001). *Great Crested Newt Mitigation Guidelines*. English Nature, UK.
12. Gunnell, K., Grant, G. & Williams, C. (2012). *Landscape and Urban Design for Bats and Biodiversity*. Bat Conservation Trust, London.
13. The UK Habitat Classification Manual (Butcher et al., 2020).
14. Langton, T., Beckett, C. & Foster, J. (2001). *Great Crested Newt Conservation Handbook*. Froglife, Suffolk.
15. Ministry of Housing, Communities and Local Government. (2012). *National Planning Policy Framework*. <https://assets.publishing.service.gov.uk/>.
16. Mitchell-Jones, A.J. (2004). *Bat Mitigation Guidelines*. English Nature, Peterborough.
17. Mitchell-Jones, A.J. & McLeish, A.P. (2004). *Bat Workers Manual 3rd Edition*. JNCC, UK.
18. Scottish Badgers. (2018). *Surveying for Badgers Good Practice Guidelines Version 1*. Scottish Badgers, Scotland.
19. Reason, P.F. and Wray, S. (2023). *UK Bat Mitigation Guidelines: a guide to impact assessment, mitigation and compensation for developments affecting bats*. Chartered Institute of Ecology and Environmental Management, Ampfield.

10 Limitations

- 10.1 ROAVR Group has prepared this Report for the sole use of the above named Client/Agent in accordance with our terms of business, under which our services were performed. No other warranty, expressed or implied, is made as to the professional advice included in this Report or any other services provided by us.
- 10.2 This Report may not be relied upon by any other party without the prior and express written agreement of ROAVR Group. The assessments made assume that the land use will continue for its current purpose without significant change. ROAVR Group has not independently verified information obtained from third parties.
- 10.3 This report, data tables and raw data remain the copyright of ROAVR until such time as any monies owed are settled in full and the report may be withdrawn at any time.
- 10.4 The ultimate decision to do/not do any work on any structure/tree/feature and any legal consequences of any action taken/not taken lies solely with yourselves and/or your employees/subcontractors. ROAVR Group accepts no liability or responsibility in any way for any actions taken/not taken by you and/or your employees and/or any other person/organisation engaged in carrying out/not carrying out any of the proposed work.

Should you require any further information, please do not hesitate to contact us at any time.

Max Shaw
Ecological Consultant

Max Shaw



Prepared by: Max Shaw BSc CIEEM
Checked by: Matt Harmsworth BSc

Appendix 1: Site Location and Assessment Boundary



Figure A1.1: Extract from Google Maps showing the site location.
(Google, 2024)



Figure A1.2: Extract from DEFRA MAGIC showing the assessment boundary.(MAGIC, 2024)

Appendix 2: Desktop Study

*Data from DEFRA.




Figure A2.1: Location of Designated Sites situated within a 2km search radius of the site.

*Data from DEFRA.




Figure A2.2: Priority habitats formerly mapped within a 2km search radius of the site.

*Data from Bing Maps



Figure A2.3: Standing water bodies formerly mapped within a 500m search radius of the site.

Appendix 3: Site Maps

A3.1 The Site Habitat Map was produced in accordance with the UK Habitat Classification Manual (Butcher et al., 2020).

