



**PROPOSED CHANGE OF  
USE FROM AGRICULTURAL  
BUILDING TO  
RESIDENTIAL DWELLING  
AT THE WHITE HOUSE,  
ASHWELL ROAD,  
NEWNHAM,  
HERTFORDSHIRE**

**FLOOD RISK ASSESSMENT**

**APRIL 2025**

**REPORT REF: 3725/RE/04-25/01**

**Evans Rivers and Coastal Ltd**

**T: 07896 328220**

**E: [Enquiries@evansriversandcoastal.co.uk](mailto:Enquiries@evansriversandcoastal.co.uk)**

**W: [www.evansriversandcoastal.co.uk](http://www.evansriversandcoastal.co.uk)**

## **CONTRACT**

Evans Rivers and Coastal Ltd has been commissioned by Mr Richard and Mrs Lucinda Wainright-Lee to carry out a flood risk assessment for a proposed change of use from agricultural building to residential dwelling at The White House, Ashwell Road, Newnham, Hertfordshire.

## **QUALITY ASSURANCE, ENVIRONMENT AND HEALTH AND SAFETY**

Evans Rivers and Coastal Ltd operates a Quality Assurance, Environmental, and Health and Safety Policy.

This project comprises various stages including data collection; depth analysis; and reporting. Quality will be maintained throughout the project by producing specific methodologies for each work stage. Quality will also be maintained by providing specifications to third parties such as surveyors; initiating internal quality procedures including the validation of third party deliverables; creation of an audit trail to record any changes made; and document control using a database and correspondence log file system.

To adhere to the Environmental Policy, data will be obtained and issued in electronic format and alternatively by post. Paper use will also be minimised by communicating via email or telephone where possible. Documents and drawings will be transferred in electronic format where possible and all waste paper will be recycled. Meetings away from the office of Evans Rivers and Coastal Ltd will be minimised to prevent unnecessary travel, however for those meetings deemed essential, public transport will be used in preference to car journeys.

The project will follow the commitment and objectives outlined in the Health and Safety Policy operated by Evans Rivers and Coastal Ltd. All employees will be equipped with suitable personal protective equipment prior to any site visits and a risk assessment will be completed and checked before any site visit. Other factors which have been taken into consideration are the wider safety of the public whilst operating on site, and the importance of safety when working close to a water source and highway. Any designs resulting from this project and directly created by Evans Rivers and Coastal Ltd will also take into account safety measures within a "designers risk assessment".

Report carried out by:

Rupert Evans, BSc (Hons), MSc, CEnv, C.WEM, MCIWEM, PIEMA

## **DISCLAIMER**

This report has been written and produced for Mr Richard and Mrs Lucinda Wainright-Lee. No responsibility is accepted to other parties for all or any part of this report. Any other parties relying upon this report without the written authorisation of Evans Rivers and Coastal Ltd do so at their own risk.

## **COPYRIGHT**

The contents of this document must not be copied or reproduced in whole or part without the written consent of Evans Rivers and Coastal Ltd or Mr Richard and Mrs Lucinda Wainright-Lee. The copyright in all designs, drawings, reports and other documents (including material in electronic form) provided to the Client by Evans Rivers and Coastal Ltd shall remain vested in Evans Rivers and Coastal Ltd. The Client shall have licence to copy and use drawings, reports and other documents for the purposes for which they were provided.

© Evans Rivers and Coastal Ltd

---

## **CONTENTS**

|                                                             |           |
|-------------------------------------------------------------|-----------|
| <b>CONTRACT</b>                                             | <b>i</b>  |
| <b>QUALITY ASSURANCE, ENVIRONMENT AND HEALTH AND SAFETY</b> | <b>i</b>  |
| <b>DISCLAIMER</b>                                           | <b>i</b>  |
| <b>COPYRIGHT</b>                                            | <b>i</b>  |
| <b>CONTENTS</b>                                             | <b>ii</b> |
| <br>                                                        |           |
| <b>1. INTRODUCTION</b>                                      | <b>1</b>  |
| 1.1 Project scope                                           | 1         |
| <br>                                                        |           |
| <b>2. DATA COLLECTION</b>                                   | <b>2</b>  |
| <br>                                                        |           |
| <b>3. SITE CHARACTERISTICS</b>                              | <b>3</b>  |
| 3.1 Existing Site Characteristics and Location              | 3         |
| 3.2 Site Proposals                                          | 4         |
| <br>                                                        |           |
| <b>4. SOURCES OF FLOODING</b>                               | <b>6</b>  |
| 4.1 Fluvial                                                 | 6         |
| 4.2 Groundwater Flooding                                    | 14        |
| 4.3 Surface Water Flooding and Sewer Flooding               | 14        |
| 4.4 Reservoirs, Canals And Other Artificial Sources         | 17        |
| <br>                                                        |           |
| <b>5. CONCLUSIONS</b>                                       | <b>18</b> |
| <br>                                                        |           |
| <b>6. BIBLIOGRAPHY</b>                                      | <b>19</b> |

## **1. INTRODUCTION**

### **1.1 Project Scope**

1.1.1 Evans Rivers and Coastal Ltd has been commissioned by Mr Richard and Mrs Lucinda Wainright-Lee to carry out a flood risk assessment for a proposed change of use from agricultural building to residential dwelling at The White House, Ashwell Road, Newnham, Hertfordshire.

1.1.2 Specifically, this assessment intends to:

- a) Review any literature and guidance specific to this area such as the SFRA;
- b) Assess the flood risk from all sources to people and property and propose mitigation measures accordingly;
- c) Review existing evacuation and warning procedures for the area;
- d) Report findings and recommendations.

1.1.3 This assessment is carried out in accordance with the requirements of the National Planning Policy Framework (NPPF) dated 2025. Other documents which have been consulted include:

- DEFRA/EA document entitled *Framework and guidance for assessing and managing flood risk for new development Phase 2 (FD2320/TR2)*, 2005;
- Communities and Local Government 2007. *Improving the Flood Performance of New Buildings*. HMSO.
- DEFRA/EA document entitled *The flood risks to people methodology (FD2321/TR1)*, 2006;
- EA *Supplementary Note on Flood Hazard Ratings and Thresholds for Development Planning and Control Purpose*, 2008;
- National Planning Practice Guidance – Flood Risk and Coastal Change.
- UK Government’s climate change allowances guidance.
- North Hertfordshire District Council, Strategic Flood Risk Assessment (SFRA) Update dated 2016

## **2. DATA COLLECTION**


2.1 To assist with this report, the data collected included:

- Ordnance Survey 1:10,000 street view map (Evans Rivers and Coastal Ltd OS licence number 100049458).
- British Geological Survey *Groundwater Susceptibility Map*.
- British Geological Survey, *Online Geology of Britain Viewer*.
- 1:250,000 *Soil Map of Eastern England* (Sheet 4) published by Cranfield University and Soil Survey of England and Wales 1983.
- 1:625,000 *Hydrogeological Map of England and Wales*, published in 1977 by the Institute of Geological Sciences (now the British Geological Survey).
- Filtered LIDAR data at 1m resolution.

### 3. SITE CHARACTERISTICS


#### 3.1 Existing Site Characteristics and Location

- 3.1.1 The site is located at The White House, Ashwell Road, Newnham, Hertfordshire. The approximate Ordnance Survey (OS) grid reference for the site is 524821, 237939 and the location of the site is shown on Figure 1.



**Figure 1: Site location plan (Source: Ordnance Survey)**


- 3.1.2 The site comprises an agricultural building used for lambing. The site is accessed from Ashwell Road to the south east of the site.
- 3.1.3 Filtered LIDAR data at 1m resolution has been obtained in order to determine and illustrate the topography across the site and surrounding area (Figure 2).
- 3.1.4 By reviewing the survey data it can be seen that there is little variation in ground levels across the site. The building is currently set 200mm higher than external ground levels and at 52m AOD.



**Figure 2: LIDAR survey data where higher ground is denoted as orange and yellow colours and lower areas denoted by blue and green colours**

### 3.2 Site Proposals

- 3.2.1 It is the Client's intention to change the use of the building to a residential dwelling as shown on Figure 3.
- 3.2.2 The proposed ground floor level will be set approximately 0.30m higher than existing ground level and at 52.10m AOD.
- 3.2.3 Paragraph 14 and 27 of the NPPG and paragraph 176 (and footnote 62) of the NPPF states that the Sequential Test does not usually apply to change of use applications.




**Figure 3: Proposed site layout**

## 4. SOURCES OF FLOODING

### 4.1 Fluvial

- 4.1.1 The DEFRA Flood Map for Planning and associated data was updated on 25<sup>th</sup> March 2025 (Figure 4) with pdf guidance entitled *Flood Zones Product Description*. This map together with Appendix E of the SFRA shows that the site is located within the NPPF defined Flood Zone 3 associated with the Cat Ditch.



**Figure 4: Flood Map for Planning**

- 4.1.2 The Environment Agency flood defence information via <https://environment.data.gov.uk/asset-management/index.html> shows that there are no formal raised flood defences protecting the site.


### **DEFRA Risk of flooding from Rivers and Sea (RoFRS)**

- 4.1.3 In the absence of flood modelling, it is considered due to the scale and nature of the proposals the following DEFRA risk of flooding from rivers and sea can be used in order to assess the fluvial flood risk at this location.
- 4.1.4 The DEFRA Risk of flooding from rivers and sea (*RoFRS*) map and associated data was updated on 28<sup>th</sup> January 2025 with pdf guidance entitled *RoFRS Product Description*. It now supersedes previous datasets and can be viewed at <https://www.gov.uk/check-long-term-flood-risk> and <https://environment.data.gov.uk/explore/96ab4342-82c1-4095-87f1-0082e8d84ef1> with the raw GIS data being available at


<https://environment.data.gov.uk/explore/96ab4342-82c1-4095-87f1-0082e8d84ef1?download=true>.

- 4.1.5 The DEFRA Data Services Platform states that the Risk of Flooding from rivers and sea (RoFRS) map shows the chance of flooding from rivers and the sea taking into account the presence and condition of flood defences
- 4.1.6 The DEFRA Data Services Platform also states that RoFRS is a probabilistic product, meaning that it shows the overall risk, rather than the risk associated with a specific event or scenario. In externally published versions of this dataset, risk is displayed as one of four likelihood bandings:
- High - greater than or equal to 1 in 30 (3.3%) chance of flooding in any given year;
  - Medium - less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance of flooding in any given year;
  - Low - less than 1 in 100 (1%) but greater than or equal to 1 in 1000 year (0.1%) chance of flooding in any given year.
  - Very Low – less than 1 in 1000 year (0.1%) chance of flooding in any given year (also denoted by the mapping as 'Unavailable').
- 4.1.7 The DEFRA Data Services Platform 'Announcements' section states that while the previous RoFRS Depth datasets showed the maximum depth of flooding that could result from a flood with a 0.1%, 1% and 3.3% chance of happening in any given year, the new RoFRS Depth datasets show the annual chance of flooding beyond a specific depth, for depths at intervals from 20cm to 120cm.
- 4.1.8 For example, the 20cm dataset shows a map of likelihood of flooding beyond 20cm depth within the 4 likelihood bands. The depths are as follows:
- 0.2m
  - 0.3m
  - 0.6m
  - 0.9m
  - 1.2m
- 4.1.9 Where the mapping shows an area with no depth results, despite it being located within a risk banding, DEFRA have confirmed that this denotes a flood depth of <0.2m.
- 4.1.10 Information has also been created which indicates the possible impacts of climate change on future risk in line with the guidance at <https://www.gov.uk/guidance/flood-risk-assessments-climate-change-allowances#when-to-use-climate-change-allowance>.
- 4.1.11 For rivers and sea flood risk the mapping considers the fluvial 'Central' allowance for the 2050s epoch (2040-2069), and the coastal 'Higher Central' allowance for 2036-2065 and can be viewed at <https://www.gov.uk/check-long-term-flood-risk> and <https://environment.data.gov.uk/explore/de4079f2-3569-45b2-8009-a00bccc520a1>, with the raw GIS data being available at <https://environment.data.gov.uk/explore/de4079f2-3569-45b2-8009-a00bccc520a1?download=true>.
- 4.1.12 The associated climate change depths within the 4 likelihood bands are the same as the non-climate change depths set out above.


4.1.13 The DEFRA Risk of flooding from rivers and sea (*RoFRS*) map and associated data (Figures 5, 6, 7 and 8) shows that there is a Low to High flood risk at the site and when accounting for future climate change.




**Figure 5: DEFRA Risk of flooding from rivers and sea (*RoFRS*) map from**  
<https://www.gov.uk/check-long-term-flood-risk>



**Figure 6: DEFRA Risk of flooding from rivers and sea (*RoFRS*) map data**  
<https://environment.data.gov.uk/explore/96ab4342-82c1-4095-87f1-0082e8d84ef1?download=true>




**Figure 7: DEFRA Risk of flooding from rivers and sea (RoFRS) map data with climate change from <https://www.gov.uk/check-long-term-flood-risk>**



**Figure 8: DEFRA Risk of flooding from rivers and sea (RoFRS) map data with climate change from <https://environment.data.gov.uk/explore/de4079f2-3569-45b2-8009-a00bccc520a1?download=true>**

4.1.14 The depth data indicates that the depth across the existing building would be up to 0.2m (during Low risk events) (Figure 9). By reviewing the LIDAR data it is estimated that the flood level would be up to 52m AOD.



**Figure 9: DEFRA Risk of flooding from rivers and sea (RoFRS) 0.2m depth map data with climate change from <https://environment.data.gov.uk/explore/de4079f2-3569-45b2-8009-a00bcc520a1?download=true>**

### Flood Risk Mitigation

4.1.15 Paragraph 004 of the NPPF Planning Practice Guidance states that the first preference is to avoid flood risk by raising floor levels above the design flood level.


4.1.16 The proposed ground floor level will be set approximately 0.30m higher than existing ground level and at 52.10m AOD in order to be above the flood level thus providing safe dry refuge and no internal flooding.

### Internal Drainage Board

- 4.1.17 The site is located within the Bedfordshire and River Ivel Internal Drainage Board (IDB) area. The Cat Ditch is identified as being an IDB maintained watercourse.
- 4.1.18 Information from the IDB's *Policy Statement on Water Level and Flood Risk Management* indicates that through the operation, maintenance and improvement of watercourses and other assets, the Board seeks to achieve a general standard of water level management that enables drainage and irrigation of agricultural land and reduces the flood risk to developed areas.

### Flood Warning and Emergency Planning

- 4.1.19 The site is located within an Environment Agency Flood Alert area 052WAFIVEL - River Ivel in Hertfordshire and Central Bedfordshire.
- 4.1.20 Sites at risk of fluvial flooding could have a minimum of 2 hours warning before any of the levels of flood warning is issued.
- 4.1.21 Flood Alerts, Flood Warnings and Severe Flood Warnings are issued to residents and businesses within flood risk areas by the Agency's *Floodline Warnings Direct* (FWD) service. This system is managed by the Environment Agency and dials out a message to the recipient when a particular category of flood warning is being advised. The message is conveyed by a constant ringing of the telephone or can alternatively be communicated to mobile phones and computers. The system functions at all times, issuing flood warnings and alerts in conjunction with announcements on radio and other media. Owners and occupiers of dwellings or businesses thought to be at risk can sign up to the scheme. **The owners are encouraged to confirm details with the Agency and to sign up for these warnings.**
- 4.1.22 The various flood warning codes can be seen on Figure 10.



**Figure 10: Flood warning codes (Source: Environment Agency)**

- 4.1.23 It is understood that in the event of flooding, evacuation is managed by a multi-agency team in conjunction with the Police. The multi-agency team provides suitable premises for shelter, first aid, refreshments and possible transportation with consideration given to the elderly and vulnerable groups. It is essential that occupants produce robust

Emergency Flood Plans to avoid putting themselves or emergency services at risk and that they do not rely solely on emergency services during the event.

### Reducing Vulnerability to the Hazard

- 4.1.24 The Agency aims to provide up to 2 hours notice before the issue of a *Flood Alert* for fluvial events.
- 4.1.25 It is recommended that the occupants liaise with the Agency in order to register with the Agency's Flood Warnings Direct service and ensure that they are aware of the flood risk so that they have the option to escape/evacuate upon receipt of a *Flood Alert* or upon the instruction of the emergency services.
- 4.1.26 The occupants should develop a *Family Flood Plan*. Further guidance is offered in the Environment Agency's guidance document entitled *What to do before, during and after a flood*. The *Family Flood Plan* should consider, for example, information about vital medication needed and a *Flood Kit*.

**Table 1: Flood Event Action Plan**

| Environment Agency Flood Warning Code                                                                                                                        | What to do!                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Evacuate?                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Flood Alert</b> (Flooding Possible. Be aware/prepared! Watch Out).<br> | <ul style="list-style-type: none"> <li>• Monitor flood risk through media and Floodline Warnings Direct.</li> <li>• Locate people and inform them of risk. If away from the site make assessment on risk if considering returning to site (i.e. how long it will take to return etc).</li> <li>• Begin to implement Flood Plan.</li> <li>• Gather Flood Kit and provisions in the event that evacuation is not possible.</li> <li>• Consider advice given from emergency services/Environment Agency.</li> </ul> | <p>Preferable, although up to occupants discretion.</p> <p>Drive carefully if evacuating as roads may be flooded or closed.</p> <p>If evacuation is not possible people should reside across the building with their flood kit.</p> |
| <b>Warnings no longer in force</b> (No further flooding is expected in the area. Be careful).                                                                | <ul style="list-style-type: none"> <li>• Return to site upon instruction from emergency services and assess any damage.</li> <li>• Contact insurance company depending on damage caused.</li> <li>• Beware of flood debris.</li> <li>• Do not touch sources of electricity.</li> </ul>                                                                                                                                                                                                                           | Not applicable.                                                                                                                                                                                                                     |

### Safe Access/Egress

- 4.1.27 Figure 8 above shows that during climate change events there would be a Low to High risk away from the site and along Ashwell Road adjacent to the site.
- 4.1.28 It is understood from the DEFRA Data Services Platform 'Announcements' section that the previous 'hazard' dataset will be replaced in the future.

4.1.29 Therefore, in the interim, in order to determine the flood hazard, the hazard categories outlined in Table 13.1 of *FD2320/TR2* (Figure 11), which is defined by the depth and velocity of the floodwater and the ability of people to evacuate once flooding occurs, has been used (assuming <0.5 m/s velocity). It should be noted that the white cells shown on Figure 11 denote a *Very low* hazard.

**Table 13.1 Danger to people for different combinations of depth and velocity**

| Velocity<br>(m/s) | Depth of flooding (m) |      |      |      |      |      |      |      |      |      |      |      |
|-------------------|-----------------------|------|------|------|------|------|------|------|------|------|------|------|
|                   | 0.05                  | 0.10 | 0.20 | 0.30 | 0.40 | 0.50 | 0.60 | 0.80 | 1.00 | 1.50 | 2.00 | 2.50 |
| 0.00              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 0.10              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 0.25              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 0.50              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 1.00              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 1.50              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 2.00              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 2.50              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 3.00              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 3.50              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 4.00              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 4.50              |                       |      |      |      |      |      |      |      |      |      |      |      |
| 5.00              |                       |      |      |      |      |      |      |      |      |      |      |      |


(Source Table 13.1 of *FD2320/TR2*)

**Key:**  
 Danger for some  
 Danger for most  
 Danger for all

**Figure 11: Hazard Classification**

4.1.30 The depth data indicates that during climate change events, the depth along the evacuation route would be  $\leq 0.2\text{m}$  as shown on Figure 9 above and Figure 12 below.

4.1.31 Therefore, the flood hazard to people leaving the site would be *Very low* when considering the 0.2m depth interval.



**Figure 12: DEFRA Risk of flooding from rivers and sea (RoFRS) 0.2m depth map data with climate change and evacuation route**

## 4.2 Groundwater Flooding

### Soil and Geology at the Site

- 4.2.1 It can be seen from the various soil and hydrogeological data, listed in Section 2, that the soils beneath the site comprise clay, silt, sand and gravel.

### Groundwater Flooding Potential at the Site


- 4.2.2 The 'Check the long term flood risk for an area in England' at <https://www.gov.uk/check-long-term-flood-risk> states that flooding from groundwater is unlikely in this area.

## 4.3 Surface Water Flooding and Sewer Flooding


### DEFRA Risk of flooding from surface water (RoFSW)

- 4.3.1 The DEFRA Risk of flooding from surface water (RoFSW) map and associated data was also updated on 28<sup>th</sup> January 2025 with pdf guidance entitled *RoFSW Product Description*. It now supersedes previous datasets and can be viewed at <https://www.gov.uk/check-long-term-flood-risk> and <https://environment.data.gov.uk/explore/b5aaa28d-6eb9-460e-8d6f-43caa71fbe0e> with the raw GIS data being available at <https://environment.data.gov.uk/explore/b5aaa28d-6eb9-460e-8d6f-43caa71fbe0e?download=true>.
- 4.3.2 The DEFRA Data Services Platform states that the Risk of Flooding from Surface Water (RoFSW) map is an assessment of where surface water flooding may occur when rainwater does not drain away through the normal drainage systems or soak into the ground, but lies on or flows over the ground instead.
- 4.3.3 The DEFRA Data Services Platform also states that RoFSW is a probabilistic product, meaning that it shows the overall risk, rather than the risk associated with a specific event or scenario. In externally published versions of this dataset, risk is displayed as one of four likelihood bandings:
- High - greater than or equal to 1 in 30 (3.3%) chance of flooding in any given year;
  - Medium - less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance of flooding in any given year;
  - Low - less than 1 in 100 (1%) but greater than or equal to 1 in 1000 year (0.1%) chance of flooding in any given year.
  - Very Low – less than 1 in 1000 year (0.1%) chance of flooding in any given year (also denoted by the mapping as 'Unavailable').
- 4.3.4 The DEFRA Data Services Platform 'Announcements' section states that while the previous RoFSW Depth datasets showed the maximum depth of flooding from surface water that could result from a flood with a 0.1%, 1% and 3.3% chance of happening in any given year, the new RoFSW Depth datasets show the annual chance of flooding beyond a specific depth, for depths at intervals from 20cm to 120cm.
- 4.3.5 For example, the 20cm dataset shows a map of likelihood of flooding beyond 20cm depth within the 4 likelihood bands. The depths are as follows:
- 0.2m
  - 0.3m
  - 0.6m
  - 0.9m

- 1.2m
- 4.3.6 Where the mapping shows an area with no depth results, despite it being located within a risk banding, DEFRA have confirmed that this denotes a flood depth of <0.2m.
- 4.3.7 Information has also been created which indicates the possible impacts of climate change on future risk in line with the guidance at <https://www.gov.uk/guidance/flood-risk-assessments-climate-change-allowances#when-to-use-climate-change-allowance>.
- 4.3.8 For surface water flood risk the mapping considers the 'Central' allowance for the 2050s epoch (2040-2060) and can be viewed at <https://www.gov.uk/check-long-term-flood-risk> and <https://environment.data.gov.uk/explore/e5b38de2-99b3-44ee-b10c-b244926878ef>, with the raw GIS data being available at <https://environment.data.gov.uk/explore/e5b38de2-99b3-44ee-b10c-b244926878ef?download=true>.
- 4.3.9 The associated climate change depths within the 4 likelihood bands are the same as the non-climate change depths set out above.
- 4.3.10 The DEFRA Risk of flooding from surface water (RoFSW) map and associated data (Figures 13, 14 and 15) shows that there is a Very Low to Low surface water flood risk at the site and when accounting for future climate change.



**Figure 13: DEFRA Risk of flooding from surface water (RoFSW) map from**  
<https://www.gov.uk/check-long-term-flood-risk>



**Figure 14: DEFRA Risk of flooding from surface water (RoFSW) map data with climate change from**  
<https://www.gov.uk/check-long-term-flood-risk>



**Figure 15: DEFRA Risk of flooding from surface water (RoFSW) map data with climate change from <https://environment.data.gov.uk/explore/e5b38de2-99b3-44ee-b10c-b244926878ef?download=true>**

- 4.3.11 The depth data indicates that the depth across the existing building would be <0.2m (during Low risk events). The proposed ground floor level will be set approximately 0.30m higher than existing ground level and therefore above the flood depth thus providing safe dry refuge and no internal flooding.

#### **Reducing Vulnerability to the Hazard**

- 4.3.12 Flood Warnings for surface water flooding do not currently exist, however, the occupants should sign up to the Met Office weather warning system <https://www.metoffice.gov.uk/public/weather/warnings> and safe refuge is available at all times.

#### **Safe Access/Egress**

- 4.3.13 Figure 15 above shows that during climate change events there would be a Very Low risk between the site and Ashwell Road as well as along Ashwell Road thus providing safe access/egress.

#### **4.4 Reservoirs, Canals And Other Artificial Sources**

- 4.4.1 The failure of man-made infrastructure such as flood defences and other structures can result in unexpected flooding. Flooding from artificial sources such as reservoirs, canals and lakes can occur suddenly and without warning, leading to high depths and velocities of flood water which pose a safety risk to people and property.
- 4.4.2 The 'Check the long term flood risk for an area in England' at <https://www.gov.uk/check-long-term-flood-risk> states that flooding from reservoirs is unlikely in this area.

## 5. CONCLUSIONS

- It is the Client's intention to change the use of the building to a residential dwelling. The proposed ground floor level will be set approximately 0.30m higher than existing ground level and at 52.10m AOD.
- The site is located within the NPPF Flood Zone 3 associated with the IDB maintained Cat Ditch. The Client has stated that the land has never flooded in local living memory, nor that from their 50+ years personal experience. It is understood that the water in the ditch, during the very worst storms, has never come anywhere close to within 6 feet from the top of the bank.
- There is a low groundwater flood risk and low risk from reservoirs.
- Analysis of the updated DEFRA Risk of flooding from rivers and sea (*RoFRS*) map and associated data indicates that there is a Low to High flood risk at the site and when accounting for future climate change. The depth data indicates that the depth across the site would be up to 0.2m (during Low risk events) and it is estimated that the flood level would be up to 52m AOD.
- The DEFRA Risk of flooding from surface water (*RoFSW*) map and associated data shows that there is a Very Low to Low surface water flood risk at the site and when accounting for future climate change. The depth data indicates that the depth would be <0.2m (during Low risk events).
- The ground floor level will be set approximately 0.30m higher than existing ground level and above the flood level thus providing safe dry refuge and no internal flooding. Therefore the site is suitable for conversion to a residential dwelling.
- A warning and evacuation strategy has been developed within this assessment. It is proposed that the occupants register with the Agency's *Flood Warnings Direct* and prepare a *Family Flood Plan*.
- Safe access/egress is available at all times.

## 6. BIBLIOGRAPHY

- i. Association of British Insurers 2012. *Guidance on Insurance and Planning in Flood Risk Areas for Local Planning Authorities in England*.
- ii. BRE 1991. Digest 365. *Soakaway Design*.
- iii. CIRIA 2005. *Standards for the repair of buildings following flooding, Report 623*. CIRIA.
- iv. CIRIA 2000. *Groundwater Control – design and practice, Report 515*. CIRIA.
- v. Cobby, D., et al. 2009. *Groundwater flood risk management: advances towards meeting the requirements of the EU Floods Directive*. Journal of Flood Risk Management.
- vi. Communities and Local Government 2012. *National Planning Policy Framework*.
- vii. Communities and Local Government 2007. *Improving the Flood Performance of New Buildings*. HMSO.
- viii. DEFRA/EA 2007. *Public Response to Flood Warning, Flood and Coastal Defence R&D Programme, R&D Technical Report SC020116*. Environment Agency.
- ix. DEFRA/EA 2006. *Flood Risks to People, Phase 2, R&D Technical Report FD2321/TR1, Flood and Coastal Defence R&D Programme*. Water Research Council.
- x. DEFRA/EA 2006a. *Flood Risks to People, Phase 2, R&D Technical Report FD2321/TR2, Flood and Coastal Defence R&D Programme*. Water Research Council.
- xi. DEFRA/EA 2005. *Framework and guidance for assessing and managing flood risk for new development, Phase 2, Flood and Coastal Defence R&D Programme, R&D Technical Report FD2320/TR2*. Water Research Council.
- xii. DEFRA/EA 2005a. *Flood Warning for Vulnerable Groups: A review of the literature, Flood and Coastal Defence R&D Programme*. Environment Agency.
- xiii. DEFRA/Jacobs 2006. *Groundwater flooding records collation, monitoring and risk assessment (ref HA5)*.
- xiv. DEFRA/Jacobs 2004. *Strategy for Flood and Coastal Erosion Risk Management: Groundwater Flooding Scoping Study (LDS), Final Report, Volumes 1 and 2*.
- xv. Dickie et al. 2010. *Planning for SUDS – Making it happen. Report C687*. London: CIRIA
- xvi. Environment Agency 2008. *Supplementary Note on Flood Hazard Ratings and Thresholds for Development Planning and Control Purpose – Clarification of the Table 13.1 of FD2320/TR2 and Figure 3.2 of FD2321/TR1*.
- xvii. Geological Society of London 2006. *Groundwater and Climate Change*. Geoscientist magazine, Volume 16, No 3.

- xviii. Institute of Geological Sciences 1976. *Hydrogeological Map of Northern East Anglia*, 1:125,000.
- xix. Institute of Geological Sciences 1977. *Hydrogeological Map of England and Wales*, 1:625,000. NERC.
- xx. JBA Consulting 2017. *Greater Norwich Strategic Flood Risk Assessment*.
- xxi. NERC 2009. *Flood Estimation Handbook* [CD-ROM], Version 3. Institute of Hydrology.
- xxii. NERC 1975. *Flood Studies Report (FSR)*. Institute of Hydrology.
- xxiii. Newman, A.P. 2004. *Protecting groundwater with oil-retaining pervious pavements: historical perspectives, limitations and recent developments*. Quarterly Journal of Engineering Geology and Hydrogeology.
- xxiv. Broads Authority 2008. *Strategic Flood Risk Assessment*.
- xxv. ODPM 2003. *Preparing for Floods*. London: ODPM.
- xxvi. Pratt, C., Wilson, S., and Cooper, P. 2002. *Source control using constructed pervious surfaces; hydraulic, structural and water quality performance issues, Report C582*. London: CIRIA.
- xxvii. Soil Survey of England and Wales 1983. *Soil Map of Eastern England (Sheet 4)*, 1:250,000. Cranfield University.
- xxviii. UK Groundwater Forum. *Groundwater Resources and Climate Change*. [http://www.groundwateruk.org/Groundwater\\_resources\\_climate\\_change.aspx](http://www.groundwateruk.org/Groundwater_resources_climate_change.aspx) [accessed 08/04/2016]
- xxix. Woods-Ballard., et al. 2007. *The SUDS Manual, Report C697*. London: CIRIA.

