

Premium & Premium Plus HI Windows

Quote / Order No:

Colour	Gloss White (9910 G)	Black (9005 M)	Dark Grey (7016 M)	Dove Grey (7035 SG)	Brown (8017 M)	RAL	Description:
Inside	☐	☐	☐	☐	☐	☒	9010
Outside	☐	☐	☐	☐	☐	☒	Finish: MATT

Frame	Slim Direct Fix - AW600 (43mm x 70mm)	Direct Fix - AW601 (53mm x 70mm)	Ovolo Direct Fix - AW602 (53mm x 70mm)	Square Direct Fix-U44013 (53mm x 70mm)	Odd Leg - AW603 (37mm x 58mm)	Slim Equal Leg -U44008 (43mm x 58mm)	Equal Leg - U44009 (53mm x 58mm)
	☐	☐	☐	☒	☐	☐	☐

Standard fixed frames are externally glazed only

Sash	Feature - AW690 (Externally glazed)	Stepped - AW686 (Internally glazed)	Dummy Sashes Required?
	☐	☐	N ☐ Y ☐
	Chamfered - AW614 (Internally glazed)	Chelton - AW675 (Internally glazed)	
	☐	☐	
	Flat - AW685 (Internally glazed)		
	☒		

Dummy fixed windows:
Internally beaded when using sashes all sash options other than the AW690 which will be externally beaded.

Timber Frames	Subframe Fix Only	No	Yes (Included In Sizes)	Yes (Not Included In Sizes)
	☐	☐	☐	☐

Cills	No	95mm	150mm	190mm	Cill Horns	N	Y	Size:	mm
	☒	☐	☐	☐		☐	☐		

Drainage	Face	Fixing	No Holes Or Lugs	Fixing Lugs	Quantity:
	☒		☒	☐	

Trickle Vents	None	With 20mm Extension	Extensions	None	20mm Extension
	☐	☒		☐	☐
	In Deep Head	With 40mm Extension*		Deep Frame	40mm Extension*
	☐	☐		☐	☐

*40mm extension
70mm frames only

Vents come in: White, Black, Silver or Dark Grey Vent Cover Caps come in Black or White only.

Extension Position:

Hinges	Std Friction	Restrictor	Egress Easy Clean	Mega Egress Easy Clean	Floating Mullion With Egress hinge only	Mila Restrictors
	☒	☐	☐	☐	☐	☐

Handles	Standard Espag	Cockspur
	☒	☐
	B ☐ W ☒ Ch ☐ SP ☐ G ☐	B ☐ W ☐ SP ☐ G ☐
	Chelton Espag Modern	
	B ☐ W ☐ DG ☐	
		PAS24? ☐

Stand Espag handles use a multi point lock.

Cockspur handles are the lock. Under 600mm 1 handle over 600mm 2 handles.

W - Gloss White B - Black
SS - Stainless Steel Ch - Chrome
BCh - Black Chrome SP - Silver Painted
DG - Dark Grey G - Gold

Glazing	Glazed	Description:	Spacer Bar	Black	Grey	White	Gaskets	Black	Grey	White
	☒			☒	☐	☐		☒	☐	☐
	Un Glazed			☐	☐	☐		☒	☐	N/A
				☐	☐	☐		☐	☐	☐

Leads	Size	Design	Style	Joins
N ☒ Y ☐	9mm ☐ 12mm ☐	Square ☐ Decorative ☐ Diamond ☐	Std Silver ☐ Antique ☐	Soldered ☐ Un-Soldered ☐

Astragal Bars	N	Y	19mm	25mm	41mm	A-Shaped Horizontal	A-Shaped Butted	Flat Horizontal	Flat Butted	Flat Overlapped
	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐
						Inside ☐ See notes	Inside ☐ See notes	Inside ☐ See notes	Inside ☐ See notes	Inside ☐ See notes
						Outside ☐ See notes	Outside ☐ See notes	Outside ☐ See notes	Outside ☐ See notes	Outside ☐ See notes

A-Shaped Bar Notes:
• Available with AW614 / AW690 / AW675 sashes only.
• Dummy fixed if you require A-shaped in & out.
• 25mm flat bars to inside only.

Layouts (if applicable) Please pay particular attention to lead / astragal layouts / Transom & Mullion splits. Please check & sign layouts attached.

Couplers	15mm:	26mm:	Hidden:	AW702	AW703	AW705	AW706	AW709	AW710	90° Corner Post	70mm - AW720	58mm - AW721	Circular Pole	AW722 - 70mm	AW712 - 60mm	Variable Bay Poles	100°-120° - AW715	120°-140° - AW716	140°-160° - AW717	160°-180° - AW718
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Note all corner posts, bay poles and couplers are non-structural.

This order tick list and manufacturing details supersedes all previous correspondence. Please check thoroughly and tick the appropriate box if correct to proceed to production.	Incorrect do not proceed ☐	All Correct & OK to proceed ☐
	Sign _____	Date _____

Job Confirmation (No Price)

Duration Windows

Thames Development
Charfleets Road
Canvey Island, SS8 0PQ

Customer Details

ME ENGINEERS [P272]
THE OLD VICARAGE
CHURCH ROAD
KINGS WALDEN
HITCHIN
SG4 8JX
Tel:
Fax:

Job No: V9907BWNHI
Ref:

Date Printed: 08 January 2025 08:21

System: Premium HI Windows

Group: Aluk HI Casement COLLECTION

Window No: 1 of 18


Location: SIDE BED 1

Drainage: Face

Finish: RAL9010M- Ivory Wht

Furniture:

White Espag R/H
White Espag L/H
12" Side Hung Stay Pr 13mm
PAS24 Offset Shootbolt 710-945mm
PAS24 Offset Shootbolt 710-945mm



1 - 1566w x 992h (Basic Frame Size)

1 - 1566w x 1012h

Viewed Outside

Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket

A-GS-305 5mm Wedge Gasket

Qty	Size	Description
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	427x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows

Group: Aluk HI Casement COLLECTION

Window No: 2 of 18

Location: FRONT BED 1 LEFT

Drainage: Face

Finish: RAL9010M- Ivory Wht

Furniture:


White Espag R/H

White Espag L/H

12" Side Hung Stay Pr 13mm

PAS24 Offset Shootbolt 710-945mm

PAS24 Offset Shootbolt 710-945mm



1 - 1566w x 992h (Basic Frame Size)

1 - 1566w x 1012h

Viewed Outside

Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	427x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows
Group: Aluk HI Casement COLLECTION
Window No: 3 of 18
Location: FRONT LANDING MIDDLE
Drainage: Face
Finish: RAL9010M- Ivory Wht


Furniture:
White Espag R/H
White Espag L/H
12" Side Hung Stay Pr 13mm
PAS24 Offset Shootbolt 710-945mm
PAS24 Offset Shootbolt 710-945mm

Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	427x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,



1 - 1566w x 992h (Basic Frame Size)
1 - 1566w x 1012h
Viewed Outside

System: Premium HI Windows
Group: Aluk HI Casement COLLECTION
Window No: 4 of 18
Location: STUDY
Drainage: Face
Finish: RAL9010M- Ivory Wht


Furniture:
White Espag R/H
White Espag L/H
12" Side Hung Stay Pr 13mm
PAS24 Offset Shootbolt 710-945mm
PAS24 Offset Shootbolt 710-945mm

Cill:

Summary


P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	427x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,



1 - 1566w x 992h (Basic Frame Size)
1 - 1566w x 1012h
Viewed Outside

System: Premium HI Windows
Group: Aluk HI Casement COLLECTION
Window No: 5 of 18
Location: REAR BATHROOM LEFT
Drainage: Face
Finish: RAL9010M- Ivory Wht



1 - 1074w x 992h (Basic Frame Size)
1 - 1074w x 1012h
Viewed Outside

Furniture:
White Espag R/H
12" Side Hung Stay Pr 13mm
PAS24 Offset Shootbolt 710-945mm


Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	433x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	433x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows
Group: Aluk HI Casement COLLECTION
Window No: 6 of 18
Location: SIDE MIDDLE BED
Drainage: Face
Finish: RAL9010M- Ivory Wht



1 - 1074w x 992h (Basic Frame Size)
1 - 1074w x 1012h
Viewed Outside

Furniture:
White Espag L/H
12" Side Hung Stay Pr 13mm
PAS24 Offset Shootbolt 710-945mm

Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection

XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	433x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	433x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows

Group: Aluk HI Casement COLLECTION

Window No: 7 of 18

Location: ELIZABETH BEDROOM

Drainage: Face

Finish: RAL9010M- Ivory Wht

Furniture:


White Espag R/H

White Espag L/H

12" Side Hung Stay Pr 13mm

PAS24 Offset Shootbolt 710-945mm

PAS24 Offset Shootbolt 710-945mm



1 - 1566w x 992h (Basic Frame Size)

1 - 1566w x 1012h

Viewed Outside

Cill:

Summary


P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead

A-GS-240 E Gasket
A-GS-305 5mm Wedge Gasket

Qty	Size	Description
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	427x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows
Group: Aluk HI Casement COLLECTION
Window No: 8 of 18
Location: REAR SIDE LANDING
Drainage: Face
Finish: RAL9010M- Ivory Wht

Furniture:
White Espag R/H
12" Side Hung Stay Pr 13mm
PAS24 Offset Shootbolt 710-945mm



1 - 1074w x 992h (Basic Frame Size)
1 - 1074w x 1012h
Viewed Outside


Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	433x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	433x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows
Group: Aluk HI Casement COLLECTION
Window No: 9 of 18
Location: FRONT KITCHEN/DINING
Drainage: Face
Finish: RAL9010M- Ivory Wht



1 - 1566w x 992h (Basic Frame Size)
 1 - 1566w x 1012h
 Viewed Outside

Furniture:

White Espag R/H
 White Espag L/H
 12" Side Hung Stay Pr 13mm
 PAS24 Offset Shootbolt 710-945mm
 PAS24 Offset Shootbolt 710-945mm


Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	427x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	426x 864	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows
Group: Aluk HI Casement COLLECTION
Window No: 10 of 18
Location: FRONT GROUND FLOOR
Drainage: Face
Finish: RAL9010M- Ivory Wht



1 - 1072w x 696h (Basic Frame Size)
 1 - 1072w x 716h
 Viewed Outside

Furniture:

White Espag L/H
 12" Side Hung Stay Pr 13mm
 PAS24 Offset Shootbolt 530-710mm

Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	431x 568	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	433x 568	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows

Group: Aluk HI Casement COLLECTION

Window No: 11 of 18


Location: Window 11

Drainage: Face

Finish: RAL9010M- Ivory Wht

Furniture:

Cill:



1 - 650w x 1330h (Basic Frame Size)

1 - 650w x 1350h

Viewed Outside

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD

GASK1	OUT Black / IN Black Gasket
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	522x 1202	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows

Group: Aluk HI Casement COLLECTION

Window No: 12 of 18

Location: Window 12

Drainage: Face

Finish: RAL9010M- Ivory Wht

Furniture:

White Espag R/H


White Espag L/H

12" Side Hung Stay Pr 13mm

PAS24 Offset Shootbolt 945-1400mm

PAS24 Offset Shootbolt 945-1400mm

Cill:



2 - 2000w x 1330h (Basic Frame Size)

2 - 2000w x 1350h


Viewed Outside

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
2	426x 1202	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
2	861x 1202	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
2	426x 1202	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows
Group: Aluk HI Casement COLLECTION
Window No: 13 of 18
Location: Window 13
Drainage: Face
Finish: RAL9010M- Ivory Wht



1 - 1350w x 805h (Basic Frame Size)
1 - 1350w x 825h
Viewed Outside

Furniture:
White Espag R/H
12" Side Hung Stay Pr 13mm
PAS24 Offset Shootbolt 710-945mm


Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	433x 677	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	709x 677	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows
Group: Aluk HI Casement COLLECTION
Window No: 14 of 18
Location: FRONT GROUND
Drainage: Face
Finish: RAL9010M- Ivory Wht



1 - 1563w x 698h (Basic Frame Size)
1 - 1563w x 718h
Viewed Outside

Furniture:
White Espag R/H
White Espag L/H
12" Side Hung Stay Pr 13mm
PAS24 Offset Shootbolt 530-710mm
PAS24 Offset Shootbolt 530-710mm

Cill:

Summary

P/Code	Description
--------	-------------

nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	426x 570	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	424x 570	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	426x 570	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows

Group: Aluk HI Casement COLLECTION

Window No: 15 of 18

Location: REAR UTILITY

Drainage: Face

Finish: RAL9010M- Ivory Wht

Furniture:

White Espag R/H


12" Side Hung Stay Pr 13mm

PAS24 Offset Shootbolt 945-1400mm

Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION



1 - 1072w x 1135h (Basic Frame Size)

1 - 1072w x 1155h

Viewed Outside

AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	433x 1007	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	431x 1007	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows

Group: Aluk HI Casement COLLECTION

Window No: 16 of 18

Location: SIDE GARAGE

Drainage: Face


Finish: RAL9010M- Ivory Wht

Furniture:

White Espag R/H

12" Side Hung Stay Pr 13mm

PAS24 Offset Shootbolt 945-1400mm



1 - 1072w x 1135h (Basic Frame Size)

1 - 1072w x 1155h

Viewed Outside

Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	433x 1007	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	431x 1007	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,

System: Premium HI Windows
Group: Aluk HI Casement COLLECTION
Window No: 17 of 18
Location: SIDE LOUNGE
Drainage: Face
Finish: RAL9010M- Ivory Wht


Furniture:
White Espag R/H
White Espag L/H
12" Side Hung Stay Pr 13mm
PAS24 Offset Shootbolt 945-1400mm
PAS24 Offset Shootbolt 945-1400mm

Cill:

Summary

P/Code	Description
nEA5000-W	White 4000 T/Vent - Wht End Caps
U44013-2	70mm Std D/Fix O/F Collection
XA505*	Outerframe Foam
V90106	Foam to Outerframe
XA903	Narrow Chevron
XA904	Narrow Chevron
XA430	14mm Cleat
XA435	5.1mm Corner Cleat
XA440	14mm Mechanical Corner Cleat
XA445	Fixing Pin for 5.1mm Cleat
JM1024	Various Screws
AW724-2	20mm (70) Add-On COLLECTION
AW685-2	Int/Glazed Flat Vent COLLECTION
V90107*	Sash Glass Rebate Foam
V31006*	Thermal Seal Foam
T103	NO FIXING HOLES OR LUGS REQD
GASK1	OUT Black / IN Black Gasket
U44044-2	Slim Feat Mull/Tran COLLECTION
AW683-1	28mm 683 Flat Bead
A-GS-240	E Gasket
A-GS-305	5mm Wedge Gasket

Qty	Size	Description
1	426x 1160	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	424x 1160	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,
1	426x 1160	6.8 Lam /17.2/4 Tough S/coat 1.0, Argon, 1.4 U Value, W/Edge Blk,



1 - 1563w x 1288h (Basic Frame Size)
1 - 1563w x 1308h
Viewed Outside