





Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
										Physiological Condition	Life Expectancy (yrs)
								Priority	Inspect Freq (yrs)	Structural Condition	Retention Category
T1	Early-Mature Weeping Willow Salix babylonica.	13	0.5	70	6 3.5 6 6		Form: Twin-stemmed at 2m with a weeping habit. History: Previously heavily reduced. Defects: Significant bark wound to significant limb with a decay pocket. Other: Acceptable condition at present due to reduction.	No action required.		Moderate Good Fair	Moderate 20-40 B
								n/a	3		
T2	Semi-Mature Norway Spruce Picea abies.	15	1.5	31	0.5 4 4.5 4.5		Form: Single stemmed and vertical with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate Good Good	Moderate 40+ B
								n/a	3		
T3	Early-Mature Copper Beech Fagus sylvatica f. purpurea.	13	0.5	42	8.5 6.5 7 10		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate Good Good	Moderate 40+ B
								n/a	3		
T4	Semi-Mature Golden Rain Tree Laburnum anagyroides.	5.5	1.5	8	0 0.5 3 3		Form: Single stemmed and leaning with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate Good Fair	Low 40+ C
								n/a	3		
G5	Semi-Mature Sorbus And Norway Maple Sorbus and acer.	av 10	av 2	av 20	av 5 5 5 6.5 each		Form: Two close growing specimens. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate Good Good	Moderate 40+ B
								n/a	3		
T6	Semi-Mature Elder Sambucus nigra.	4.5	1.5	20 @ Base	1 1.5 3 3.5		Form: Multi-stemmed at ground level with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate Good Fair	Low 20-40 C
								n/a	3		
T7	Young Hawthorn Crataegus monogyna.	6	2.5	13	1 1 3 3		Position: Growing adjacent boundary fence. Form: Multi-stemmed at ground level with a poorly formed crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Suppressed specimen growing through the fence. Recorded stem diameter is equivalent for two stems (8cm, 10cm).	No action required.		Moderate Fair Good	Low 20-40 C
								n/a	3		

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
								Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)
										Structural Condition	Retention Category
T8	Early-Mature Beech Fagus sylvatica.	13	1.5	50	6 7 5		Form: Multi-stemmed at 2m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate Good Good	Moderate 40+ B
								n/a	3		
T9	Early-Mature Beech Fagus sylvatica.	15	1.5	46	4 6.5 7.5 6		Form: Multi-stemmed at 2m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate Good Good	Moderate 40+ B
								n/a	3		
T10	Early-Mature Beech Fagus sylvatica.	15	2	51	4 6 7		Form: Twin-stemmed at 0.5m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: Significant included bark at the primary fork (stems fused). Other: Recorded stem diameter is equivalent for three stems (27cm, 20cm, 39cm).	No action required.		Moderate Good Fair	Moderate 20-40 B
								n/a	3		
T11	Early-Mature Beech Fagus sylvatica.	15	2	50	4.5 5 8 6		Form: Twin-stemmed at 2m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: Significant included bark at the primary fork.	No action required.		Moderate Good Fair	Moderate 20-40 B -
								n/a	1.5		
T12	Semi-Mature Ash Fraxinus excelsior.	15	3.5	22	3 3.5 0.5		Position: Adjacent to boundary fence. Form: Twin-stemmed at 6m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Growing against the timber fence.	No action required.		Moderate Good Good	Low 40+ C
								n/a	3		
G13	Semi-Mature Hazel Corylus avellana.	av 6.5	av 1.5	av 28	av 5 4 4 each		Position: Situated on third party land. Form: Row of coppiced trees with young stems. Defects: No significant defects observed. Other: Limited inspection. Recorded stem diameter is equivalent for 10 stems with an average diameter of 9cm.	No action required.		Moderate Good Good	Low 40+ C
								n/a	3		
T14	Semi-Mature Horse Chestnut Aesculus hippocastanum.	11	1.5	40	5.5 4 4		Position: Situated on third party land. Form: Twin-stemmed at 2m with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Limited inspection, dimensions estimated.	No action required.		Moderate Good Good	Moderate 40+ B
								n/a	3		

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
										Physiological Condition	Life Expectancy (yrs)
								Priority	Inspect Freq (yrs)	Structural Condition	Retention Category
T15	Young Ash Fraxinus excelsior.	7	2.5	10	5 2 1.5 2		Position: Situated on third party land. Form: Single stemmed and vertical with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate Good Good	Low 40+ C
								n/a	3		
T16	Semi-Mature Sycamore Acer pseudoplatanus.	13	2	32	7 4.5 4.5 1		Position: Situated on third party land. Form: Twin-stemmed at 4m with an unbalanced crown and leaning. History: No evidence of significant pruning. Defects: No significant defects. Other: Growing against the timber boundary fence.	No action required.		Moderate Good Fair	Moderate 40+ B -
								n/a	3		
T17	Early-Mature Ash Fraxinus excelsior.	15	4	52	6 6 5 6		Position: Situated on third party land. Form: Twin-stemmed at ground level with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: Significant included bark to the stem junctions. Other: Recorded stem diameter is equivalent for three stems (35cm, 25cm, 30cm).	No action required.		Moderate Fair Fair	Low 10-20 C +
								n/a	3		
T18	Early-Mature Ash Fraxinus excelsior.	15	1	50	5.5 5 4.5 3		Position: Situated on third party land. Form: Single stemmed with a slight lean and a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Ivy prevented detailed inspection, limited inspection, dimensions estimated.	No action required.		Moderate Good Good	Moderate 40+ B -
								n/a	3		
G19	Young Sycamore Acer pseudoplatanus.	av 8	av 2	av 9	av 5 2 2 2 each		Position: Situated on third party land. Form: Three close growing specimens. History: No evidence of significant pruning. Defects: No significant defects.	No action required.		Moderate Good Good	Low 40+ C
								n/a	3		
T20	Early-Mature Maple Acer sp.	4	0	30	8 3.5 3.5 0		Position: Situated on third party land. Form: Failed tree which has fallen over across the boundary. Other: Limited inspection, dimensions estimated.	No action required.		Low Fair Poor	Low <10 U
								n/a	3		
T21	Semi-Mature Ash Fraxinus excelsior.	12	1.5	45	6 6 6 4		Position: Growing through the boundary fence. Ownership unclear. Form: Twin-stemmed at ground level with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects. Other: Recorded stem diameter is equivalent for two stems (20cm, 40cm).	No action required.		Moderate Good Good	Low 40+ C
								n/a	3		

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
								Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)
										Structural Condition	Retention Category
T22	Mature Ash Fraxinus excelsior.	17	5	85	8 8 6.5 7		Position: Situated on third party land. Form: Multi-stemmed at 4m with a balanced crown. History: No evidence of significant pruning. Defects: Significant dead wood over the road. Other: Major cavity to wound circa 4m above ground level at the point of crown break (previous stem failure).	Decay detection required to the stem base and to wound at the crown break. Remove dead wood over the road.		Moderate Fair Poor	Moderate 10-20 C
								High	1.5		