

MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	GROUND FLOOR	1
Product Pvc;Alu 58+			Expanding Foam Int Foam;		
u-Value Rate 1.3 u-Value;1.4 u-Value			Wrapping Type Glass Film 2Sided;		
SBD Rated. S.B.D.;PartQ					
Total Ventilation Achieved		36,150.00	sq.mm		
GROUND FLOOR - West Elevation (GF)					

1150
2100
Former
XD3 (01), Stairs 1

780 1030
1285 779
Top
D/S
DR OutR
XD18H (35), Living Room (PL 08)

1810w X 2100h
White 9010
58mm PVC Open Out Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Right
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Lever handle
& cylinder blank outside
1/2 thumbturn

567 568
1320
Left Right
GW05-D(34), Bed 1 (PL 08)

White 9010
1135w X 1350h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC
2 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
PartQ

567 568
1320
Left Right
GW06-D(33), Bed 2 (PL 08)

White 9010
1135w X 1350h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC
2 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
PartQ

1135
895
1100
Top
Fixed
GW07-E(32), Bed 2 (PL 07)

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ

GROUND FLOOR - West Elevation (GF1)

1135
895
1100
Top
Fixed
GW08-E(31), Bed 2 (PL 07)

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ

1030 780
1285 779
DR OutL
Top
D/S
XD18 (30), Living Room (PL 07)

1810w X 2100h
White 9010
58mm PVC Open Out Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Left
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Lever handle & cylinder blank outside
1/2 thumbturn

780 1030
1285 779
Top
DR OutR
D/S
XD18H (29), Living Room (PL 06)

1810w X 2100h
White 9010
58mm PVC Open Out Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Right
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Lever handle & cylinder blank outside
1/2 thumbturn

MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	GROUND FLOOR	1
GROUND FLOOR - West Elevation (GF2)					

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ

GW09-E(28), Bed 1 (PL 06)

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ

GW10-E(27), Bed 1 (PL 05)

1810w X 2100h
White 9010
58mm PVC Open Out Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Left
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Lever handle & cylinder blank outside
1/2 thumbturn

XD18 (26), Living Room (PL 05)

GROUND FLOOR - West Elevation (GF3)

1810w X 2100h
White 9010
58mm PVC Open Out Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Left
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Lever handle & cylinder blank outside
1/2 thumbturn

XD18 (25), Living Room (PL 04)


White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ

GW11-E(24), Living Room (PL 04)


White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ

GW12-E(23), Bed 1 (PL 04)





MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	GROUND FLOOR	1
GROUND FLOOR - South Elevation (GF)					






GROUND FLOOR - East Elevation (GF)



MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	GROUND FLOOR	1
GROUND FLOOR - East Elevation (GF1)					



GROUND FLOOR - East Elevation (GF2)



MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	GROUND FLOOR	1
GROUND FLOOR - North Elevation (GF)					

White 9010
1360w X 1575h
145mm Proj Cill
6.8-14-4, 6.8 LA, 4 SC
2 Lck Restrictor
PartQ
Aluminium AOV
No locks handles
actuators by SE Controls
Guarding by others
1.35 m2 approx
AOV-(06), Corridor

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
GW01-E(05), Bed 1 (PL 01)


White 9010
1135w X 2100h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
2 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
PartQ
GW02-G(04), Bed 2 (PL 01)

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
GW03-E(03), Living Room (PL 01)

GROUND FLOOR - North Elevation (GF1)


White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
GW04-E(02), Stairs

MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	FIRST FLOOR	2
Product Pvc;Alu 58+			Expanding Foam Int Foam;		
u-Value Rate 1.3 u-Value;1.4 u-Value			Wrapping Type Glass Film 2Sided;		
SBD Rated. PartQ;S.B.D.					
Total Ventilation Achieved			0.00 sq.mm		
FIRST FLOOR - West Elevation (FF)					




White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ

FW08-E(72), Living Room (PL18)



White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ


FW09-E(71), Living Room (PL18)



White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ


FW10-E(70), Bed1 (PL18)

FIRST FLOOR - West Elevation (FF1)




1810w X 2148h
White 9010
58mm PVC Open In Doors
Pvc Door Style Fully Glazed
205mm UK Cill Non Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Right
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Nothing standard outside
1/2 thumbturn

XD20H(69), Living Room (PL17)




White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
2 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
PartQ

FW11-D(68), Bed1 (PL17)



White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
2 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
PartQ

FW12-D(67), Bed2 (PL17)



White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ

FW13-E(66), Bed2 (PL16)

MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	FIRST FLOOR	2
FIRST FLOOR - West Elevation (FF2)					

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW14-E(65), Bed1 (PL16)

1810w X 2148h
White 9010
58mm PVC Open In Doors
Pvc Door Style Fully Glazed
180mm UK Cill Non Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Left
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Nothing standard outside
1/2 thumbturn
XD20(64), Living Room (PL16)

1810w X 2148h
White 9010
58mm PVC Open In Doors
Pvc Door Style Fully Glazed
180mm UK Cill Non Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Right
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Nothing standard outside
1/2 thumbturn
XD20H(63), Living Room (PL15)


FIRST FLOOR - West Elevation (FF3)

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW15-E(62), Bed1 (PL15)


White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW16-E(61), Bed1 (PL14)

1810w X 2148h
White 9010
58mm PVC Open In Doors
Pvc Door Style Fully Glazed
180mm UK Cill Non Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Left
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Nothing standard outside
1/2 thumbturn
XD20(60), Living Room (PL14)


MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	FIRST FLOOR	2
FIRST FLOOR - West Elevation (FF4)					



White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW17-E(59), Living Room (PL13)




White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW18-E(58), Living Room (PL13)




White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW19-E(57), Bed 1 (PL13)


FIRST FLOOR - South Elevation (FF)



White 9010
1360w X 1575h
145mm Proj Cill
6.8-14-4, 6.8 LA, 4 SC/T
2 Lck Restrictor
PartQ
Aluminium AOV
No locks handles
actuators by SE Controls
Guarding by others
1.35 m2 approx
AOV-FW(56), Corridor




White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW29-E(44), Bed 1 (PL20)




White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW30-E(43), Bed 2 (PL20)

MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	FIRST FLOOR	2
FIRST FLOOR - East Elevation (FF)					




1810w X 2148h
White 9010
58mm PVC Open Out Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Right
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Lever handle & cylinder blank outside
1/2 thumbturn

XD19H(55), Living Room (PL12)



White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ


FW21-E(54), Bed 1 (PL12)



White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ


FW22-E(53), Bed 2 (PL12)

FIRST FLOOR - East Elevation (FF1)




White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
2 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
PartQ

FW24-D(52), Bed1 (PL11)



1810w X 2148h
White 9010
58mm PVC Open Out Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Left
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Lever handle & cylinder blank outside
1/2 thumbturn


XD19(51), Living Room (PL11)




White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ

FW25-E(50), Bed 1 (PL10)


MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	FIRST FLOOR	2
FIRST FLOOR - East Elevation (FF2)					



White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ
FW26-C(49), Bed 2 (PL10)




White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW27-E(48), Living Room (PL10)




1810w X 2148h
White 9010
58mm PVC Open Out Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Right
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Lever handle & cylinder blank outside
1/2 thumbturn
XD19H(47), Living Room (PL09)


FIRST FLOOR - East Elevation (FF2)



White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
2 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
PartQ
FW28-D(46), Bed1 (PL09)



1810w X 2148h
White 9010
58mm PVC Open In Doors
Pvc Door Style Fully Glazed
205mm UK Cill Non Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Right
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Nothing standard outside
1/2 thumbturn
XD20H(45), Living Room (PL20)



White 9010
1360w X 1575h
145mm Proj Cill
6.8-14-4, 6.8 LA, 4 SC/T
2 Lck Restrictor
PartQ
Aluminium AOV
No locks handles
actuators by SE Controls
Guarding by others
1.35 m2 approx
AOV-FW(42), Corridor

MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	FIRST FLOOR	2
FIRST FLOOR - North Elevation (FF)					

1135

895

1100

Top ^

FixedC

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW01-E(41), Bed 1 (PL19)

1135

895

1100

Top ^

FixedC

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW02-E(40), Bed 2 (PL19)

1135

895

1100

Top ^

FixedC

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW03-E(39), Living Room (PL19)

FIRST FLOOR - North Elevation (FF1)

1135

895

1100

Top ^

FixedC

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW05-E(38), Bed 2 (PL18)

1135

895

1100

Top ^

FixedC

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW06-E(37), Kitchen (PL18)

1135

895

1100

Top ^

FixedC

White 9010
1135w X 2025h
120mm UK Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
Fit Joggles To Top Sash
PartQ
FW07-E(36), Living Room (PL18)

MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	SECOND FLOOR	3
Product Pvc;Alu 58+			Expanding Foam Int Foam;		
u-Value Rate 1.3 u-Value;1.4 u-Value			Wrapping Type Glass Film 2Sided;		
SBD Rated. PartQ;S.B.D.					
Total Ventilation Achieved			0.00 sq.mm		
SECOND FLOOR - West Elevation (SF)					

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ
SW07C(110), Living Room (PL30)

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ
SW08C(109), Living Room (PL30)

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ
SW09C(108), Bed 1 (PL30)

1810w X 2148h
White 9010
58mm PVC Open In Doors
Pvc Door Style Fully Glazed
205mm UK Cill Non Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Right
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Nothing standard outside
1/2 thumbturn
XD20H(107), Living Room (PL29)

SECOND FLOOR - West Elevation (SF1)




White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
2 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
PartQ
SW10D(106), Bed 1 (PL29)

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
2 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
PartQ
SW11D(105), Bed 2 (PL29)




White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ
SW12C(104), Bed 2 (PL28)

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ
SW13C(103), Bed 1 (PL28)



MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	SECOND FLOOR	3
SECOND FLOOR - West Elevation (SF2)					






SECOND FLOOR - West Elevation (SF3)



MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	SECOND FLOOR	3
SECOND FLOOR - West Elevation (SF4)					



SECOND FLOOR - South Elevation (SF)



MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	SECOND FLOOR	3
SECOND FLOOR - East Elevation (SF)					

1810w X 2148h
White 9010
58mm PVC Open Out Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Right
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Lever handle & cylinder blank outside
1/2 thumbturn
XD19H(93), Living Room (PL24)

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ
SW20-C(92), Bed1 (PL24)

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ
SW21-C(91), Bed2 (PL24)

White 9010
910w X 1050h
120mm UK Cill
4-16-4 GE, 4 CL/T, 4 SC/T
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ
FW23-A(90), Stairs 2

SECOND FLOOR - East Elevation (SF1)


White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
2 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
PartQ
SW22-D(89), Bed 1 (PL23)

1810w X 2148h
White 9010
58mm PVC Open Out Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Left
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Lever handle & cylinder blank outside
1/2 thumbturn
XD19(88), Living Room (PL23)


SW23-C(87), Bed2 (PL22)
White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ

SW24-C(86), Bed1 (PL22)
White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ


MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	SECOND FLOOR	3
SECOND FLOOR - East Elevation (SF2)					



White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ
SW25-C(85), Living Room (PL22)




1810w X 2148h
White 9010
58mm PVC Open Out Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Right
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Lever handle & cylinder blank outside
1/2 thumbturn
XD19H(84), Living Room (PL21)




White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
2 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
PartQ
SW26-D(83), Bed 1 (PL21)

SECOND FLOOR - East Elevation (SF3)



1810w X 2148h
White 9010
58mm PVC Open In Doors
Pvc Door Style Fully Glazed
White UK-Part M Cill
6.8-14-4 GE, 6.8 LA, 4 SC/T
Hinged on Right
White Lev/Hdle
1 Q.R. Restrictor
Multipoint Dr Lock
S.B.D.
Lever handle inside
Nothing standard outside
1/2 thumbturn
XD20H(82), Living Room (PL32)



White 9010
1360w X 1575h
145mm Proj Cill
6.8-14-4, 6.8 LA, 4 SC/T
2 Lck Restrictor
PartQ
Aluminium AOV
No locks handles
actuators by SE Controls
Guarding by others
1.35 m2 approx
AOVSW29(79, Corridor)

MJ-Ref.	Rev. No.	Client Name	Site	Property	Location
250217-07	1	McCarthy and Stone	Baldock Street, Royston, Hertfordshire	SECOND FLOOR	3
SECOND FLOOR - North Elevation (SF)					

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ

SW01-C(78), Bed 2 (PL31)

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ

SW02-C(77), Bed 1 (PL31)

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ

SW03-C(76), Living Room (PL31)

White 9010
910w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ

FW04-B(111), Stairs 1

SECOND FLOOR - North Elevation (SF1)

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ

SW04-C(75), Bed 2 (PL30)

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ

SW05-C(74), Kitchen (PL30)

White 9010
1135w X 1350h
120mm UK Cill
4-16-4 GE, 4 CL, 4 SC
1 Q.R. Restrictor
Hdl:Std Locking
Hdl Col: White
W.A.G + 24" Hinge
PartQ

SW06-C(73), Living Room (PL30)