



www.north-herts.gov.uk

NORTH HERTFORDSHIRE DISTRICT COUNCIL

Town and Country Planning Act 1990

Correspondence Address:

Peter George Town Planning
Nine Hills Road
Cambridge
CB2 1GE

Developer

Mr James Northern

PARTICULARS OF DEVELOPMENT

Application:	25/01197/PNQ
Proposal:	Change of use of agricultural buildings to ten (10) dwellinghouses with associated building operations, private gardens and car parking.
Location:	Slip End Farm, Royston Road, Slip End, Baldock, Hertfordshire, SG7 6SG
Plan Nos:	P01, P02A, P03, P04, P05, P06A, P07A, P08A P09A, P11, P13, P14, P15, P16, P20

North Herts Council, as local planning authority, hereby confirm that conditional **prior approval is given** under Class Q, part 3 of Schedule 2 of the Town and Country Planning (General Permitted Development) Order 2015 for the proposed development at the address shown above, as described by the description shown above.

The development must be carried out wholly in accordance with the information and details that the developer provided to the local planning authority on 02.05.2025 and in compliance with the conditions listed below.

1. The development hereby permitted shall be completed before the expiration of 3 years from the date of this decision notice.

Reason: As required by the Town and Country Planning (General Permitted Development) Order 2015, Schedule 2, Part 3, Class Q.

2. No development approved by this permission shall take place until a Phase 2 investigation report, as recommended by the previously submitted Dice Environmental Ltd Ltd report dated 30th May 2023 (Ref: 101029), has been submitted to and approved in writing by the Local Planning Authority. Where found to be necessary by the phase 2 report a remediation strategy to deal with the risks associated with contamination of the site shall also be submitted to and approved in writing by the Local Planning Authority. The remediation strategy shall include an options appraisal giving full details of the remediation measures required and how they are to be undertaken. The strategy shall include a plan providing details of how the remediation works shall be judged to be complete and arrangements for contingency action.

Reason: To protect human health and to ensure that no future investigation is required under Part 2A of the Environmental Protection Act 1990.

3. Prior to any permitted dwelling being occupied a validation report shall be submitted and approved in writing by the Local Planning Authority to demonstrate the effectiveness of any agreed Remediation Strategy. Any such validation shall include responses to any unexpected contamination discovered during works.

Reason: To protect human health and to ensure that no future investigation is required under Part 2A of the Environmental Protection Act 1990.

4. Prior to occupation, each new dwelling shall incorporate an Electric Vehicle (EV) ready domestic charging point.

Reason: To contribute to the objective of providing a sustainable transport network and to provide the necessary infrastructure to help off-set the adverse impact of the operational phase of the development on local air quality.

5. No development shall take place until a Site Waste Management Plan (SWMP) for the site has been submitted to the Local Planning Authority and approved in consultation with the Waste Planning Authority. The SWMP should aim to reduce the amount of waste produced on site and should contain information including estimated types and quantities of waste to arise from construction and waste management actions for each waste type. The development shall be carried out in accordance with the approved SWMP.

Reason: To promote the sustainable management of waste arisings and contribution towards resource efficiency, in accordance with Policy 12 of the

Informative/s:

1. A charging point shall be installed by an appropriately certified electrician/electrical contractor in accordance with the following specification. The necessary certification of electrical installation should be submitted as evidence of appropriate installation to meet the requirements of Part P of the most current Building Regulations. Cable and circuitry ratings should be of adequate size to ensure a minimum continuous current demand for the vehicle of 16A and a maximum demand of 32A (which is recommended for Eco developments)
 - o A separate dedicated circuit protected by an RBCO should be provided from the main distribution board, to a suitably enclosed termination point within a garage or an accessible enclosed termination point for future connection to an external charge point.
 - o The electrical circuit shall comply with the Electrical requirements of BS7671: 2008 as well as conform to the IET code of practice on Electric Vehicle Charging Equipment installation 2012 ISBN 978-1-84919-515-7 (PDF). This includes requirements such as ensuring the Charging Equipment integral protective device shall be at least Type A RCD (required to comply with BS EN 61851 Mode 3 charging).
 - o If installed in a garage all conductive surfaces should be protected by supplementary protective equipotential bonding. For vehicle connecting points installed such that the vehicle can only be charged within the building, e.g. in a garage with a (non-extended) tethered lead, the PME earth may be used. For external installations the risk assessment outlined in the IET code of practice must be adopted, and may require additional earth stake or mat for the EV charging circuit. This should be installed as part of the EV ready installation to avoid significant on cost later.
 - o A list of authorised installers (for the Government's Electric Vehicle Homecharge Scheme) can be found at <https://www.gov.uk/government/organisations/office-for-low-emission-vehicles>
 - o UK Government issued legislation in 2021 to require domestic EV charge points to be smart, thus we recommend that all charge points will be capable of smart charging, as detailed in UK Gov regulations.

Signed:



Shaun Greaves
Development and Conservation Manager

Development Management
North Herts Council
Council Offices
Gernon Road
Letchworth
Herts
SG6 3JF

Date: 23 June 2025

The Council's Privacy Notice is available on our website: <https://www.north-herts.gov.uk/home/council-data-and-performance/data-protection/information-management-gdpr>

NOTES

- 1 **Failure to satisfy conditions may invalidate this permission and/or result in enforcement action. Particular attention should be paid to the requirements of any condition in bold.**
- 2 Circular 04/2008 (Planning Related Fees) states that where an application is made under Article 21 of the Town and Country Planning (General Development Procedure) Order 1995, a fee will be payable for any consent, agreement or approval required by condition or limitation attached to the grant of planning permission.
- 3 The fee is £145 per request or £43 where the permission relates to an extension or alteration to a dwellinghouse or other development in the curtilage of the dwellinghouse.

The request can be informal through the submission of a letter or plans, or formal through the completion of an application form and the submission of plans. Any number of conditions may be included on a single request. The form is available on the Council's website:
www.north-herts.gov.uk/home/planning/planning-applications/submit-planning-application
- 4 If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.

Appeals must be made using a form which you can get from the Planning Inspectorate at Suite C, 4th Floor, Spectrum Building, Bond Street, Bristol, BS1 3LG or online at www.planningportal.gov.uk/planning/appeals.

The Secretary of State can allow a longer period for giving notice of an appeal, but he will not normally be prepared to use this power unless there are special

circumstances which excuse the delay in giving notice of appeal.

The Secretary of State need not consider an appeal if it seems to him that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

In practice, the Secretary of State does not refuse to consider appeals solely because the local planning authority based their decision on a direction given by him.

5 Purchase Notices

If either the local planning authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council (District Council, London Borough Council or Common Council of the City of London) in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.

- 6** The District Council and County Highway Authority wish to ensure that, in the implementation of the development, hereby approved, the highway verge adjacent to the property is not damaged or does not become unsightly due to the stationing of skips, parking of vehicles, storing of building materials etc thereon. Your attention is, therefore, drawn to the provisions of Section 131 of the Highways Act 1980 and to the Hertfordshire County Council Bylaws 1955 (specifically relating to grass margins and verges in Letchworth Garden City) by virtue of which such actions, unless authorised by the prior grant of a licence, constitute a prosecutable offence. Persons responsible for undertaking the development and any associated works are, therefore, strongly encouraged to take appropriate steps to ensure that no breach of the said legislation occurs during the course of such activities. In the event of any damage being caused it will be expected that suitable reinstatement is undertaken upon completion of the development. Failure to do so could also result in legal action being pursued. To obtain information regarding the issue of licences, contact Hertfordshire Highways, Hertfordshire County Council, County Hall, Pegs Lane, Hertford, SG138DQ or telephone 0300 1234 047.

THIS PLANNING PERMISSION DOES NOT CONSTITUTE APPROVAL UNDER BUILDING REGULATIONS AND IS NOT A LISTED BUILDING CONSENT OR CONSERVATION AREA CONSENT. IT DOES NOT CONVEY ANY APPROVAL OR CONSENT WHICH MAY BE REQUIRED UNDER ANY ENACTMENT, BYELAW, ORDER OR REGULATION OTHER THAN SECTION 57 OF THE TOWN AND COUNTRY PLANNING ACT 1990.