

Hitchin ATC, School Lane



Direction: Northbound

Direction: Southbound

Direction: Total Flow

Hour	Tue	Wed	Thu	Fri	Sat	Sun	Mon	Day	Day
Beginning	24/01/2024	25/01/2024	26/01/2024	27/01/2024	28/01/2024	01/02/2024	02/02/2024	Ave.	Ave.
6:00	0	0	1	1	0	1	1	1	1
7:00	0	1	0	0	0	1	1	0	0
8:00	0	0	0	0	1	0	0	0	0
9:00	0	0	0	0	1	0	0	0	0
10:00	0	0	0	0	1	0	0	0	0
11:00	1	2	3	1	1	1	1	2	1
12:00	4	2	4	6	0	1	5	4	3
13:00	30	25	35	25	1	0	28	29	21
14:00	53	63	62	49	14	12	39	53	42
15:00	22	16	17	19	6	6	27	30	36
16:00	17	24	34	22	23	10	21	24	22
17:00	16	18	14	23	15	22	14	17	17
18:00	16	10	12	18	16	20	15	16	16
19:00	17	11	18	14	17	16	21	16	16
20:00	23	27	23	30	22	14	26	24	24
21:00	28	26	33	31	18	27	33	30	28
22:00	33	32	39	34	11	17	29	33	28
23:00	27	29	23	24	18	12	17	24	21
24:00	13	19	27	14	10	7	27	20	17
25:00	16	11	16	15	13	10	11	15	15
26:00	9	15	12	4	1	3	16	11	9
27:00	4	1	9	6	4	2	11	6	5
28:00	2	2	2	1	2	1	2	1	2
29:00	1	3	1	3	4	1	0	2	2
Total	295	300	337	303	172	163	304	308	268
18M(6-19)	328	329	378	334	190	179	357	345	299
18M(6-22)	332	334	381	338	196	182	358	349	303
18M(6-24)	333	337	385	340	200	185	361	351	306
AM Peak	8:00	8:00	8:00	8:00	10:00	11:00	8:00	8:00	8:00
PM Peak	16:00	16:00	16:00	16:00	14:00	15:00	15:00	16:00	15:00
PM Peak	35	32	39	34	23	27	33	33	28

Paul Castle Associates

Hour	Tue	Wed	Thu	Fri	Sat	Sun	Mon	Day	Day
Beginning	24/01/2024	25/01/2024	26/01/2024	27/01/2024	28/01/2024	01/02/2024	02/02/2024	Ave.	Ave.
6:00	1	1	1	0	1	0	2	1	1
7:00	0	0	0	0	0	0	0	0	0
8:00	0	0	0	0	0	0	0	0	0
9:00	1	0	1	1	1	0	1	1	1
10:00	1	1	1	1	1	0	1	1	1
11:00	2	3	3	3	3	0	1	2	3
12:00	5	9	7	7	2	0	8	7	5
13:00	38	36	43	34	5	2	35	37	38
14:00	49	45	45	36	19	10	38	43	35
15:00	31	33	38	29	20	12	27	34	29
16:00	23	19	14	27	13	16	18	20	19
17:00	12	19	18	26	20	22	15	18	19
18:00	21	16	15	17	17	19	23	18	18
19:00	17	13	15	15	18	21	21	16	17
20:00	20	21	20	14	20	18	18	20	19
21:00	36	35	42	52	14	19	57	44	36
22:00	33	41	52	33	15	14	29	38	31
23:00	30	27	21	22	14	12	18	24	21
24:00	5	16	13	14	7	5	12	12	10
25:00	11	10	12	9	10	4	11	10	9
26:00	9	3	10	4	4	8	13	8	7
27:00	1	4	6	5	2	2	5	4	4
28:00	1	0	1	2	5	2	1	1	2
29:00	2	2	0	1	2	1	1	1	1
Total	215	321	336	319	182	170	321	322	281
18M(6-19)	343	343	373	343	200	184	358	352	306
18M(6-22)	346	345	374	346	207	187	360	354	309
18M(6-24)	351	350	380	351	209	189	366	360	314
AM Peak	8:00	8:00	8:00	8:00	9:00	11:00	8:00	8:00	8:00
PM Peak	15:00	16:00	16:00	15:00	14:00	13:00	15:00	15:00	15:00
PM Peak	36	41	52	52	20	21	57	46	36

Paul Castle Associates

Hour	Tue	Wed	Thu	Fri	Sat	Sun	Mon	5-Day	7-Day
Beginning	24/01/2024	25/01/2024	26/01/2024	27/01/2024	28/01/2024	01/02/2024	02/02/2024	Ave.	Ave.
6:00	1	1	1	0	1	0	2	1	1
7:00	0	0	0	0	0	0	0	0	0
8:00	0	0	0	0	0	0	0	0	0
9:00	1	0	1	1	1	0	1	1	1
10:00	1	1	1	1	1	0	1	1	1
11:00	2	3	3	3	3	0	1	2	3
12:00	5	9	7	7	2	0	8	7	5
13:00	38	36	43	34	5	2	35	37	38
14:00	49	45	45	36	19	10	38	43	35
15:00	31	33	38	29	20	12	27	34	29
16:00	23	19	14	27	13	16	18	20	19
17:00	12	19	18	26	20	22	15	18	19
18:00	21	16	15	17	17	19	23	18	18
19:00	17	13	15	15	18	21	21	16	17
20:00	20	21	20	14	20	18	18	20	19
21:00	36	35	42	52	14	19	57	44	36
22:00	33	41	52	33	15	14	29	38	31
23:00	30	27	21	22	14	12	18	24	21
24:00	5	16	13	14	7	5	12	12	10
25:00	11	10	12	9	10	4	11	10	9
26:00	9	3	10	4	4	8	13	8	7
27:00	1	4	6	5	2	2	5	4	4
28:00	1	0	1	2	5	2	1	1	2
29:00	2	2	0	1	2	1	1	1	1
Total	610	621	673	622	354	333	625	630	548
18M(6-19)	671	672	751	677	390	363	715	697	606
18M(6-22)	676	679	755	684	403	369	718	703	612
18M(6-24)	684	687	765	691	409	374	727	711	620
AM Peak	8:00	8:00	8:00	8:00	10:00	11:00	8:00	8:00	8:00
PM Peak	16:00	16:00	16:00	15:00	14:00	15:00	15:00	15:00	15:00
PM Peak	65	73	91	83	43	45	90	75	64


Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound					
	Total Volume	LIGHT	OGV1	OGV2	BUS
Tue 24 Feb 2026	333	284	44	1	4
Wed 25 Feb 2026	337	301	34	1	1
Thu 26 Feb 2026	385	339	41	2	3
Fri 27 Feb 2026	340	300	35	3	2
Sat 28 Feb 2026	200	186	14	0	0
Sun 1 Mar 2026	185	171	14	0	0
Mon 2 Mar 2026	361	326	34	1	0
5 Day Ave.	351	310	38	2	2
7 Day Ave.	306	272	31	1	1

	Total Volume	LIGHT	OGV1	OGV2	BUS
Tue 24 Feb 2026	100.0%	85.3%	13.2%	0.3%	1.2%
Wed 25 Feb 2026	100.0%	89.3%	10.1%	0.3%	0.3%
Thu 26 Feb 2026	100.0%	88.1%	10.6%	0.5%	0.8%
Fri 27 Feb 2026	100.0%	88.2%	10.3%	0.9%	0.6%
Sat 28 Feb 2026	100.0%	93.0%	7.0%	0.0%	0.0%
Sun 1 Mar 2026	100.0%	92.4%	7.6%	0.0%	0.0%
Mon 2 Mar 2026	100.0%	90.3%	9.4%	0.3%	0.0%
5 Day Ave.	100.0%	88.3%	10.7%	0.5%	0.6%
7 Day Ave.	100.0%	89.1%	10.1%	0.4%	0.5%


Paul Castle Associates



Direction: Southbound					
	Total Volume	LIGHT	OGV1	OGV2	BUS
Tue 24 Feb 2026	351	306	41	1	3
Wed 25 Feb 2026	350	325	22	0	3
Thu 26 Feb 2026	380	339	36	1	4
Fri 27 Feb 2026	351	319	30	0	2
Sat 28 Feb 2026	209	203	6	0	0
Sun 1 Mar 2026	189	174	14	1	0
Mon 2 Mar 2026	366	338	25	1	2
5 Day Ave.	360	325	31	1	3
7 Day Ave.	314	286	25	1	2

	Total Volume	LIGHT	OGV1	OGV2	BUS
Tue 24 Feb 2026	100.0%	87.2%	11.7%	0.3%	0.9%
Wed 25 Feb 2026	100.0%	92.9%	6.3%	0.0%	0.9%
Thu 26 Feb 2026	100.0%	89.2%	9.5%	0.3%	1.1%
Fri 27 Feb 2026	100.0%	90.9%	8.5%	0.0%	0.6%
Sat 28 Feb 2026	100.0%	97.1%	2.9%	0.0%	0.0%
Sun 1 Mar 2026	100.0%	92.1%	7.4%	0.5%	0.0%
Mon 2 Mar 2026	100.0%	92.3%	6.8%	0.3%	0.5%
5 Day Ave.	100.0%	90.5%	8.6%	0.2%	0.8%
7 Day Ave.	100.0%	91.3%	7.9%	0.2%	0.6%


Paul Castle Associates



Direction: Total Flow					
	Total Volume	LIGHT	OGV1	OGV2	BUS
Tue 24 Feb 2026	684	590	85	2	7
Wed 25 Feb 2026	687	626	56	1	4
Thu 26 Feb 2026	765	678	77	3	7
Fri 27 Feb 2026	691	619	65	3	4
Sat 28 Feb 2026	409	389	20	0	0
Sun 1 Mar 2026	374	345	28	1	0
Mon 2 Mar 2026	727	664	59	2	2
5 Day Ave.	711	635	68	2	5
7 Day Ave.	620	559	56	2	3

	Total Volume	LIGHT	OGV1	OGV2	BUS
Tue 24 Feb 2026	100.0%	86.3%	12.4%	0.3%	1.0%
Wed 25 Feb 2026	100.0%	91.1%	8.2%	0.1%	0.6%
Thu 26 Feb 2026	100.0%	88.6%	10.1%	0.4%	0.9%
Fri 27 Feb 2026	100.0%	89.6%	9.4%	0.4%	0.6%
Sat 28 Feb 2026	100.0%	95.1%	4.9%	0.0%	0.0%
Sun 1 Mar 2026	100.0%	92.2%	7.5%	0.3%	0.0%
Mon 2 Mar 2026	100.0%	91.3%	8.1%	0.3%	0.3%
5 Day Ave.	100.0%	89.4%	9.6%	0.3%	0.7%
7 Day Ave.	100.0%	90.2%	9.0%	0.3%	0.6%

Paul Castle Associates




Hitchin ATC, School Lane

Direction: Northbound

	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
Tue 24 Feb 2026	333	18.4	13.5	4.7	0	85	128	93	24	2	1	0	0	0	0	0
Wed 25 Feb 2026	337	18.9	14.0	4.8	0	74	126	107	27	2	0	1	0	0	0	0
Thu 26 Feb 2026	385	17.1	12.3	4.6	0	142	139	83	18	3	0	0	0	0	0	0
Fri 27 Feb 2026	340	17.8	13.0	4.7	0	108	120	87	23	2	0	0	0	0	0	0
Sat 28 Feb 2026	200	19.0	13.3	5.5	0	76	48	48	26	2	0	0	0	0	0	0
Sun 1 Mar 2026	185	19.0	13.7	5.1	0	53	57	54	19	2	0	0	0	0	0	0
Mon 2 Mar 2026	361	17.2	12.5	4.5	0	128	123	91	19	0	0	0	0	0	0	0
5 Day Ave.	351	17.9	13.0	4.7	0	107	127	92	22	2	0	0	0	0	0	0
7 Day Ave.	306	18.2	13.2	4.8	0	95	106	80	22	2	0	0	0	0	0	0


Paul Castle Associates



Direction: Southbound

	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
Tue 24 Feb 2026	351	18.3	13.6	4.6	0	86	123	101	31	0	0	0	0	0	0	0
Wed 25 Feb 2026	350	18.3	13.4	4.7	0	88	141	93	23	5	0	0	0	0	0	0
Thu 26 Feb 2026	380	17.0	12.3	4.5	0	138	138	84	18	2	0	0	0	0	0	0
Fri 27 Feb 2026	351	17.6	12.9	4.5	0	102	139	90	17	3	0	0	0	0	0	0
Sat 28 Feb 2026	209	18.3	12.9	5.2	0	76	63	49	18	3	0	0	0	0	0	0
Sun 1 Mar 2026	189	18.3	13.4	4.7	0	55	58	64	11	1	0	0	0	0	0	0
Mon 2 Mar 2026	366	17.2	12.7	4.4	0	112	146	92	14	2	0	0	0	0	0	0
5 Day Ave.	360	17.7	13.0	4.5	0	105	139	92	21	2	0	0	0	0	0	0
7 Day Ave.	314	17.9	13.0	4.6	0	94	117	82	19	2	0	0	0	0	0	0


Paul Castle Associates



Direction: Total Flow

	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
Tue 24 Feb 2026	684	18.4	13.5	4.6	0	171	261	194	55	2	1	0	0	0	0	0
Wed 25 Feb 2026	687	18.6	13.7	4.7	0	162	267	200	50	7	0	1	0	0	0	0
Thu 26 Feb 2026	765	17.1	12.3	4.6	0	280	277	167	36	5	0	0	0	0	0	0
Fri 27 Feb 2026	691	17.7	12.9	4.6	0	210	259	177	40	5	0	0	0	0	0	0
Sat 28 Feb 2026	409	18.6	13.1	5.3	0	152	111	97	44	5	0	0	0	0	0	0
Sun 1 Mar 2026	374	18.6	13.6	4.9	0	108	115	118	30	3	0	0	0	0	0	0
Mon 2 Mar 2026	727	17.2	12.6	4.4	0	240	269	183	33	2	0	0	0	0	0	0
5 Day Ave.	711	17.8	13.0	4.6	0	213	267	184	43	4	0	0	0	0	0	0
7 Day Ave.	620	18.0	13.1	4.7	0	189	223	162	41	4	0	0	0	0	0	0

Paul Castle Associates



Hitchin ATC, School Lane

Direction: Northbound

	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
Tue 24 Feb 2026	33	16.6	12.5	4.0	0	9	16	7	1	0	0	0	0	0	0	0
Wed 25 Feb 2026	42	18.4	14.0	4.2	0	8	15	17	2	0	0	0	0	0	0	0
Thu 26 Feb 2026	48	16.4	11.5	4.7	0	23	15	8	1	1	0	0	0	0	0	0
Fri 27 Feb 2026	45	18.0	13.3	4.5	0	12	17	13	3	0	0	0	0	0	0	0
Sat 28 Feb 2026	38	21.4	15.7	5.5	0	7	10	12	8	1	0	0	0	0	0	0
Sun 1 Mar 2026	32	20.2	14.2	5.8	0	8	12	7	3	2	0	0	0	0	0	0
Mon 2 Mar 2026	35	16.7	11.8	4.7	0	16	10	7	2	0	0	0	0	0	0	0
5 Day Ave.	41	17.2	12.6	4.4	0	14	15	10	2	0	0	0	0	0	0	0
7 Day Ave.	39	18.2	13.3	4.8	0	12	14	10	3	1	0	0	0	0	0	0

Paul Castle Associates

Direction: Southbound

	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
Tue 24 Feb 2026	35	17.6	13.2	4.2	0	9	13	12	1	0	0	0	0	0	0	0
Wed 25 Feb 2026	38	17.9	13.8	4.0	0	7	15	15	1	0	0	0	0	0	0	0
Thu 26 Feb 2026	32	15.9	11.4	4.4	0	14	13	3	2	0	0	0	0	0	0	0
Fri 27 Feb 2026	53	18.2	13.1	5.0	0	19	13	17	4	0	0	0	0	0	0	0
Sat 28 Feb 2026	33	19.3	13.6	5.6	0	10	12	6	4	1	0	0	0	0	0	0
Sun 1 Mar 2026	38	17.7	12.8	4.8	0	14	10	12	2	0	0	0	0	0	0	0
Mon 2 Mar 2026	33	16.3	12.2	3.9	0	11	13	9	0	0	0	0	0	0	0	0
5 Day Ave.	38	17.2	12.7	4.3	0	12	13	11	2	0	0	0	0	0	0	0
7 Day Ave.	37	17.6	12.9	4.5	0	12	13	11	2	0	0	0	0	0	0	0

Paul Castle Associates

Direction: Total Flow

	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
Tue 24 Feb 2026	68	17.1	12.9	4.1	0	18	29	19	2	0	0	0	0	0	0	0
Wed 25 Feb 2026	80	18.2	13.9	4.1	0	15	30	32	3	0	0	0	0	0	0	0
Thu 26 Feb 2026	80	16.2	11.4	4.5	0	37	28	11	3	1	0	0	0	0	0	0
Fri 27 Feb 2026	98	18.1	13.2	4.7	0	31	30	30	7	0	0	0	0	0	0	0
Sat 28 Feb 2026	71	20.5	14.7	5.6	0	17	22	18	12	2	0	0	0	0	0	0
Sun 1 Mar 2026	70	18.9	13.4	5.3	0	22	22	19	5	2	0	0	0	0	0	0
Mon 2 Mar 2026	68	16.5	12.0	4.3	0	27	23	16	2	0	0	0	0	0	0	0
5 Day Ave.	79	17.2	12.7	4.4	0	26	28	22	3	0	0	0	0	0	0	0
7 Day Ave.	76	17.9	13.1	4.7	0	24	26	21	5	1	0	0	0	0	0	0

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
Tue 24 Feb 2026	51	18.0	12.9	4.9	0	13	27	7	3	0	1	0	0	0	0	0
Wed 25 Feb 2026	53	16.7	12.1	4.4	0	18	24	9	1	1	0	0	0	0	0	0
Thu 26 Feb 2026	56	15.5	11.4	3.9	0	23	23	9	1	0	0	0	0	0	0	0
Fri 27 Feb 2026	61	14.8	10.9	3.7	0	28	25	7	1	0	0	0	0	0	0	0
Sat 28 Feb 2026	41	16.6	12.0	4.4	0	16	15	8	2	0	0	0	0	0	0	0
Sun 1 Mar 2026	41	17.7	12.7	4.7	0	14	14	10	3	0	0	0	0	0	0	0
Mon 2 Mar 2026	61	15.5	11.3	4.0	0	27	24	8	2	0	0	0	0	0	0	0
5 Day Ave.	56	16.1	11.7	4.2	0	22	25	8	2	0	0	0	0	0	0	0
7 Day Ave.	52	16.4	11.9	4.3	0	20	22	8	2	0	0	0	0	0	0	0

Paul Castle Associates

Direction: Southbound

	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
Tue 24 Feb 2026	56	17.6	13.8	3.6	0	9	23	24	0	0	0	0	0	0	0	0
Wed 25 Feb 2026	56	16.7	12.5	4.0	0	16	26	12	2	0	0	0	0	0	0	0
Thu 26 Feb 2026	62	16.0	11.8	4.0	0	24	24	13	1	0	0	0	0	0	0	0
Fri 27 Feb 2026	66	16.0	12.0	3.8	0	20	34	10	2	0	0	0	0	0	0	0
Sat 28 Feb 2026	34	16.2	11.5	4.6	0	16	11	5	2	0	0	0	0	0	0	0
Sun 1 Mar 2026	37	18.3	13.6	4.6	0	10	11	14	2	0	0	0	0	0	0	0
Mon 2 Mar 2026	75	16.4	11.9	4.3	0	28	32	12	2	1	0	0	0	0	0	0
5 Day Ave.	63	16.5	12.4	4.0	0	19	28	14	1	0	0	0	0	0	0	0
7 Day Ave.	55	16.7	12.4	4.1	0	18	23	13	2	0	0	0	0	0	0	0

Paul Castle Associates

Direction: Total Flow

	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
Tue 24 Feb 2026	107	17.8	13.4	4.3	0	22	50	31	3	0	1	0	0	0	0	0
Wed 25 Feb 2026	109	16.7	12.3	4.2	0	34	50	21	3	1	0	0	0	0	0	0
Thu 26 Feb 2026	118	15.7	11.6	4.0	0	47	47	22	2	0	0	0	0	0	0	0
Fri 27 Feb 2026	127	15.4	11.5	3.8	0	48	59	17	3	0	0	0	0	0	0	0
Sat 28 Feb 2026	75	16.4	11.8	4.5	0	32	26	13	4	0	0	0	0	0	0	0
Sun 1 Mar 2026	78	18.0	13.1	4.7	0	24	25	24	5	0	0	0	0	0	0	0
Mon 2 Mar 2026	136	16.0	11.6	4.2	0	55	56	20	4	1	0	0	0	0	0	0
5 Day Ave.	119	16.3	12.1	4.1	0	41	52	22	3	0	0	0	0	0	0	0
7 Day Ave.	107	16.6	12.2	4.2	0	37	45	21	3	0	0	0	0	0	0	0

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

24/02/2026

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	0	0	0	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	0	0	0	0	0
4:00	0	0	0	0	0
5:00	1	1	0	0	0
6:00	4	4	0	0	0
7:00	30	27	3	0	0
8:00	53	48	3	0	2
9:00	22	15	7	0	0
10:00	17	14	2	0	1
11:00	16	14	2	0	0
12:00	16	13	3	0	0
13:00	17	14	3	0	0
14:00	23	16	6	1	0
15:00	28	24	3	0	1
16:00	33	29	4	0	0
17:00	27	26	1	0	0
18:00	13	9	4	0	0
19:00	16	14	2	0	0
20:00	9	8	1	0	0
21:00	4	4	0	0	0
22:00	3	3	0	0	0
23:00	1	1	0	0	0
Total					
12H(7-19)	295	249	41	1	4
16H(6-22)	328	279	44	1	4
18H(6-24)	332	283	44	1	4
24H(0-24)	333	284	44	1	4
AM Peak	8:00	8:00	9:00	0:00	8:00
	53	48	7	0	2
PM Peak	16:00	16:00	14:00	14:00	15:00
	33	29	6	1	1

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	1	1	0	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	1	1	0	0	0
4:00	1	1	0	0	0
5:00	2	2	0	0	0
6:00	7	6	1	0	0
7:00	38	32	6	0	0
8:00	49	43	5	0	1
9:00	31	26	4	0	1
10:00	23	20	3	0	0
11:00	12	9	3	0	0
12:00	21	18	2	1	0
13:00	17	13	4	0	0
14:00	20	16	4	0	0
15:00	36	34	1	0	1
16:00	33	31	2	0	0
17:00	30	26	4	0	0
18:00	5	5	0	0	0
19:00	11	9	2	0	0
20:00	9	9	0	0	0
21:00	1	1	0	0	0
22:00	1	1	0	0	0
23:00	2	2	0	0	0
Total					
12H(7-19)	315	273	38	1	3
16H(6-22)	343	298	41	1	3
18H(6-24)	346	301	41	1	3
24H(0-24)	351	306	41	1	3
AM Peak	8:00	8:00	7:00	0:00	8:00
	49	43	6	0	1
PM Peak	15:00	15:00	13:00	12:00	15:00
	36	34	4	1	1

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	1	1	0	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	1	1	0	0	0
4:00	1	1	0	0	0
5:00	3	3	0	0	0
6:00	11	10	1	0	0
7:00	68	59	9	0	0
8:00	102	91	8	0	3
9:00	53	41	11	0	1
10:00	40	34	5	0	1
11:00	28	23	5	0	0
12:00	37	31	5	1	0
13:00	34	27	7	0	0
14:00	43	32	10	1	0
15:00	64	58	4	0	2
16:00	66	60	6	0	0
17:00	57	52	5	0	0
18:00	18	14	4	0	0
19:00	27	23	4	0	0
20:00	18	17	1	0	0
21:00	5	5	0	0	0
22:00	4	4	0	0	0
23:00	3	3	0	0	0
Total					
12H(7-19)	610	522	79	2	7
16H(6-22)	671	577	85	2	7
18H(6-24)	678	584	85	2	7
24H(0-24)	684	590	85	2	7
AM Peak	8:00	8:00	9:00	0:00	8:00
	102	91	11	0	3
PM Peak	16:00	16:00	14:00	12:00	15:00
	66	60	10	1	2

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

Direction: Southbound

Direction: Total Flow

25/02/2026

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	0	0	0	0	0
1:00	1	1	0	0	0
2:00	0	0	0	0	0
3:00	0	0	0	0	0
4:00	0	0	0	0	0
5:00	2	2	0	0	0
6:00	2	1	1	0	0
7:00	25	25	0	0	0
8:00	63	59	4	0	0
9:00	16	15	1	0	0
10:00	24	16	8	0	0
11:00	18	16	2	0	0
12:00	10	9	1	0	0
13:00	11	10	1	0	0
14:00	27	26	1	0	0
15:00	26	22	3	0	1
16:00	32	31	1	0	0
17:00	29	22	7	0	0
18:00	19	16	2	1	0
19:00	11	11	0	0	0
20:00	15	15	0	0	0
21:00	1	0	1	0	0
22:00	2	2	0	0	0
23:00	3	2	1	0	0
Total					
12H(7-19)	300	267	31	1	1
16H(6-22)	329	294	33	1	1
18H(6-24)	334	298	34	1	1
24H(0-24)	337	301	34	1	1
AM Peak	8:00 63	8:00 59	10:00 8	0:00 0	0:00 0
PM Peak	16:00 32	16:00 31	17:00 7	18:00 1	15:00 1

Paul Castle Associates

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	1	1	0	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	0	0	0	0	0
4:00	1	1	0	0	0
5:00	3	3	0	0	0
6:00	5	5	0	0	0
7:00	36	32	4	0	0
8:00	45	40	3	0	2
9:00	33	31	2	0	0
10:00	19	18	1	0	0
11:00	19	17	2	0	0
12:00	16	15	1	0	0
13:00	13	12	1	0	0
14:00	21	21	0	0	0
15:00	35	32	2	0	1
16:00	41	41	0	0	0
17:00	27	23	4	0	0
18:00	16	15	1	0	0
19:00	10	10	0	0	0
20:00	3	3	0	0	0
21:00	4	3	1	0	0
22:00	0	0	0	0	0
23:00	2	2	0	0	0
Total					
12H(7-19)	321	297	21	0	3
16H(6-22)	343	318	22	0	3
18H(6-24)	345	320	22	0	3
24H(0-24)	350	325	22	0	3
AM Peak	8:00 45	8:00 40	7:00 4	0:00 0	8:00 2
PM Peak	16:00 41	16:00 41	17:00 4	12:00 0	15:00 1

Paul Castle Associates

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	1	1	0	0	0
1:00	1	1	0	0	0
2:00	0	0	0	0	0
3:00	0	0	0	0	0
4:00	1	1	0	0	0
5:00	5	5	0	0	0
6:00	7	6	1	0	0
7:00	61	57	4	0	0
8:00	108	99	7	0	2
9:00	49	46	3	0	0
10:00	43	34	9	0	0
11:00	37	33	4	0	0
12:00	26	24	2	0	0
13:00	24	22	2	0	0
14:00	48	47	1	0	0
15:00	61	54	5	0	2
16:00	73	72	1	0	0
17:00	56	45	11	0	0
18:00	35	31	3	1	0
19:00	21	21	0	0	0
20:00	18	18	0	0	0
21:00	5	3	2	0	0
22:00	2	2	0	0	0
23:00	5	4	1	0	0
Total					
12H(7-19)	621	564	52	1	4
16H(6-22)	672	612	55	1	4
18H(6-24)	679	618	56	1	4
24H(0-24)	687	626	56	1	4
AM Peak	8:00 108	8:00 99	10:00 9	0:00 0	8:00 2
PM Peak	16:00 73	16:00 72	17:00 11	18:00 1	15:00 2

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

Direction: Southbound

Direction: Total Flow

26/02/2026

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	1	0	1	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	0	0	0	0	0
4:00	0	0	0	0	0
5:00	3	3	0	0	0
6:00	4	3	1	0	0
7:00	35	31	4	0	0
8:00	62	55	5	1	1
9:00	17	14	3	0	0
10:00	34	25	9	0	0
11:00	14	13	0	0	1
12:00	12	12	0	0	0
13:00	18	15	3	0	0
14:00	23	21	2	0	0
15:00	33	29	3	0	1
16:00	39	36	3	0	0
17:00	23	20	2	1	0
18:00	27	23	4	0	0
19:00	16	15	1	0	0
20:00	12	12	0	0	0
21:00	9	9	0	0	0
22:00	2	2	0	0	0
23:00	1	1	0	0	0
Total					
12H(7-19)	337	294	38	2	3
16H(6-22)	378	333	40	2	3
18H(6-24)	381	336	40	2	3
24H(0-24)	385	339	41	2	3
AM Peak	8:00 62	8:00 55	10:00 9	8:00 1	8:00 1
PM Peak	16:00 39	16:00 36	18:00 4	17:00 1	15:00 1

Paul Castle Associates

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	1	1	0	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	1	1	0	0	0
4:00	1	1	0	0	0
5:00	3	3	0	0	0
6:00	9	8	1	0	0
7:00	43	37	5	0	1
8:00	45	37	6	1	1
9:00	38	35	3	0	0
10:00	14	12	2	0	0
11:00	18	17	1	0	0
12:00	15	13	1	0	1
13:00	15	14	1	0	0
14:00	20	19	1	0	0
15:00	42	37	4	0	1
16:00	52	46	6	0	0
17:00	21	17	4	0	0
18:00	13	12	1	0	0
19:00	12	12	0	0	0
20:00	10	10	0	0	0
21:00	6	6	0	0	0
22:00	1	1	0	0	0
23:00	0	0	0	0	0
Total					
12H(7-19)	336	296	35	1	4
16H(6-22)	373	332	36	1	4
18H(6-24)	374	333	36	1	4
24H(0-24)	380	339	36	1	4
AM Peak	8:00 45	7:00 37	8:00 6	8:00 1	7:00 1
PM Peak	16:00 52	16:00 46	16:00 6	12:00 0	12:00 1

Paul Castle Associates

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	2	1	1	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	1	1	0	0	0
4:00	1	1	0	0	0
5:00	6	6	0	0	0
6:00	13	11	2	0	0
7:00	78	68	9	0	1
8:00	107	92	11	2	2
9:00	55	49	6	0	0
10:00	48	37	11	0	0
11:00	32	30	1	0	1
12:00	27	25	1	0	1
13:00	33	29	4	0	0
14:00	43	40	3	0	0
15:00	75	66	7	0	2
16:00	91	82	9	0	0
17:00	44	37	6	1	0
18:00	40	35	5	0	0
19:00	28	27	1	0	0
20:00	22	22	0	0	0
21:00	15	15	0	0	0
22:00	3	3	0	0	0
23:00	1	1	0	0	0
Total					
12H(7-19)	673	590	73	3	7
16H(6-22)	751	665	76	3	7
18H(6-24)	755	669	76	3	7
24H(0-24)	765	678	77	3	7
AM Peak	8:00 107	8:00 92	8:00 11	8:00 2	8:00 2
PM Peak	16:00 91	16:00 82	16:00 9	17:00 1	15:00 2

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

27/02/2026

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	1	1	0	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	0	0	0	0	0
4:00	0	0	0	0	0
5:00	1	1	0	0	0
6:00	6	5	1	0	0
7:00	25	24	1	0	0
8:00	49	43	5	0	1
9:00	19	17	2	0	0
10:00	22	20	1	1	0
11:00	23	20	2	1	0
12:00	18	17	0	1	0
13:00	14	7	7	0	0
14:00	30	25	5	0	0
15:00	31	27	3	0	1
16:00	34	31	3	0	0
17:00	24	20	4	0	0
18:00	14	13	1	0	0
19:00	15	15	0	0	0
20:00	4	4	0	0	0
21:00	6	6	0	0	0
22:00	1	1	0	0	0
23:00	3	3	0	0	0
Total					
12H(7-19)	303	264	34	3	2
16H(6-22)	334	294	35	3	2
18H(6-24)	338	298	35	3	2
24H(0-24)	340	300	35	3	2
AM Peak	8:00	8:00	8:00	10:00	8:00
	49	43	5	1	1
PM Peak	16:00	16:00	13:00	12:00	15:00
	34	31	7	1	1

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	0	0	0	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	1	1	0	0	0
4:00	1	1	0	0	0
5:00	3	3	0	0	0
6:00	7	6	1	0	0
7:00	34	30	4	0	0
8:00	36	33	3	0	0
9:00	29	29	0	0	0
10:00	27	27	0	0	0
11:00	26	22	4	0	0
12:00	17	15	1	0	1
13:00	15	10	5	0	0
14:00	14	12	2	0	0
15:00	52	47	4	0	1
16:00	33	32	1	0	0
17:00	22	19	3	0	0
18:00	14	13	1	0	0
19:00	8	8	0	0	0
20:00	4	4	0	0	0
21:00	5	4	1	0	0
22:00	2	2	0	0	0
23:00	1	1	0	0	0
Total					
12H(7-19)	319	289	28	0	2
16H(6-22)	343	311	30	0	2
18H(6-24)	346	314	30	0	2
24H(0-24)	351	319	30	0	2
AM Peak	8:00	8:00	7:00	0:00	0:00
	36	33	4	0	0
PM Peak	15:00	15:00	13:00	12:00	12:00
	52	47	5	0	1

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	1	1	0	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	1	1	0	0	0
4:00	1	1	0	0	0
5:00	4	4	0	0	0
6:00	13	11	2	0	0
7:00	59	54	5	0	0
8:00	85	76	8	0	1
9:00	48	46	2	0	0
10:00	49	47	1	1	0
11:00	49	42	6	1	0
12:00	35	32	1	1	1
13:00	29	17	12	0	0
14:00	44	37	7	0	0
15:00	83	74	7	0	2
16:00	67	63	4	0	0
17:00	46	39	7	0	0
18:00	28	26	2	0	0
19:00	23	23	0	0	0
20:00	8	8	0	0	0
21:00	11	10	1	0	0
22:00	3	3	0	0	0
23:00	4	4	0	0	0
Total					
12H(7-19)	622	553	62	3	4
16H(6-22)	677	605	65	3	4
18H(6-24)	684	612	65	3	4
24H(0-24)	691	619	65	3	4
AM Peak	8:00	8:00	8:00	10:00	8:00
	85	76	8	1	1
PM Peak	15:00	15:00	13:00	12:00	15:00
	83	74	12	1	2

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

28/02/2026

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	1	1	0	0	0
1:00	0	0	0	0	0
2:00	1	1	0	0	0
3:00	1	1	0	0	0
4:00	0	0	0	0	0
5:00	1	1	0	0	0
6:00	0	0	0	0	0
7:00	1	1	0	0	0
8:00	14	14	0	0	0
9:00	6	5	1	0	0
10:00	23	20	3	0	0
11:00	15	14	1	0	0
12:00	16	14	2	0	0
13:00	17	15	2	0	0
14:00	23	20	3	0	0
15:00	18	17	1	0	0
16:00	11	11	0	0	0
17:00	18	17	1	0	0
18:00	10	10	0	0	0
19:00	13	13	0	0	0
20:00	1	1	0	0	0
21:00	4	4	0	0	0
22:00	2	2	0	0	0
23:00	4	4	0	0	0
Total					
12H(7-19)	172	158	14	0	0
16H(6-22)	190	176	14	0	0
18H(6-24)	196	182	14	0	0
24H(0-24)	200	186	14	0	0
AM Peak	10:00	10:00	10:00	0:00	0:00
	23	20	3	0	0
PM Peak	14:00	14:00	14:00	12:00	12:00
	23	20	3	0	0

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	1	1	0	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	1	1	0	0	0
4:00	0	0	0	0	0
5:00	0	0	0	0	0
6:00	2	2	0	0	0
7:00	5	5	0	0	0
8:00	19	19	0	0	0
9:00	20	18	2	0	0
10:00	13	13	0	0	0
11:00	20	19	1	0	0
12:00	17	17	0	0	0
13:00	18	18	0	0	0
14:00	20	18	2	0	0
15:00	14	13	1	0	0
16:00	15	15	0	0	0
17:00	14	14	0	0	0
18:00	7	7	0	0	0
19:00	10	10	0	0	0
20:00	4	4	0	0	0
21:00	2	2	0	0	0
22:00	5	5	0	0	0
23:00	2	2	0	0	0
Total					
12H(7-19)	182	176	6	0	0
16H(6-22)	200	194	6	0	0
18H(6-24)	207	201	6	0	0
24H(0-24)	209	203	6	0	0
AM Peak	9:00	8:00	9:00	0:00	0:00
	20	19	2	0	0
PM Peak	14:00	13:00	14:00	12:00	12:00
	20	18	2	0	0

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	2	2	0	0	0
1:00	0	0	0	0	0
2:00	1	1	0	0	0
3:00	2	2	0	0	0
4:00	0	0	0	0	0
5:00	1	1	0	0	0
6:00	2	2	0	0	0
7:00	6	6	0	0	0
8:00	33	33	0	0	0
9:00	26	23	3	0	0
10:00	36	33	3	0	0
11:00	35	33	2	0	0
12:00	33	31	2	0	0
13:00	35	33	2	0	0
14:00	43	38	5	0	0
15:00	32	30	2	0	0
16:00	26	26	0	0	0
17:00	32	31	1	0	0
18:00	17	17	0	0	0
19:00	23	23	0	0	0
20:00	5	5	0	0	0
21:00	6	6	0	0	0
22:00	7	7	0	0	0
23:00	6	6	0	0	0
Total					
12H(7-19)	354	334	20	0	0
16H(6-22)	390	370	20	0	0
18H(6-24)	403	383	20	0	0
24H(0-24)	409	389	20	0	0
AM Peak	10:00	8:00	9:00	0:00	0:00
	36	33	3	0	0
PM Peak	14:00	14:00	14:00	12:00	12:00
	43	38	5	0	0

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

01/03/2026

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	0	0	0	0	0
1:00	1	1	0	0	0
2:00	0	0	0	0	0
3:00	0	0	0	0	0
4:00	1	1	0	0	0
5:00	1	1	0	0	0
6:00	1	1	0	0	0
7:00	0	0	0	0	0
8:00	12	11	1	0	0
9:00	6	6	0	0	0
10:00	10	9	1	0	0
11:00	22	20	2	0	0
12:00	20	18	2	0	0
13:00	16	16	0	0	0
14:00	14	14	0	0	0
15:00	27	25	2	0	0
16:00	17	15	2	0	0
17:00	12	11	1	0	0
18:00	7	7	0	0	0
19:00	10	9	1	0	0
20:00	3	3	0	0	0
21:00	2	2	0	0	0
22:00	2	1	1	0	0
23:00	1	0	1	0	0
Total					
12H(7-19)	163	152	11	0	0
16H(6-22)	179	167	12	0	0
18H(6-24)	182	168	14	0	0
24H(0-24)	185	171	14	0	0
AM Peak	11:00 22	11:00 20	11:00 2	0:00 0	0:00 0
PM Peak	15:00 27	15:00 25	12:00 2	12:00 0	12:00 0

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	0	0	0	0	0
1:00	1	1	0	0	0
2:00	0	0	0	0	0
3:00	0	0	0	0	0
4:00	0	0	0	0	0
5:00	1	1	0	0	0
6:00	0	0	0	0	0
7:00	2	2	0	0	0
8:00	10	9	1	0	0
9:00	12	10	2	0	0
10:00	16	15	1	0	0
11:00	22	20	2	0	0
12:00	19	19	0	0	0
13:00	21	20	1	0	0
14:00	18	17	1	0	0
15:00	19	17	2	0	0
16:00	14	12	1	1	0
17:00	12	11	1	0	0
18:00	5	4	1	0	0
19:00	4	4	0	0	0
20:00	8	8	0	0	0
21:00	2	2	0	0	0
22:00	2	2	0	0	0
23:00	1	0	1	0	0
Total					
12H(7-19)	170	156	13	1	0
16H(6-22)	184	170	13	1	0
18H(6-24)	187	172	14	1	0
24H(0-24)	189	174	14	1	0
AM Peak	11:00 22	11:00 20	9:00 2	0:00 0	0:00 0
PM Peak	13:00 21	13:00 20	15:00 2	16:00 1	12:00 0

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	0	0	0	0	0
1:00	2	2	0	0	0
2:00	0	0	0	0	0
3:00	0	0	0	0	0
4:00	1	1	0	0	0
5:00	2	2	0	0	0
6:00	1	1	0	0	0
7:00	2	2	0	0	0
8:00	22	20	2	0	0
9:00	18	16	2	0	0
10:00	26	24	2	0	0
11:00	44	40	4	0	0
12:00	39	37	2	0	0
13:00	37	36	1	0	0
14:00	32	31	1	0	0
15:00	46	42	4	0	0
16:00	31	27	3	1	0
17:00	24	22	2	0	0
18:00	12	11	1	0	0
19:00	14	13	1	0	0
20:00	11	11	0	0	0
21:00	4	4	0	0	0
22:00	4	3	1	0	0
23:00	2	0	2	0	0
Total					
12H(7-19)	333	308	24	1	0
16H(6-22)	363	337	25	1	0
18H(6-24)	369	340	28	1	0
24H(0-24)	374	345	28	1	0
AM Peak	11:00 44	11:00 40	11:00 4	0:00 0	0:00 0
PM Peak	15:00 46	15:00 42	15:00 4	16:00 1	12:00 0

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

02/03/2026

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	1	1	0	0	0
1:00	1	1	0	0	0
2:00	0	0	0	0	0
3:00	0	0	0	0	0
4:00	0	0	0	0	0
5:00	1	1	0	0	0
6:00	5	5	0	0	0
7:00	28	26	2	0	0
8:00	39	38	1	0	0
9:00	27	23	4	0	0
10:00	21	18	2	1	0
11:00	14	13	1	0	0
12:00	20	19	1	0	0
13:00	21	20	1	0	0
14:00	28	25	3	0	0
15:00	33	28	5	0	0
16:00	29	24	5	0	0
17:00	17	15	2	0	0
18:00	27	21	6	0	0
19:00	21	21	0	0	0
20:00	16	16	0	0	0
21:00	11	10	1	0	0
22:00	1	1	0	0	0
23:00	0	0	0	0	0
Total					
12H(7-19)	304	270	33	1	0
16H(6-22)	357	322	34	1	0
18H(6-24)	358	323	34	1	0
24H(0-24)	361	326	34	1	0
AM Peak	8:00	8:00	9:00	10:00	0:00
	39	38	4	1	0
PM Peak	15:00	15:00	18:00	12:00	12:00
	33	28	6	0	0

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	2	2	0	0	0
1:00	0	0	0	0	0
2:00	0	0	0	0	0
3:00	1	1	0	0	0
4:00	1	1	0	0	0
5:00	2	2	0	0	0
6:00	8	8	0	0	0
7:00	35	33	2	0	0
8:00	38	37	0	0	1
9:00	37	31	5	1	0
10:00	18	17	1	0	0
11:00	15	12	3	0	0
12:00	23	21	2	0	0
13:00	21	19	2	0	0
14:00	18	15	3	0	0
15:00	57	54	2	0	1
16:00	29	25	4	0	0
17:00	18	17	1	0	0
18:00	12	12	0	0	0
19:00	11	11	0	0	0
20:00	13	13	0	0	0
21:00	5	5	0	0	0
22:00	1	1	0	0	0
23:00	1	1	0	0	0
Total					
12H(7-19)	321	293	25	1	2
16H(6-22)	358	330	25	1	2
18H(6-24)	360	332	25	1	2
24H(0-24)	366	338	25	1	2
AM Peak	8:00	8:00	9:00	9:00	8:00
	38	37	5	1	1
PM Peak	15:00	15:00	16:00	12:00	15:00
	57	54	4	0	1

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	LIGHT	OGV1	OGV2	BUS
0:00	3	3	0	0	0
1:00	1	1	0	0	0
2:00	0	0	0	0	0
3:00	1	1	0	0	0
4:00	1	1	0	0	0
5:00	3	3	0	0	0
6:00	13	13	0	0	0
7:00	63	59	4	0	0
8:00	77	75	1	0	1
9:00	64	54	9	1	0
10:00	39	35	3	1	0
11:00	29	25	4	0	0
12:00	43	40	3	0	0
13:00	42	39	3	0	0
14:00	46	40	6	0	0
15:00	90	82	7	0	1
16:00	58	49	9	0	0
17:00	35	32	3	0	0
18:00	39	33	6	0	0
19:00	32	32	0	0	0
20:00	29	29	0	0	0
21:00	16	15	1	0	0
22:00	2	2	0	0	0
23:00	1	1	0	0	0
Total					
12H(7-19)	625	563	58	2	2
16H(6-22)	715	652	59	2	2
18H(6-24)	718	655	59	2	2
24H(0-24)	727	664	59	2	2
AM Peak	8:00	8:00	9:00	9:00	8:00
	77	75	9	1	1
PM Peak	15:00	15:00	16:00	12:00	15:00
	90	82	9	0	1

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

24/02/2026

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
4:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
5:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
6:00	4	17.5	17.5	0.0	0	0	0	4	0	0	0	0	0	0	0	0
7:00	30	18.5	13.8	4.5	0	6	13	8	3	0	0	0	0	0	0	0
8:00	53	15.6	11.5	4.0	0	21	24	6	2	0	0	0	0	0	0	0
9:00	22	17.8	14.1	3.6	0	3	9	10	0	0	0	0	0	0	0	0
10:00	17	16.5	12.2	4.1	0	5	9	2	1	0	0	0	0	0	0	0
11:00	16	16.8	12.8	3.9	0	4	7	5	0	0	0	0	0	0	0	0
12:00	16	18.3	15.0	3.2	0	1	6	9	0	0	0	0	0	0	0	0
13:00	17	18.4	13.7	4.5	0	5	3	9	0	0	0	0	0	0	0	0
14:00	23	17.9	13.2	4.6	0	6	10	5	2	0	0	0	0	0	0	0
15:00	28	18.0	12.7	5.2	0	7	17	2	1	0	1	0	0	0	0	0
16:00	33	18.2	14.0	4.0	0	6	12	14	1	0	0	0	0	0	0	0
17:00	27	20.0	13.8	6.0	0	10	6	5	6	0	0	0	0	0	0	0
18:00	13	22.1	15.2	6.7	0	4	2	4	2	1	0	0	0	0	0	0
19:00	16	20.5	15.9	4.4	0	1	6	6	3	0	0	0	0	0	0	0
20:00	9	19.3	13.6	5.5	0	3	2	3	1	0	0	0	0	0	0	0
21:00	4	21.5	13.8	7.5	0	2	0	1	1	0	0	0	0	0	0	0
22:00	3	30.0	19.2	10.4	0	1	0	0	1	1	0	0	0	0	0	0
23:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
Total																
2H(10-12)	33	16.6	12.5	4.0	0	9	16	7	1	0	0	0	0	0	0	0
2H(14-16)	51	18.0	12.9	4.9	0	13	27	7	3	0	1	0	0	0	0	0
12H(7-19)	295	18.0	13.2	4.6	0	78	118	79	18	1	1	0	0	0	0	0
24H(0-24)	333	18.4	13.5	4.7	0	85	128	93	24	2	1	0	0	0	0	0
AM Peak	8:00	7:00	6:00	7:00	0:00	8:00	8:00	9:00	7:00	0:00	0:00	0:00	0:00	0:00	0:00	0:00
	53	18.5	17.5	4.5	0	21	24	10	3	0	0	0	0	0	0	0
PM Peak	16:00	22:00	22:00	22:00	12:00	17:00	15:00	16:00	17:00	18:00	15:00	12:00	12:00	12:00	12:00	12:00
	33	30.0	19.2	10.4	0	10	17	14	6	1	1	0	0	0	0	0

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	1	-	22.5	-	0	0	0	0	1	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
4:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
5:00	2	17.5	17.5	0.0	0	0	0	2	0	0	0	0	0	0	0	0
6:00	7	18.8	13.2	5.3	0	2	3	1	1	0	0	0	0	0	0	0
7:00	38	20.1	14.5	5.4	0	9	13	8	8	0	0	0	0	0	0	0
8:00	49	15.6	11.6	3.9	0	20	18	11	0	0	0	0	0	0	0	0
9:00	31	17.5	13.0	4.4	0	8	14	7	2	0	0	0	0	0	0	0
10:00	23	17.9	13.2	4.6	0	7	7	8	1	0	0	0	0	0	0	0
11:00	12	17.1	13.3	3.6	0	2	6	4	0	0	0	0	0	0	0	0
12:00	21	17.0	13.2	3.6	0	4	10	7	0	0	0	0	0	0	0	0
13:00	17	21.4	16.9	4.3	0	1	4	8	4	0	0	0	0	0	0	0
14:00	20	17.1	13.3	3.7	0	4	9	7	0	0	0	0	0	0	0	0
15:00	36	17.9	14.2	3.6	0	5	14	17	0	0	0	0	0	0	0	0
16:00	33	18.0	13.0	4.9	0	10	14	5	4	0	0	0	0	0	0	0
17:00	30	17.6	13.2	4.3	0	7	14	7	2	0	0	0	0	0	0	0
18:00	5	20.8	16.5	4.2	0	0	2	2	1	0	0	0	0	0	0	0
19:00	11	22.6	16.6	5.8	0	2	2	3	4	0	0	0	0	0	0	0
20:00	9	19.3	13.6	5.5	0	3	2	3	1	0	0	0	0	0	0	0
21:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
22:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
23:00	2	22.5	22.5	0.0	0	0	0	0	2	0	0	0	0	0	0	0
Total																
2H(10-12)	35	17.6	13.2	4.2	0	9	13	12	1	0	0	0	0	0	0	0
2H(14-16)	56	17.6	13.8	3.6	0	9	23	24	0	0	0	0	0	0	0	0
12H(7-19)	315	18.0	13.4	4.4	0	77	125	91	22	0	0	0	0	0	0	0
24H(0-24)	351	18.3	13.6	4.6	0	86	133	101	31	0	0	0	0	0	0	0
AM Peak	8:00 49	7:00 20.1	0:00 22.5	7:00 5.4	0:00 0	8:00 20	8:00 18	8:00 11	7:00 8	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	15:00 36	19:00 22.6	23:00 22.5	19:00 5.8	12:00 0	16:00 10	15:00 14	15:00 17	13:00 4	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	1	-	22.5	-	0	0	0	0	1	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
4:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
5:00	3	18.8	15.8	2.9	0	0	1	2	0	0	0	0	0	0	0	0
6:00	11	19.6	14.8	4.7	0	2	3	5	1	0	0	0	0	0	0	0
7:00	68	19.4	14.2	5.0	0	15	26	16	11	0	0	0	0	0	0	0
8:00	102	15.6	11.5	3.9	0	41	42	17	2	0	0	0	0	0	0	0
9:00	53	17.6	13.4	4.0	0	11	23	17	2	0	0	0	0	0	0	0
10:00	40	17.3	12.8	4.4	0	12	16	10	2	0	0	0	0	0	0	0
11:00	28	16.9	13.0	3.7	0	6	13	9	0	0	0	0	0	0	0	0
12:00	37	17.6	14.0	3.5	0	5	16	16	0	0	0	0	0	0	0	0
13:00	34	20.1	15.3	4.6	0	6	7	17	4	0	0	0	0	0	0	0
14:00	43	17.5	13.2	4.2	0	10	19	12	2	0	0	0	0	0	0	0
15:00	64	18.1	13.5	4.4	0	12	31	19	1	0	1	0	0	0	0	0
16:00	66	18.1	13.5	4.5	0	16	26	19	5	0	0	0	0	0	0	0
17:00	57	18.8	13.5	5.1	0	17	20	12	8	0	0	0	0	0	0	0
18:00	18	21.7	15.6	6.0	0	4	4	6	3	1	0	0	0	0	0	0
19:00	27	21.3	16.2	4.9	0	3	8	9	7	0	0	0	0	0	0	0
20:00	18	19.1	13.6	5.3	0	6	4	6	2	0	0	0	0	0	0	0
21:00	5	19.8	12.5	7.1	0	3	0	1	1	0	0	0	0	0	0	0
22:00	4	27.6	18.8	8.5	0	1	0	1	1	1	0	0	0	0	0	0
23:00	3	25.2	19.2	5.8	0	0	1	0	2	0	0	0	0	0	0	0
Total																
2H(10-12)	68	17.1	12.9	4.1	0	18	29	19	2	0	0	0	0	0	0	0
2H(14-16)	107	17.8	13.4	4.3	0	22	50	31	3	0	1	0	0	0	0	0
12H(7-19)	610	18.0	13.3	4.5	0	155	243	170	40	1	1	0	0	0	0	0
24H(0-24)	684	18.4	13.5	4.6	0	171	261	194	55	2	1	0	0	0	0	0
AM Peak	8:00 102	6:00 19.6	0:00 22.5	7:00 5.0	0:00 0	8:00 41	8:00 42	8:00 17	7:00 11	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	16:00 66	22:00 27.6	23:00 19.2	22:00 8.5	12:00 0	17:00 17	15:00 31	15:00 19	17:00 8	18:00 1	15:00 1	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

25/02/2026

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
1:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
4:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
5:00	2	18.7	15.0	3.5	0	0	1	1	0	0	0	0	0	0	0	0
6:00	2	22.5	22.5	0.0	0	0	0	0	2	0	0	0	0	0	0	0
7:00	25	18.1	14.7	3.3	0	2	10	13	0	0	0	0	0	0	0	0
8:00	63	14.8	11.2	3.5	0	26	28	9	0	0	0	0	0	0	0	0
9:00	16	18.2	13.8	4.3	0	3	7	5	1	0	0	0	0	0	0	0
10:00	24	18.9	14.2	4.6	0	5	8	9	2	0	0	0	0	0	0	0
11:00	18	17.8	13.9	3.8	0	3	7	8	0	0	0	0	0	0	0	0
12:00	10	17.6	13.5	3.9	0	2	4	4	0	0	0	0	0	0	0	0
13:00	11	19.0	14.8	4.1	0	1	5	4	1	0	0	0	0	0	0	0
14:00	27	15.1	11.6	3.4	0	9	14	4	0	0	0	0	0	0	0	0
15:00	26	18.1	12.7	5.2	0	9	10	5	1	1	0	0	0	0	0	0
16:00	32	19.8	15.5	4.2	0	3	11	14	4	0	0	0	0	0	0	0
17:00	29	22.2	16.6	5.4	0	3	9	8	8	1	0	0	0	0	0	0
18:00	19	23.3	16.4	6.6	0	2	6	8	2	0	0	1	0	0	0	0
19:00	11	22.3	18.4	3.8	0	0	2	5	4	0	0	0	0	0	0	0
20:00	15	20.7	16.2	4.4	0	2	2	9	2	0	0	0	0	0	0	0
21:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
22:00	2	13.7	10.0	3.5	0	1	1	0	0	0	0	0	0	0	0	0
23:00	3	16.8	10.8	5.8	0	2	0	1	0	0	0	0	0	0	0	0
Total																
2H(10-12)	42	18.4	14.0	4.2	0	8	15	17	2	0	0	0	0	0	0	0
2H(14-16)	53	16.7	12.1	4.4	0	18	24	9	1	1	0	0	0	0	0	0
12H(7-19)	300	18.5	13.7	4.7	0	68	119	91	19	2	0	1	0	0	0	0
24H(0-24)	337	18.9	14.0	4.8	0	74	126	107	27	2	0	1	0	0	0	0
AM Peak	8:00 63	6:00 22.5	6:00 22.5	10:00 4.6	0:00 0	8:00 26	8:00 28	7:00 13	6:00 2	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	16:00 32	18:00 23.3	19:00 18.4	18:00 6.6	12:00 0	14:00 9	14:00 14	16:00 14	17:00 8	15:00 1	12:00 0	18:00 1	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
4:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
5:00	3	18.8	15.8	2.9	0	0	1	2	0	0	0	0	0	0	0	0
6:00	5	15.8	11.5	4.2	0	2	2	1	0	0	0	0	0	0	0	0
7:00	36	19.2	13.8	5.3	0	10	13	7	6	0	0	0	0	0	0	0
8:00	45	15.4	11.8	3.5	0	14	23	8	0	0	0	0	0	0	0	0
9:00	33	18.0	13.0	4.9	0	12	8	11	2	0	0	0	0	0	0	0
10:00	19	18.0	13.6	4.3	0	5	5	9	0	0	0	0	0	0	0	0
11:00	19	18.0	14.1	3.7	0	2	10	6	1	0	0	0	0	0	0	0
12:00	16	15.7	12.2	3.4	0	4	9	3	0	0	0	0	0	0	0	0
13:00	13	17.7	12.5	5.0	0	5	4	3	1	0	0	0	0	0	0	0
14:00	21	18.0	13.7	4.2	0	4	9	7	1	0	0	0	0	0	0	0
15:00	35	15.8	11.8	3.9	0	12	17	5	1	0	0	0	0	0	0	0
16:00	41	18.6	14.2	4.3	0	6	19	12	4	0	0	0	0	0	0	0
17:00	27	18.7	14.0	4.6	0	4	14	7	1	1	0	0	0	0	0	0
18:00	16	22.6	16.6	5.8	0	3	2	7	3	1	0	0	0	0	0	0
19:00	10	26.5	18.5	7.7	0	2	1	3	1	3	0	0	0	0	0	0
20:00	3	21.5	12.5	8.7	0	2	0	0	1	0	0	0	0	0	0	0
21:00	4	20.2	15.0	5.0	0	0	3	0	1	0	0	0	0	0	0	0
22:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
23:00	2	18.7	15.0	3.5	0	0	1	1	0	0	0	0	0	0	0	0
Total																
2H(10-12)	38	17.9	13.8	4.0	0	7	15	15	1	0	0	0	0	0	0	0
2H(14-16)	56	16.7	12.5	4.0	0	16	26	12	2	0	0	0	0	0	0	0
12H(7-19)	321	17.9	13.3	4.5	0	81	133	85	20	2	0	0	0	0	0	0
24H(0-24)	350	18.3	13.4	4.7	0	88	141	93	23	5	0	0	0	0	0	0
AM Peak	8:00 45	7:00 19.2	0:00 17.5	7:00 5.3	0:00 0	8:00 14	8:00 23	9:00 11	7:00 6	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	16:00 41	19:00 26.5	19:00 18.5	20:00 8.7	12:00 0	15:00 12	16:00 19	16:00 12	16:00 4	19:00 3	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
1:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
4:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
5:00	5	18.3	15.5	2.7	0	0	2	3	0	0	0	0	0	0	0	0
6:00	7	21.2	14.6	6.4	0	2	2	1	2	0	0	0	0	0	0	0
7:00	61	18.8	14.1	4.5	0	12	23	20	6	0	0	0	0	0	0	0
8:00	108	15.1	11.4	3.5	0	40	51	17	0	0	0	0	0	0	0	0
9:00	49	18.1	13.2	4.7	0	15	15	16	3	0	0	0	0	0	0	0
10:00	43	18.5	13.9	4.4	0	10	13	18	2	0	0	0	0	0	0	0
11:00	37	17.8	14.0	3.7	0	5	17	14	1	0	0	0	0	0	0	0
12:00	26	16.4	12.7	3.6	0	6	13	7	0	0	0	0	0	0	0	0
13:00	24	18.4	13.5	4.7	0	6	9	7	2	0	0	0	0	0	0	0
14:00	48	16.5	12.5	3.9	0	13	23	11	1	0	0	0	0	0	0	0
15:00	61	16.8	12.2	4.5	0	21	27	10	2	1	0	0	0	0	0	0
16:00	73	19.2	14.8	4.3	0	9	30	26	8	0	0	0	0	0	0	0
17:00	56	20.7	15.4	5.1	0	7	23	15	9	2	0	0	0	0	0	0
18:00	35	22.9	16.5	6.2	0	5	8	15	5	1	0	1	0	0	0	0
19:00	21	24.5	18.5	5.8	0	2	3	8	5	3	0	0	0	0	0	0
20:00	18	20.9	15.6	5.2	0	4	2	9	3	0	0	0	0	0	0	0
21:00	5	19.2	13.5	5.5	0	1	3	0	1	0	0	0	0	0	0	0
22:00	2	13.7	10.0	3.5	0	1	1	0	0	0	0	0	0	0	0	0
23:00	5	17.7	12.5	5.0	0	2	1	2	0	0	0	0	0	0	0	0
Total																
2H(10-12)	80	18.2	13.9	4.1	0	15	30	32	3	0	0	0	0	0	0	0
2H(14-16)	109	16.7	12.3	4.2	0	34	50	21	3	1	0	0	0	0	0	0
12H(7-19)	621	18.2	13.5	4.6	0	149	252	176	39	4	0	1	0	0	0	0
24H(0-24)	687	18.6	13.7	4.7	0	162	267	200	50	7	0	1	0	0	0	0
AM Peak	8:00 108	6:00 21.2	0:00 17.5	6:00 6.4	0:00 0	8:00 40	8:00 51	7:00 20	7:00 6	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	16:00 73	19:00 24.5	19:00 18.5	18:00 6.2	12:00 0	15:00 21	16:00 30	16:00 26	17:00 9	19:00 3	12:00 0	18:00 1	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

26/02/2026

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
4:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
5:00	3	18.8	15.8	2.9	0	0	1	2	0	0	0	0	0	0	0	0
6:00	4	21.2	16.3	4.8	0	0	2	1	1	0	0	0	0	0	0	0
7:00	35	18.7	14.1	4.5	0	5	18	9	2	1	0	0	0	0	0	0
8:00	62	14.1	10.5	3.4	0	31	26	4	1	0	0	0	0	0	0	0
9:00	17	11.8	9.3	2.5	0	11	6	0	0	0	0	0	0	0	0	0
10:00	34	17.2	12.1	5.0	0	14	12	6	1	1	0	0	0	0	0	0
11:00	14	13.9	10.0	3.8	0	9	3	2	0	0	0	0	0	0	0	0
12:00	12	16.7	12.1	4.5	0	5	3	4	0	0	0	0	0	0	0	0
13:00	18	15.9	11.9	3.8	0	6	8	4	0	0	0	0	0	0	0	0
14:00	23	15.9	12.1	3.7	0	7	11	5	0	0	0	0	0	0	0	0
15:00	33	15.2	11.0	4.0	0	16	12	4	1	0	0	0	0	0	0	0
16:00	39	18.5	13.8	4.5	0	10	11	16	2	0	0	0	0	0	0	0
17:00	23	19.5	14.9	4.5	0	2	12	5	4	0	0	0	0	0	0	0
18:00	27	19.3	13.2	5.8	0	11	5	8	2	1	0	0	0	0	0	0
19:00	16	17.9	12.5	5.2	0	7	3	5	1	0	0	0	0	0	0	0
20:00	12	21.5	15.4	5.8	0	3	2	4	3	0	0	0	0	0	0	0
21:00	9	16.0	11.9	3.9	0	3	4	2	0	0	0	0	0	0	0	0
22:00	2	19.8	12.5	7.1	0	1	0	1	0	0	0	0	0	0	0	0
23:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
Total																
2H(10-12)	48	16.4	11.5	4.7	0	23	15	8	1	1	0	0	0	0	0	0
2H(14-16)	56	15.5	11.4	3.9	0	23	23	9	1	0	0	0	0	0	0	0
12H(7-19)	337	16.8	12.1	4.5	0	127	127	67	13	3	0	0	0	0	0	0
24H(0-24)	385	17.1	12.3	4.6	0	142	139	83	18	3	0	0	0	0	0	0
AM Peak	8:00	6:00	6:00	10:00	0:00	8:00	8:00	7:00	7:00	7:00	0:00	0:00	0:00	0:00	0:00	0:00
	62	21.2	16.3	5.0	0	31	26	9	2	1	0	0	0	0	0	0
PM Peak	16:00	20:00	23:00	22:00	12:00	15:00	15:00	16:00	17:00	18:00	12:00	12:00	12:00	12:00	12:00	12:00
	39	21.5	17.5	7.1	0	16	12	16	4	1	0	0	0	0	0	0

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	1	-	22.5	-	0	0	0	0	1	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
4:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
5:00	3	18.8	15.8	2.9	0	0	1	2	0	0	0	0	0	0	0	0
6:00	9	17.0	12.5	4.3	0	3	3	3	0	0	0	0	0	0	0	0
7:00	43	17.5	13.3	4.1	0	10	17	15	1	0	0	0	0	0	0	0
8:00	45	15.0	11.4	3.5	0	17	21	7	0	0	0	0	0	0	0	0
9:00	38	16.3	11.3	4.9	0	19	12	5	1	1	0	0	0	0	0	0
10:00	14	18.4	12.9	5.4	0	5	5	2	2	0	0	0	0	0	0	0
11:00	18	13.5	10.3	3.1	0	9	8	1	0	0	0	0	0	0	0	0
12:00	15	16.2	11.8	4.2	0	6	5	4	0	0	0	0	0	0	0	0
13:00	15	16.6	11.8	4.6	0	6	6	2	1	0	0	0	0	0	0	0
14:00	20	17.8	13.5	4.2	0	4	9	6	1	0	0	0	0	0	0	0
15:00	42	14.8	11.0	3.7	0	20	15	7	0	0	0	0	0	0	0	0
16:00	52	16.6	12.0	4.5	0	20	20	9	3	0	0	0	0	0	0	0
17:00	21	22.6	17.3	5.1	0	2	4	9	5	1	0	0	0	0	0	0
18:00	13	19.7	13.7	5.8	0	5	2	4	2	0	0	0	0	0	0	0
19:00	12	18.8	13.8	4.8	0	3	4	4	1	0	0	0	0	0	0	0
20:00	10	16.5	12.0	4.4	0	4	3	3	0	0	0	0	0	0	0	0
21:00	6	15.1	10.8	4.1	0	3	2	1	0	0	0	0	0	0	0	0
22:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
23:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
Total																
2H(10-12)	32	15.9	11.4	4.4	0	14	13	3	2	0	0	0	0	0	0	0
2H(14-16)	62	16.0	11.8	4.0	0	24	24	13	1	0	0	0	0	0	0	0
12H(7-19)	336	17.0	12.3	4.5	0	123	124	71	16	2	0	0	0	0	0	0
24H(0-24)	380	17.0	12.3	4.5	0	138	138	84	18	2	0	0	0	0	0	0
AM Peak	8:00 45	5:00 18.8	0:00 22.5	10:00 5.4	0:00 0	9:00 19	8:00 21	7:00 15	10:00 2	9:00 1	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	16:00 52	17:00 22.6	17:00 17.3	18:00 5.8	12:00 0	15:00 20	16:00 20	16:00 9	17:00 5	17:00 1	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	2	26.0	15.0	10.6	0	1	0	0	1	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
4:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
5:00	6	18.5	15.8	2.6	0	0	2	4	0	0	0	0	0	0	0	0
6:00	13	18.5	13.7	4.6	0	3	5	4	1	0	0	0	0	0	0	0
7:00	78	18.1	13.7	4.3	0	15	35	24	3	1	0	0	0	0	0	0
8:00	107	14.5	10.9	3.5	0	48	47	11	1	0	0	0	0	0	0	0
9:00	55	15.2	10.7	4.3	0	30	18	5	1	1	0	0	0	0	0	0
10:00	48	17.5	12.3	5.0	0	19	17	8	3	1	0	0	0	0	0	0
11:00	32	13.6	10.2	3.4	0	18	11	3	0	0	0	0	0	0	0	0
12:00	27	16.3	11.9	4.2	0	11	8	8	0	0	0	0	0	0	0	0
13:00	33	16.1	11.9	4.1	0	12	14	6	1	0	0	0	0	0	0	0
14:00	43	16.8	12.7	3.9	0	11	20	11	1	0	0	0	0	0	0	0
15:00	75	15.0	11.0	3.9	0	36	27	11	1	0	0	0	0	0	0	0
16:00	91	17.5	12.8	4.6	0	30	31	25	5	0	0	0	0	0	0	0
17:00	44	21.1	16.0	4.9	0	4	16	14	9	1	0	0	0	0	0	0
18:00	40	19.3	13.4	5.8	0	16	7	12	4	1	0	0	0	0	0	0
19:00	28	18.2	13.0	5.0	0	10	7	9	2	0	0	0	0	0	0	0
20:00	22	19.4	13.9	5.4	0	7	5	7	3	0	0	0	0	0	0	0
21:00	15	15.5	11.5	3.9	0	6	6	3	0	0	0	0	0	0	0	0
22:00	3	17.7	12.5	5.0	0	1	1	1	0	0	0	0	0	0	0	0
23:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
Total																
2H(10-12)	80	16.2	11.4	4.5	0	37	28	11	3	1	0	0	0	0	0	0
2H(14-16)	118	15.7	11.6	4.0	0	47	47	22	2	0	0	0	0	0	0	0
12H(7-19)	673	16.9	12.2	4.5	0	250	251	138	29	5	0	0	0	0	0	0
24H(0-24)	765	17.1	12.3	4.6	0	280	277	167	36	5	0	0	0	0	0	0
AM Peak	8:00 107	0:00 26.0	5:00 15.8	0:00 10.6	0:00 0	8:00 48	8:00 47	7:00 24	7:00 3	7:00 1	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	16:00 91	17:00 21.1	23:00 17.5	18:00 5.8	12:00 0	15:00 36	16:00 31	16:00 25	17:00 9	17:00 1	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

27/02/2026

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
4:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
5:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
6:00	6	23.2	17.5	5.5	0	1	0	3	2	0	0	0	0	0	0	0
7:00	25	17.8	14.5	3.2	0	2	11	12	0	0	0	0	0	0	0	0
8:00	49	14.6	10.7	3.8	0	25	18	5	1	0	0	0	0	0	0	0
9:00	19	20.3	15.7	4.5	0	2	6	8	3	0	0	0	0	0	0	0
10:00	22	17.1	12.7	4.2	0	6	10	5	1	0	0	0	0	0	0	0
11:00	23	18.8	13.8	4.8	0	6	7	8	2	0	0	0	0	0	0	0
12:00	18	15.7	11.7	3.9	0	7	7	4	0	0	0	0	0	0	0	0
13:00	14	16.9	12.1	4.6	0	5	6	2	1	0	0	0	0	0	0	0
14:00	30	15.3	11.0	4.2	0	15	10	4	1	0	0	0	0	0	0	0
15:00	31	14.3	10.9	3.3	0	13	15	3	0	0	0	0	0	0	0	0
16:00	34	17.3	12.5	4.6	0	12	12	8	2	0	0	0	0	0	0	0
17:00	24	22.6	16.0	6.3	0	5	6	6	5	2	0	0	0	0	0	0
18:00	14	19.0	13.6	5.3	0	5	2	6	1	0	0	0	0	0	0	0
19:00	15	19.8	15.5	4.1	0	2	3	9	1	0	0	0	0	0	0	0
20:00	4	16.3	13.8	2.5	0	0	3	1	0	0	0	0	0	0	0	0
21:00	6	20.4	15.0	5.2	0	1	2	2	1	0	0	0	0	0	0	0
22:00	1	-	22.5	-	0	0	0	0	1	0	0	0	0	0	0	0
23:00	3	22.1	14.2	7.6	0	1	1	0	1	0	0	0	0	0	0	0
Total																
2H(10-12)	45	18.0	13.3	4.5	0	12	17	13	3	0	0	0	0	0	0	0
2H(14-16)	61	14.8	10.9	3.7	0	28	25	7	1	0	0	0	0	0	0	0
12H(7-19)	303	17.4	12.6	4.6	0	103	110	71	17	2	0	0	0	0	0	0
24H(0-24)	340	17.8	13.0	4.7	0	108	120	87	23	2	0	0	0	0	0	0
AM Peak	8:00	6:00	5:00	6:00	0:00	8:00	8:00	7:00	9:00	0:00	0:00	0:00	0:00	0:00	0:00	0:00
	49	23.2	17.5	5.5	0	25	18	12	3	0	0	0	0	0	0	0
PM Peak	16:00	17:00	22:00	23:00	12:00	14:00	15:00	19:00	17:00	17:00	12:00	12:00	12:00	12:00	12:00	12:00
	34	22.6	22.5	7.6	0	15	15	9	5	2	0	0	0	0	0	0

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
4:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
5:00	3	18.8	15.8	2.9	0	0	1	2	0	0	0	0	0	0	0	0
6:00	7	18.1	15.4	2.7	0	0	3	4	0	0	0	0	0	0	0	0
7:00	34	17.5	12.1	5.3	0	15	12	2	5	0	0	0	0	0	0	0
8:00	36	15.3	11.8	3.4	0	11	19	6	0	0	0	0	0	0	0	0
9:00	29	18.1	13.2	4.8	0	7	14	6	1	1	0	0	0	0	0	0
10:00	27	17.3	12.1	5.0	0	12	7	6	2	0	0	0	0	0	0	0
11:00	26	19.1	14.0	4.9	0	7	6	11	2	0	0	0	0	0	0	0
12:00	17	16.0	11.3	4.5	0	9	3	5	0	0	0	0	0	0	0	0
13:00	15	20.1	15.8	4.1	0	1	5	7	2	0	0	0	0	0	0	0
14:00	14	15.9	12.1	3.7	0	4	7	3	0	0	0	0	0	0	0	0
15:00	52	16.0	12.0	3.9	0	16	27	7	2	0	0	0	0	0	0	0
16:00	33	16.4	12.7	3.6	0	8	16	9	0	0	0	0	0	0	0	0
17:00	22	21.1	15.5	5.5	0	3	8	8	1	2	0	0	0	0	0	0
18:00	14	18.7	13.9	4.6	0	3	5	5	1	0	0	0	0	0	0	0
19:00	8	20.5	15.0	5.3	0	2	1	4	1	0	0	0	0	0	0	0
20:00	4	16.3	13.8	2.5	0	0	3	1	0	0	0	0	0	0	0	0
21:00	5	17.7	12.5	5.0	0	2	1	2	0	0	0	0	0	0	0	0
22:00	2	18.7	15.0	3.5	0	0	1	1	0	0	0	0	0	0	0	0
23:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
Total																
2H(10-12)	53	18.2	13.1	5.0	0	19	13	17	4	0	0	0	0	0	0	0
2H(14-16)	66	16.0	12.0	3.8	0	20	34	10	2	0	0	0	0	0	0	0
12H(7-19)	319	17.5	12.8	4.5	0	96	129	75	16	3	0	0	0	0	0	0
24H(0-24)	351	17.6	12.9	4.5	0	102	139	90	17	3	0	0	0	0	0	0
AM Peak	8:00 36	11:00 19.1	5:00 15.8	7:00 5.3	0:00 0	7:00 15	8:00 19	11:00 11	7:00 5	9:00 1	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	15:00 52	17:00 21.1	23:00 17.5	17:00 5.5	12:00 0	15:00 16	15:00 27	16:00 9	13:00 2	17:00 2	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
4:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
5:00	4	18.8	16.3	2.5	0	0	1	3	0	0	0	0	0	0	0	0
6:00	13	20.7	16.3	4.2	0	1	3	7	2	0	0	0	0	0	0	0
7:00	59	17.9	13.1	4.7	0	17	23	14	5	0	0	0	0	0	0	0
8:00	85	14.9	11.1	3.7	0	36	37	11	1	0	0	0	0	0	0	0
9:00	48	19.1	14.2	4.8	0	9	20	14	4	1	0	0	0	0	0	0
10:00	49	17.2	12.4	4.6	0	18	17	11	3	0	0	0	0	0	0	0
11:00	49	18.9	13.9	4.8	0	13	13	19	4	0	0	0	0	0	0	0
12:00	35	15.8	11.5	4.2	0	16	10	9	0	0	0	0	0	0	0	0
13:00	29	18.9	14.1	4.6	0	6	11	9	3	0	0	0	0	0	0	0
14:00	44	15.5	11.4	4.0	0	19	17	7	1	0	0	0	0	0	0	0
15:00	83	15.4	11.6	3.7	0	29	42	10	2	0	0	0	0	0	0	0
16:00	67	16.9	12.6	4.1	0	20	28	17	2	0	0	0	0	0	0	0
17:00	46	21.9	15.8	5.9	0	8	14	14	6	4	0	0	0	0	0	0
18:00	28	18.8	13.8	4.8	0	8	7	11	2	0	0	0	0	0	0	0
19:00	23	20.0	15.3	4.5	0	4	4	13	2	0	0	0	0	0	0	0
20:00	8	16.1	13.8	2.3	0	0	6	2	0	0	0	0	0	0	0	0
21:00	11	19.1	13.9	5.0	0	3	3	4	1	0	0	0	0	0	0	0
22:00	3	22.7	17.5	5.0	0	0	1	1	1	0	0	0	0	0	0	0
23:00	4	21.7	15.0	6.5	0	1	1	1	1	0	0	0	0	0	0	0
Total																
2H(10-12)	98	18.1	13.2	4.7	0	31	30	30	7	0	0	0	0	0	0	0
2H(14-16)	127	15.4	11.5	3.8	0	48	59	17	3	0	0	0	0	0	0	0
12H(7-19)	622	17.5	12.7	4.6	0	199	239	146	33	5	0	0	0	0	0	0
24H(0-24)	691	17.7	12.9	4.6	0	210	259	177	40	5	0	0	0	0	0	0
AM Peak	8:00 85	6:00 20.7	6:00 16.3	11:00 4.8	0:00 0	8:00 36	8:00 37	11:00 19	7:00 5	9:00 1	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	15:00 83	22:00 22.7	22:00 17.5	23:00 6.5	12:00 0	15:00 29	15:00 42	16:00 17	17:00 6	17:00 4	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

28/02/2026

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
3:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
4:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
5:00	1	-	22.5	-	0	0	0	0	1	0	0	0	0	0	0	0
6:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
7:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
8:00	14	19.0	13.6	5.3	0	5	2	6	1	0	0	0	0	0	0	0
9:00	6	17.1	10.8	6.1	0	4	1	0	1	0	0	0	0	0	0	0
10:00	23	22.5	16.2	6.1	0	5	4	7	6	1	0	0	0	0	0	0
11:00	15	19.6	14.8	4.6	0	2	6	5	2	0	0	0	0	0	0	0
12:00	16	16.4	11.3	5.0	0	9	3	3	1	0	0	0	0	0	0	0
13:00	17	17.0	11.3	5.5	0	10	3	2	2	0	0	0	0	0	0	0
14:00	23	15.8	11.0	4.6	0	12	8	1	2	0	0	0	0	0	0	0
15:00	18	17.4	13.3	3.9	0	4	7	7	0	0	0	0	0	0	0	0
16:00	11	23.4	18.0	5.2	0	1	1	6	2	1	0	0	0	0	0	0
17:00	18	12.6	9.4	3.0	0	12	5	1	0	0	0	0	0	0	0	0
18:00	10	20.6	14.5	5.9	0	3	2	3	2	0	0	0	0	0	0	0
19:00	13	20.1	13.7	6.2	0	5	3	2	3	0	0	0	0	0	0	0
20:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
21:00	4	24.0	15.0	8.7	0	2	0	0	2	0	0	0	0	0	0	0
22:00	2	24.8	17.5	7.1	0	0	1	0	1	0	0	0	0	0	0	0
23:00	4	18.8	16.3	2.5	0	0	1	3	0	0	0	0	0	0	0	0
Total																
2H(10-12)	38	21.4	15.7	5.5	0	7	10	12	8	1	0	0	0	0	0	0
2H(14-16)	41	16.6	12.0	4.4	0	16	15	8	2	0	0	0	0	0	0	0
12H(7-19)	172	18.7	13.1	5.4	0	67	42	42	19	2	0	0	0	0	0	0
24H(0-24)	200	19.0	13.3	5.5	0	76	48	48	26	2	0	0	0	0	0	0
AM Peak	10:00 23	10:00 22.5	5:00 22.5	10:00 6.1	0:00 0	8:00 5	11:00 6	10:00 7	10:00 6	10:00 1	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	14:00 23	22:00 24.8	16:00 18.0	21:00 8.7	12:00 0	14:00 12	14:00 8	15:00 7	19:00 3	16:00 1	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
4:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
5:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
6:00	2	7.5	7.5	0.0	0	2	0	0	0	0	0	0	0	0	0	0
7:00	5	22.4	14.5	7.6	0	2	1	0	2	0	0	0	0	0	0	0
8:00	19	22.4	15.7	6.5	0	5	4	4	5	1	0	0	0	0	0	0
9:00	20	18.5	14.3	4.1	0	3	8	8	1	0	0	0	0	0	0	0
10:00	13	22.4	15.2	7.0	0	4	3	2	3	1	0	0	0	0	0	0
11:00	20	16.9	12.5	4.3	0	6	9	4	1	0	0	0	0	0	0	0
12:00	17	17.0	11.3	5.5	0	10	3	2	2	0	0	0	0	0	0	0
13:00	18	18.4	13.1	5.1	0	7	3	7	1	0	0	0	0	0	0	0
14:00	20	17.4	12.3	5.0	0	8	7	3	2	0	0	0	0	0	0	0
15:00	14	14.3	10.4	3.8	0	8	4	2	0	0	0	0	0	0	0	0
16:00	15	17.4	12.8	4.4	0	5	4	6	0	0	0	0	0	0	0	0
17:00	14	15.1	11.4	3.5	0	5	7	2	0	0	0	0	0	0	0	0
18:00	7	16.4	11.8	4.5	0	3	2	2	0	0	0	0	0	0	0	0
19:00	10	19.4	12.5	6.7	0	5	2	2	0	1	0	0	0	0	0	0
20:00	4	18.0	15.0	2.9	0	0	2	2	0	0	0	0	0	0	0	0
21:00	2	17.5	17.5	0.0	0	0	0	2	0	0	0	0	0	0	0	0
22:00	5	18.8	12.5	6.1	0	2	2	0	1	0	0	0	0	0	0	0
23:00	2	18.7	15.0	3.5	0	0	1	1	0	0	0	0	0	0	0	0
Total																
2H(10-12)	33	19.3	13.6	5.6	0	10	12	6	4	1	0	0	0	0	0	0
2H(14-16)	34	16.2	11.5	4.6	0	16	11	5	2	0	0	0	0	0	0	0
12H(7-19)	182	18.3	12.9	5.2	0	66	55	42	17	2	0	0	0	0	0	0
24H(0-24)	209	18.3	12.9	5.2	0	76	63	49	18	3	0	0	0	0	0	0
AM Peak	9:00 20	10:00 22.4	8:00 15.7	7:00 7.6	0:00 0	11:00 6	11:00 9	9:00 8	8:00 5	8:00 1	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	14:00 20	19:00 19.4	21:00 17.5	19:00 6.7	12:00 0	12:00 10	14:00 7	13:00 7	12:00 2	19:00 1	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	2	18.7	15.0	3.5	0	0	1	1	0	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
3:00	2	7.5	7.5	0.0	0	2	0	0	0	0	0	0	0	0	0	0
4:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
5:00	1	-	22.5	-	0	0	0	0	1	0	0	0	0	0	0	0
6:00	2	7.5	7.5	0.0	0	2	0	0	0	0	0	0	0	0	0	0
7:00	6	22.1	15.0	6.9	0	2	1	1	2	0	0	0	0	0	0	0
8:00	33	21.0	14.8	6.0	0	10	6	10	6	1	0	0	0	0	0	0
9:00	26	18.3	13.5	4.7	0	7	9	8	2	0	0	0	0	0	0	0
10:00	36	22.4	15.8	6.3	0	9	7	9	9	2	0	0	0	0	0	0
11:00	35	18.2	13.5	4.5	0	8	15	9	3	0	0	0	0	0	0	0
12:00	33	16.6	11.3	5.2	0	19	6	5	3	0	0	0	0	0	0	0
13:00	35	17.7	12.2	5.3	0	17	6	9	3	0	0	0	0	0	0	0
14:00	43	16.5	11.6	4.8	0	20	15	4	4	0	0	0	0	0	0	0
15:00	32	16.3	12.0	4.1	0	12	11	9	0	0	0	0	0	0	0	0
16:00	26	20.5	15.0	5.3	0	6	5	12	2	1	0	0	0	0	0	0
17:00	32	13.8	10.3	3.3	0	17	12	3	0	0	0	0	0	0	0	0
18:00	17	19.0	13.4	5.4	0	6	4	5	2	0	0	0	0	0	0	0
19:00	23	19.7	13.2	6.3	0	10	5	4	3	1	0	0	0	0	0	0
20:00	5	17.3	14.5	2.7	0	0	3	2	0	0	0	0	0	0	0	0
21:00	6	22.9	15.8	6.8	0	2	0	2	2	0	0	0	0	0	0	0
22:00	7	20.4	13.9	6.3	0	2	3	0	2	0	0	0	0	0	0	0
23:00	6	18.5	15.8	2.6	0	0	2	4	0	0	0	0	0	0	0	0
Total																
2H(10-12)	71	20.5	14.7	5.6	0	17	22	18	12	2	0	0	0	0	0	0
2H(14-16)	75	16.4	11.8	4.5	0	32	26	13	4	0	0	0	0	0	0	0
12H(7-19)	354	18.5	13.0	5.3	0	133	97	84	36	4	0	0	0	0	0	0
24H(0-24)	409	18.6	13.1	5.3	0	152	111	97	44	5	0	0	0	0	0	0
AM Peak	10:00 36	10:00 22.4	5:00 22.5	7:00 6.9	0:00 0	8:00 10	11:00 15	8:00 10	10:00 9	10:00 2	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	14:00 43	21:00 22.9	21:00 15.8	21:00 6.8	12:00 0	14:00 20	14:00 15	16:00 12	14:00 4	16:00 1	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

01/03/2026

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
1:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
4:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
5:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
6:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
7:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
8:00	12	19.1	15.0	4.0	0	1	5	5	1	0	0	0	0	0	0	0
9:00	6	18.4	14.2	4.1	0	1	2	3	0	0	0	0	0	0	0	0
10:00	10	16.5	12.0	4.4	0	4	3	3	0	0	0	0	0	0	0	0
11:00	22	21.6	15.2	6.1	0	4	9	4	3	2	0	0	0	0	0	0
12:00	20	19.9	14.3	5.4	0	6	4	7	3	0	0	0	0	0	0	0
13:00	16	16.2	12.2	3.9	0	5	7	4	0	0	0	0	0	0	0	0
14:00	14	16.6	12.9	3.7	0	3	7	4	0	0	0	0	0	0	0	0
15:00	27	18.2	12.7	5.3	0	11	7	6	3	0	0	0	0	0	0	0
16:00	17	17.2	12.2	4.8	0	7	5	4	1	0	0	0	0	0	0	0
17:00	12	20.9	15.8	4.9	0	2	2	6	2	0	0	0	0	0	0	0
18:00	7	21.7	17.5	4.1	0	0	2	3	2	0	0	0	0	0	0	0
19:00	10	22.1	15.5	6.3	0	3	1	3	3	0	0	0	0	0	0	0
20:00	3	17.2	14.2	2.9	0	0	2	1	0	0	0	0	0	0	0	0
21:00	2	7.5	7.5	0.0	0	2	0	0	0	0	0	0	0	0	0	0
22:00	2	26.0	15.0	10.6	0	1	0	0	1	0	0	0	0	0	0	0
23:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
Total																
2H(10-12)	32	20.2	14.2	5.8	0	8	12	7	3	2	0	0	0	0	0	0
2H(14-16)	41	17.7	12.7	4.7	0	14	14	10	3	0	0	0	0	0	0	0
12H(7-19)	163	18.9	13.8	5.0	0	44	53	49	15	2	0	0	0	0	0	0
24H(0-24)	185	19.0	13.7	5.1	0	53	57	54	19	2	0	0	0	0	0	0
AM Peak	11:00	11:00	1:00	11:00	0:00	10:00	11:00	8:00	11:00	11:00	0:00	0:00	0:00	0:00	0:00	0:00
	22	21.6	17.5	6.1	0	4	9	5	3	2	0	0	0	0	0	0
PM Peak	15:00	22:00	18:00	22:00	12:00	15:00	13:00	12:00	12:00	12:00	12:00	12:00	12:00	12:00	12:00	12:00
	27	26.0	17.5	10.6	0	11	7	7	3	0	0	0	0	0	0	0

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
1:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
4:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
5:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
6:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
7:00	2	18.7	15.0	3.5	0	0	1	1	0	0	0	0	0	0	0	0
8:00	10	18.3	14.0	4.1	0	1	6	2	1	0	0	0	0	0	0	0
9:00	12	19.7	14.2	5.4	0	4	1	6	1	0	0	0	0	0	0	0
10:00	16	14.8	10.6	4.0	0	9	4	3	0	0	0	0	0	0	0	0
11:00	22	19.3	14.3	4.8	0	5	6	9	2	0	0	0	0	0	0	0
12:00	19	19.9	14.3	5.3	0	4	8	3	4	0	0	0	0	0	0	0
13:00	21	18.8	14.6	4.1	0	4	4	13	0	0	0	0	0	0	0	0
14:00	18	18.9	14.2	4.5	0	4	5	8	1	0	0	0	0	0	0	0
15:00	19	17.9	13.0	4.7	0	6	6	6	1	0	0	0	0	0	0	0
16:00	14	15.2	11.8	3.3	0	4	8	2	0	0	0	0	0	0	0	0
17:00	12	18.1	12.9	5.0	0	4	4	3	1	0	0	0	0	0	0	0
18:00	5	12.3	9.5	2.7	0	3	2	0	0	0	0	0	0	0	0	0
19:00	4	25.1	16.3	8.5	0	1	1	1	0	1	0	0	0	0	0	0
20:00	8	19.5	15.6	3.7	0	1	1	6	0	0	0	0	0	0	0	0
21:00	2	7.5	7.5	0.0	0	2	0	0	0	0	0	0	0	0	0	0
22:00	2	13.7	10.0	3.5	0	1	1	0	0	0	0	0	0	0	0	0
23:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
Total																
2H(10-12)	38	17.7	12.8	4.8	0	14	10	12	2	0	0	0	0	0	0	0
2H(14-16)	37	18.3	13.6	4.6	0	10	11	14	2	0	0	0	0	0	0	0
12H(7-19)	170	18.1	13.4	4.6	0	48	55	56	11	0	0	0	0	0	0	0
24H(0-24)	189	18.3	13.4	4.7	0	55	58	64	11	1	0	0	0	0	0	0
AM Peak	11:00 22	9:00 19.7	1:00 17.5	9:00 5.4	0:00 0	10:00 9	8:00 6	11:00 9	11:00 2	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	13:00 21	19:00 25.1	19:00 16.3	19:00 8.5	12:00 0	15:00 6	12:00 8	13:00 13	12:00 4	19:00 1	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
1:00	2	17.5	17.5	0.0	0	0	0	2	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
4:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
5:00	2	13.7	10.0	3.5	0	1	1	0	0	0	0	0	0	0	0	0
6:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
7:00	2	18.7	15.0	3.5	0	0	1	1	0	0	0	0	0	0	0	0
8:00	22	18.7	14.5	4.0	0	2	11	7	2	0	0	0	0	0	0	0
9:00	18	19.2	14.2	4.9	0	5	3	9	1	0	0	0	0	0	0	0
10:00	26	15.4	11.2	4.1	0	13	7	6	0	0	0	0	0	0	0	0
11:00	44	20.4	14.8	5.4	0	9	15	13	5	2	0	0	0	0	0	0
12:00	39	19.8	14.3	5.3	0	10	12	10	7	0	0	0	0	0	0	0
13:00	37	17.8	13.6	4.1	0	9	11	17	0	0	0	0	0	0	0	0
14:00	32	17.9	13.6	4.2	0	7	12	12	1	0	0	0	0	0	0	0
15:00	46	18.0	12.8	5.0	0	17	13	12	4	0	0	0	0	0	0	0
16:00	31	16.3	12.0	4.2	0	11	13	6	1	0	0	0	0	0	0	0
17:00	24	19.6	14.4	5.1	0	6	6	9	3	0	0	0	0	0	0	0
18:00	12	19.7	14.2	5.4	0	3	4	3	2	0	0	0	0	0	0	0
19:00	14	22.6	15.7	6.7	0	4	2	4	3	1	0	0	0	0	0	0
20:00	11	18.8	15.2	3.4	0	1	3	7	0	0	0	0	0	0	0	0
21:00	4	7.5	7.5	0.0	0	4	0	0	0	0	0	0	0	0	0	0
22:00	4	19.8	12.5	7.1	0	2	1	0	1	0	0	0	0	0	0	0
23:00	2	7.5	7.5	0.0	0	2	0	0	0	0	0	0	0	0	0	0
Total																
2H(10-12)	70	18.9	13.4	5.3	0	22	22	19	5	2	0	0	0	0	0	0
2H(14-16)	78	18.0	13.1	4.7	0	24	25	24	5	0	0	0	0	0	0	0
12H(7-19)	333	18.5	13.6	4.8	0	92	108	105	26	2	0	0	0	0	0	0
24H(0-24)	374	18.6	13.6	4.9	0	108	115	118	30	3	0	0	0	0	0	0
AM Peak	11:00 44	11:00 20.4	1:00 17.5	11:00 5.4	0:00 0	10:00 13	11:00 15	11:00 13	11:00 5	11:00 2	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	15:00 46	19:00 22.6	19:00 15.7	22:00 7.1	12:00 0	15:00 17	15:00 13	13:00 17	12:00 7	19:00 1	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Hitchin ATC, School Lane

Direction: Northbound

02/03/2026

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	1	-	17.5	-	0	0	0	1	0	0	0	0	0	0	0	0
1:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
4:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
5:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
6:00	5	22.8	18.5	4.2	0	0	1	2	2	0	0	0	0	0	0	0
7:00	28	17.6	13.8	3.8	0	5	11	12	0	0	0	0	0	0	0	0
8:00	39	15.9	11.2	4.5	0	20	11	6	2	0	0	0	0	0	0	0
9:00	27	14.8	11.6	3.1	0	8	16	3	0	0	0	0	0	0	0	0
10:00	21	18.8	13.5	5.2	0	7	5	7	2	0	0	0	0	0	0	0
11:00	14	11.9	9.3	2.5	0	9	5	0	0	0	0	0	0	0	0	0
12:00	20	15.7	11.3	4.3	0	10	5	5	0	0	0	0	0	0	0	0
13:00	21	15.1	10.6	4.3	0	12	6	2	1	0	0	0	0	0	0	0
14:00	28	15.8	11.3	4.4	0	13	11	2	2	0	0	0	0	0	0	0
15:00	33	15.2	11.3	3.8	0	14	13	6	0	0	0	0	0	0	0	0
16:00	29	17.8	13.7	3.9	0	4	16	7	2	0	0	0	0	0	0	0
17:00	17	14.1	10.4	3.6	0	9	6	2	0	0	0	0	0	0	0	0
18:00	27	18.4	13.2	4.9	0	9	7	9	2	0	0	0	0	0	0	0
19:00	21	21.1	16.5	4.4	0	2	4	11	4	0	0	0	0	0	0	0
20:00	16	20.6	16.9	3.6	0	1	2	11	2	0	0	0	0	0	0	0
21:00	11	17.8	13.0	4.7	0	4	2	5	0	0	0	0	0	0	0	0
22:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
23:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
Total																
2H(10-12)	35	16.7	11.8	4.7	0	16	10	7	2	0	0	0	0	0	0	0
2H(14-16)	61	15.5	11.3	4.0	0	27	24	8	2	0	0	0	0	0	0	0
12H(7-19)	304	16.3	11.9	4.3	0	120	112	61	11	0	0	0	0	0	0	0
24H(0-24)	361	17.2	12.5	4.5	0	128	123	91	19	0	0	0	0	0	0	0
AM Peak	8:00 39	6:00 22.8	6:00 18.5	10:00 5.2	0:00 0	8:00 20	9:00 16	7:00 12	6:00 2	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	15:00 33	19:00 21.1	20:00 16.9	18:00 4.9	12:00 0	15:00 14	16:00 16	19:00 11	19:00 4	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Direction: Southbound

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	2	23.7	20.0	3.5	0	0	0	1	1	0	0	0	0	0	0	0
1:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
4:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
5:00	2	26.0	15.0	10.6	0	1	0	0	1	0	0	0	0	0	0	0
6:00	8	20.8	16.3	4.4	0	1	1	5	1	0	0	0	0	0	0	0
7:00	35	17.4	13.1	4.2	0	9	14	11	1	0	0	0	0	0	0	0
8:00	38	15.1	11.4	3.5	0	14	18	6	0	0	0	0	0	0	0	0
9:00	37	14.6	10.9	3.5	0	17	15	5	0	0	0	0	0	0	0	0
10:00	18	16.3	11.9	4.2	0	7	6	5	0	0	0	0	0	0	0	0
11:00	15	16.4	12.5	3.8	0	4	7	4	0	0	0	0	0	0	0	0
12:00	23	14.4	10.3	3.9	0	13	8	1	1	0	0	0	0	0	0	0
13:00	21	18.9	13.9	4.8	0	6	4	10	1	0	0	0	0	0	0	0
14:00	18	16.3	11.9	4.2	0	6	9	2	1	0	0	0	0	0	0	0
15:00	57	16.5	11.9	4.4	0	22	23	10	1	1	0	0	0	0	0	0
16:00	29	20.2	15.3	4.7	0	3	13	7	6	0	0	0	0	0	0	0
17:00	18	18.8	14.7	3.9	0	3	4	11	0	0	0	0	0	0	0	0
18:00	12	16.4	12.9	3.3	0	2	7	3	0	0	0	0	0	0	0	0
19:00	11	16.5	13.4	3.0	0	1	7	3	0	0	0	0	0	0	0	0
20:00	13	20.9	16.0	4.7	0	1	4	7	0	1	0	0	0	0	0	0
21:00	5	15.8	13.5	2.2	0	0	4	1	0	0	0	0	0	0	0	0
22:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
23:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
Total																
2H(10-12)	33	16.3	12.2	3.9	0	11	13	9	0	0	0	0	0	0	0	0
2H(14-16)	75	16.4	11.9	4.3	0	28	32	12	2	1	0	0	0	0	0	0
12H(7-19)	321	16.8	12.4	4.3	0	106	128	75	11	1	0	0	0	0	0	0
24H(0-24)	366	17.2	12.7	4.4	0	112	146	92	14	2	0	0	0	0	0	0
AM Peak	8:00 38	5:00 26.0	0:00 20.0	5:00 10.6	0:00 0	9:00 17	8:00 18	7:00 11	0:00 1	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	15:00 57	20:00 20.9	20:00 16.0	13:00 4.8	12:00 0	15:00 22	15:00 23	17:00 11	16:00 6	15:00 1	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates

Direction: Total Flow

Hour Beginning	Total Volume	85th Percentile	Mean Average	Standard Deviation	Bin 1 <5mph	Bin 2 5<10	Bin 3 10<15	Bin 4 15<20	Bin 5 20<25	Bin 6 25<30	Bin 7 30<35	Bin 8 35<40	Bin 9 40<45	Bin 10 45<50	Bin 11 50<55	Bin 12 >=55
0:00	3	22.2	19.2	2.9	0	0	0	2	1	0	0	0	0	0	0	0
1:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
2:00	0	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
3:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
4:00	1	-	7.5	-	0	1	0	0	0	0	0	0	0	0	0	0
5:00	3	22.1	14.2	7.6	0	1	1	0	1	0	0	0	0	0	0	0
6:00	13	21.6	17.1	4.3	0	1	2	7	3	0	0	0	0	0	0	0
7:00	63	17.5	13.4	4.0	0	14	25	23	1	0	0	0	0	0	0	0
8:00	77	15.5	11.3	4.0	0	34	29	12	2	0	0	0	0	0	0	0
9:00	64	14.7	11.2	3.4	0	25	31	8	0	0	0	0	0	0	0	0
10:00	39	17.7	12.8	4.7	0	14	11	12	2	0	0	0	0	0	0	0
11:00	29	14.6	10.9	3.6	0	13	12	4	0	0	0	0	0	0	0	0
12:00	43	15.0	10.8	4.1	0	23	13	6	1	0	0	0	0	0	0	0
13:00	42	17.2	12.3	4.8	0	18	10	12	2	0	0	0	0	0	0	0
14:00	46	16.0	11.5	4.3	0	19	20	4	3	0	0	0	0	0	0	0
15:00	90	16.0	11.7	4.2	0	36	36	16	1	1	0	0	0	0	0	0
16:00	58	19.0	14.5	4.4	0	7	29	14	8	0	0	0	0	0	0	0
17:00	35	17.1	12.6	4.3	0	12	10	13	0	0	0	0	0	0	0	0
18:00	39	17.8	13.1	4.5	0	11	14	12	2	0	0	0	0	0	0	0
19:00	32	19.8	15.5	4.2	0	3	11	14	4	0	0	0	0	0	0	0
20:00	29	20.7	16.5	4.1	0	2	6	18	2	1	0	0	0	0	0	0
21:00	16	17.3	13.1	4.0	0	4	6	6	0	0	0	0	0	0	0	0
22:00	2	12.5	12.5	0.0	0	0	2	0	0	0	0	0	0	0	0	0
23:00	1	-	12.5	-	0	0	1	0	0	0	0	0	0	0	0	0
Total																
2H(10-12)	68	16.5	12.0	4.3	0	27	23	16	2	0	0	0	0	0	0	0
2H(14-16)	136	16.0	11.6	4.2	0	55	56	20	4	1	0	0	0	0	0	0
12H(7-19)	625	16.6	12.2	4.3	0	226	240	136	22	1	0	0	0	0	0	0
24H(0-24)	727	17.2	12.6	4.4	0	240	269	183	33	2	0	0	0	0	0	0
AM Peak	8:00 77	0:00 22.2	0:00 19.2	5:00 7.6	0:00 0	8:00 34	9:00 31	7:00 23	6:00 3	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0	0:00 0
PM Peak	15:00 90	20:00 20.7	20:00 16.5	13:00 4.8	12:00 0	15:00 36	15:00 36	20:00 18	16:00 8	15:00 1	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0	12:00 0

Paul Castle Associates